


Charles Fiore Nurseries

INCORPORATED

Specialists In

Landscape Gardening

PRAIRIE VIEW, ILLINOIS



Season Wholesale Price List For Fall 1957

Because of existing conditions the prices contained herein are subject to change without notice.

Charles Fiore Nurseries

INCORPORATED

Tel. Exchange — LI bertyville 2-3004

Post Office

PRAIRIE VIEW 1, ILLINOIS

Conditions of Sale

Prices F. O. B. Prairie View, Illinois. Packing charges are in addition to cost of plants. No charge for packing car lot orders in bulk. All shipments at purchaser's risk.

Orders are accepted subject to prior orders, crop conditions, and to delay or injury to our nursery stock due to strikes, accidents, fire, floods, hail etc.

The CHARLES FIORE NURSERIES, INC. warrants to the extent of the purchase price that nursery stock sold is true-to-name and as described within recognized tolerances. Seller gives no other or further warranty, express or implied, and will, under no circumstances be liable for more than the invoice value at the time of purchase. We cannot assume any warranty as to productiveness after transplanting.

These prices are all for the trade only and in no case will they be allowed to retail customers. When writing, please use letterhead stationery.

TERMS ARE NET CASH. To those who have estabblished credit with us the payment is NET 30 DAYS - a 6% interest charge will be made on accounts over 30 days. All shipments will be sent at buyer's risk. All C.O.D. orders must be accompanied by one-fourth cash.

This list cancels all previous lists and we reserve the right to change prices without notice.

Quantity Rates

1 to 9 plants of one variety Single rate
10 to 49 plants of one variety 10 rate
50 to 249 plants of one variety 100 rate
250 or more plants of one variety 1000 rate

This list does not cover all varieties or sizes for plants we grow. Most of the items are available in quantity lots at greatly reduced prices. Write for other items not listed. We reserve the right to withdraw this special price at any time without notice.

Location

Nursery is located on Highway 22, 1½ miles West of Route 21 at Half Day and ½ mile East of Route 83. Approximately 30 miles North of Chicago.

SEE INSIDE OF BACK COVER FOR BALLING AND BOXING CHARGES.

BUSINESS HOURS: 7 A.M. TO 4 P.M. DAILY

NO TRUCK LOADING ON SATURDAY
AFTERNOONS
CLOSED SUNDAYS AND HOLIDAYS

WHOLESALE PRICE LIST FALL 1957

| Each | Each Each per 10 per 100 |
|---|---|
| ACER palmatum atropurpureum A dwarf tree with blood-red folia | |
| palmatum atrop. dissectum Threadleaf A dwarf tree with blood-red cut | Bloodleaf Maple |
| | |
| Above listed Acers priced as follows: 18-24" BB 15.00 2-3' BB 20.00 3-4' BB 25.00 4-5' BB 30.00 Larger sizes available | |
| - | Japanese Maple |
| A dwarf tree with green foliage. 1 18-24" BB | 12' |
| dasycarpum (saccharium) | Silver Maple |
| Rapid growing tree. Leaves silver 1¼" 5.25 1½" 6.25 2" 7.50 2½" 11.00 3" BB 30.00 3½" BB 40.00 Larger sizes available | $\begin{array}{ccc} 4.75 & 4.00 \\ 6.00 & 5.25 \\ 7.25 & 7.00 \\ 10.50 & 10.25 \\ 29.00 & 27.50 \\ 39.00 & \end{array}$ |
| dasycarpum aureum | Golden Maple |
| Rapid grower with bright yellow 2" 8.50 | foliage 40' 8.00 |
| 2½" | |
| | Cut-leaf Maple |
| Similar to Silver Maple, drooping finely-cut leaves 75' | |
| $1\frac{1}{2}$ " 7.00 | 6.75 |
| 2 " 8.75 $2\frac{1}{2}$ " 15.00 | $8.50 \\ 14.00$ |
| 3" BB 35.00 | 2 2000 |
| ginnala | Amur Maple |
| A short-dense tree with excellent 2-3' Shrub Form75 | .65 .55 |
| 3-4' Shrub Form 1.50 | 1.00 .90 |
| 4-5' Shrub Form 2.50 5-6' BB Shrub Form 6.50 | $\begin{array}{ccc} 2.25 & 2.00 \\ 6.25 & 6.00 \end{array}$ |
| 6-8' BB Shrub Form 12.50 | 12.00 |
| 2" BB Shrub Form 22.50 | |
| 3" BB Shrub Form 37.50 | |
| Larger sizes available | |

Each Each Each Each per 10 per 100

| | platanoide nse-round | tree. | Rich | Norwa green folia | y Maple ge 75' |
|------------------|-------------------------|-------|------------------|----------------------|------------------------|
| 1½" 2" 2½" | ••• | | . 12.0 . 17.5 | 0 11.50 0 16.50 | 8.00 11.00 15.50 |
| 3" 3½" 4" | BB | | . 46.0 . 60.0 | 0 45.00 | 35.00 |



Acer Platanoides (Norway Maple) 2" and $2\frac{1}{2}$ " calipered trees.

| platanoides columnare Pyramidal variety of Nor | | | Maple |
|--|---|------------------------|------------------|
| 1½" 2" 2½" 3" BB 5" BB | $\begin{array}{c} 9.75 \\ 11.75 \\ 20.00 \\ 37.50 \\ 70.00 \end{array}$ | 9.25 11.25 19.00 | 9.00 11.00 |
| platanoides drummondi | Va | riegated | Maple |
| Leaves are green with what tal tree of great value as shade tree 50' | ite edging well as | g. An orr a fast g | namen- rowing |
| 1½" | | 8.50 9.50 | 8.00 |

platanoides globosum Globe Norway Maple

Globe Norway Maple head on 6' stems.

24" head BB.... 17.50 42-48" head BB.... 25.00

Each

Each

| | Each | per 10 | |
|---|------------------|------------------|----------|
| ACER platanoides schwedleri | S | chwedler | i Maple |
| Form is similar to Norway red in the Spring turning r | Maple. | Leaves 1 | rilliant |
| 44/11 | 44 00 | 10.50 | 10.00 |
| 2" | 15.00 | $10.50 \\ 14.50$ | 14.00 |
| 2½" | 20.00 | 19.00 | 14.00 |
| 3" BB | 42.50 | | |
| 3½" BB | 52.50 | | |
| Larger sizes a | vailable. | | |
| platanoides schwedleri nigra | Crims | son King | Maple |
| Plant Patent 735 | | | |
| A form of Schwedleri Ma | | | |
| deep red throughout the | | | |
| 1¼" | 13.50 | 13.00 | 12.50 |
| 1½" 2" BB | 17.50 | 17.00 | 16.50 |
| | $35.00 \\ 45.00$ | 34.00 | 33.00 |
| 2½" BB 4" BB | | 44.00 | |
| 4 DD | 100.00 | | |
| platanoides fiore-faassen bla | ck mapl | e Black | Maple |
| A red-leaf Maple that reta | ins its c | olor thre | oughout |
| the summer months 50' | | | |
| 11/4" | 11.50 | 11.00 | 10.00 |
| 1½" | 15.25 | 14.50 | 14.00 |
| | 30.00 | 29.00 | 28.00 |
| 2½" BB | 40.00 | 39.00 | 38.00 |
| pseudoplatanus | | Plaintree | Monlo |
| | | | _ |
| A vigorous grower. Leaves | | underne | atn00 |
| 01/11 | 14.50 16.50 | 16.25 | |
| 3" BB | 32.00 | 31.00 | |
| 3½" BB | 40.00 | 01.00 | |
| 5" BB | 65.00 | | |
| | | | |
| rubrum | | r Scarlet | |
| Excellent fall coloring. Fin | | | |
| 1½" | | 9.50 | 9.00 |
| 2" | 14.00 | 13.75 | 13.50 |
| 2½" 3" BB | 17.50 | 17.25 | 17.00 |
| 0 22 | | | |
| Larger sizes a | vamabie. | | |
| rubrum bushform | Red o | r Scarle | t Manle |
| Same description as Rubru | | | _ |
| bushy form. | im excel | ot grown | |
| | 50.00 | 47.50 | |
| 12-14' BB | 60.00 | | |
| sold to the second state of | | ~ | |
| saccharum | | | Maple |
| A long lived, stately tree. B | .11. | | |
| | srilliant: | fall color | ing75' |
| PRICES ON THE 1 | | | ring75' |

| 4 | CHARLES | FIORE | NUI | KSEKIE | is, inc. |
|-----------------|------------------|-----------|---------|----------------|-----------------|
| 200 | | Ea | ch | Each per 10 | Each per 100 |
| | | | .011 | per re | PCI ICC |
| | harum—Contin | | 0.0 | 44 50 | 44.00 |
| 1½" | | | .00 | 11.50 | 11.00 |
| 2" | | | | 17.00 | 16.50 |
| 2½" | | | | 24.00 | 23.00 |
| 3" BB | | | | 44.00 | 43.50 |
| 3½" BB | | | | 52.00 | |
| 4" BB | | | .00 | | |
| 4½" BB | | | | | |
| | Larger siz | es avail | able. | | |
| A TOPOCTITI TIE | Duk! | (abana | D:1 | TTown | abaatmut |
| | S carnea (Rubi | | | | |
| | pink fl. chestn | | | foliage. | - 30' |
| 3-4' BB | | | .50 | | |
| 3½" BB | | | | | |
| 4½" BB | | 85. | .00 | | |
| | Larger siz | es avail | able. | | |
| | | | | 011 | D 1 |
| glabra | | | | | Buckeye |
| | ound top. Flor | wers cre | eamis | h yello | w 30' |
| 11/2" | | 9. | 75 | 9.50 | |
| 2" BB | | | | 20.00 | |
| 2½" BB | | | | 27.50 | |
| 3" BB | | | .00 | 39.50 | |
| 3½" BB | | ~ ~ | | 47.50 | |
| 0 /2 DD | Larger siz | | | 11.00 | |
| | Harger 512 | ics avair | abic. | | |
| hippocasta | anum alba (ba | ummani) |) | Horse | chestnut |
| | white flowers. | | | | |
| 1½" | | 10. | .00 | | |
| 2" BB | | 25. | .00 | 22.00 | |
| 2½" BB | | 30. | .00 | | |
| 3" BB | | 45. | .00 | | |
| 4" BB | | | | | |
| | Larger siz | es avail | able. | | |
| | | | | ~ | - |
| octundra | | | | | Buckeye |
| 4-5' | | | | .85 | |
| 5-6' BB | | 10. | .00 | 9.50 | |
| pavia | | | | Red | Buckeye |
| | l, well-rounded | troo w | ith re | | |
| 5-6' BH | 3 | 20 | 00 | u nowe | 215 20 |
| | 3 | | | | |
| 0-1 DI | | | | | |
| | Larger siz | | | | |
| parviflora | | | Bottl | ebrush | Buckeye |
| A SHR | UB form tree | with wh | ite flo | wers.] | Excellent |
| for law | n specimen | 10' | | | |
| 5-6' BI | 3 | 20 | .00 | 19.00 | |
| ATT ANIMITT | JS glandulosa (| altinain. | | T | e Transa |
| | | | | | |
| | l growing tree | | | | With- |
| | adverse city co | | | | |
| 2½" | | | | 9.00 | |
| 3" | | | | 14.50 | |
| 3½" BB | | | | 37.50 | |
| | Larger siz | | | | |
| ALNUS glu | itinosa | 17 | urone | an Pla | ck Alder |
| | | | _ | | |
| A vigo: | rous grower w | ith attr | active | green | foliage. |
| A valu | able tree for | planting | in | damp s | situation. |
| Noted 1 | for their catkin | ns in Sp | ring. | - 65' | |
| (Contin | nued on next pa | age) | | | |
| Selec | ted material 2 | 5% ext | ra. | | |

| PRAIRIE VIEW, ILLINOIS | | | |
|---------------------------------|---------------------|---------------------|---------------------|
| The second second | Each | Each per 10 | Each per 100 |
| | | C | J. Aldon |
| ALNUS incana | 1 | | ed Alder |
| Similar to above except the | | is specki | ea 60 |
| Above Alders are priced as fe | ollows: | | |
| 2½" BB | 25.00 | 24.00 | 23.00 |
| 3" BB | 35.00 | 34.00 | |
| | 45.00 | $42.50 \\ 52.50$ | |
| 4" BB | 55.00 | | |
| Larger sizes a | vallable | е. | |
| AMELANCHIER canadensis | Shadb | low Serv | iceberry |
| A bushy tree, fastigiately | v hran | ched. Fl | owers a |
| showy white. Early spring | bloom | er, before | e foliage |
| appears 30' | 2200111 | , | |
| | Allamb | one Cont | ziacherry |
| laevis | | eny Serv | |
| An irregularly branched tr | ee with | ng bloom | er - 40' |
| Flowers very showy white | - sprii | follower | 10 |
| Preceeding Serviceberry price | | | 1.50 |
| 3-4' | $\frac{1.75}{5.00}$ | $\frac{1.60}{4.50}$ | $\frac{1.50}{4.25}$ |
| 4' BB | 7.50 | 7.25 | 7.00 |
| 5' BB 6' BB | 15.00 | 14.50 | 14.00 |
| 8' BB | | | |
| 10' BB | 47.50 | | |
| Larger sizes a | vailable | e. | |
| | | | |
| BETULA alba (pendula) | | | ite Birch |
| Silvery white bark. Very | showy. | - 50' | |
| papyrifera | Cano | e or Par | er Birch |
| Very white trunk with a gr | | | |
| Above listed Betulas priced | ag fo | llows. | |
| 6-8' BB | | 9.50 | 9.00 |
| 1½" BB | 40.00 | 11.00 | 10.00 |
| 2" BB | 17.00 | 16.00 | 15.00 |
| 21/2" BB | 25.00 | 24.00 | 22.50 |
| | 35.00 | 32.50 | 30.00 |
| Larger sizes a | vailabl | e. | |
| | | 3371 | ite Birch |
| alba clump form and | | | ver Birch |
| nigra clump form | 10.00 | | |
| 2 stem 6' BB | 4 F 00 | $11.00 \\ 14.50$ | |
| 3 stem 6' BB | | 14.50 17.00 | |
| 2 stem 8' BB 3 stem 8' BB | | 19.00 | |
| 2 stem 10' BB | | 19.00 | |
| 3 stem 10' BB | 25.00 | | |
| 2 stem 12' BB | . 27.50 | | |
| 3 stem 12' BB | . 35.00 | | |
| 3 stem 14' BB | . 50.00 | | |
| Larger sizes a | availab. | le. | |
| atropurpurea | I | Purple L | eaf Birch |
| A European Birch with | | | |
| A European Diren with | L | | |
| hold their color all summ | er. | | |
| hold their color all summ 2" BB | er. . 20.00 | | |
| hold their color all summ | er. . 20.00 | | |

| 6 | | CHARLES | FIORE NU | JRSERI | ES, INC |
|----|------------------------|---|----------------------|----------------------|-------------------|
| | | f | Each | | Each per 100 |
| B | BETULA gr | acilis (laciniata | Cutlea | f Weeni | no Rirch |
| | Very sh | owy white bark d cut leaves | with a gr | raceful, | drooping |
| | 1½" BB 2" BB | | 12.00 | 11.50 19.50 | 18.00 |
| | 2½" BB 3" BB | | 35.00 | $24.50 \\ 34.00$ | 22.50 |
| | | Larger size | s available. | | |
| | lutea | | | | w Birch |
| | Bark is | light orange. Ter to the taste. | he young 1 | bark is | aromatic |
| | 21/2" BB | | | 19.00 | |
| | 3" BB | • | 25.00 | 24.00 | |
| | nigra | 11: 1 1 | , | | er Birch |
| | loving to | reddish-brown ree also known | for its ru | gged ba | oisture rk 50' |
| | 2½" BB | | 20.00 | 19.00 | |
| | 3" BB 3½" BB | | | 24.00 | 23.00 |
| | 0 /2 DB | Larger sizes | available. | 52.00 | 50.00 |
| C | ARPINUS | | | erican H | |
| | A low-b | ranched tree w | ith bluish- | green f | oliage. |
| | 6-8' BB | nt fall coloring | | | 0' |
| | 3" BB | | | $\frac{5.00}{32.50}$ | |
| | 3½" BB | | 45.00 | 42.50 | |
| | 4" BB | Larger sizes | | 54.00 | |
| | fastigata | 2501901 5120 | | | |
| | A narro | w form of the l | nornbeam | mnar H | ornbeam |
| | 5-6' BB 6-7' BB | •••••• | | 10.00 | |
| C | | Jandad | | 13.00 | |
| U. | ASTANEA Most vig | gentata Gorous grower o | American f the edibl | Sweet (| Chestnut |
| | 2" BB | | 20.00 | CHOSTI | acis. 10 |
| | 2½" BB 3" BB | • | | 27.00 | |
| | n 2 - 1 1 1 1 1 | •••••• | | | de alle |
| | mollissima Noted fo | r its large and | carly boar | hinese (| Chestnut |
| | 1½" BB | ······································· | 12.50 | ing nucs | 50 |
| | 2" BB 2½" BB | | | 04.00 | |
| | 3" BB | | | 24.00 | |
| | 3½" BB | | | | |
| | 4" BB | Larger size | | | |
| C | ATALPA b | | | mbuelle | Catalna |
| 0. | Dark gre | en foliage. Glo | be head. | mbrella | Cataipa |
| | 4' stem 2 | year heads | 5.50 | 5.25 | |
| C | | | 7.50 | | |
| U. | | dentalis le shade tree di | le to its ros | Ha | ckberry |
| | Elm tr | ee 50' | | | e to the |
| | | RICES ON THE ed material 25% | | AGE | |
| | Defecte | a material 20% | extra. | | |

| PRAIRIE VIEW, ILLINOIS | | 7 |
|--------------------------------|-----------------|-------------|
| FOR COST | Eac | |
| \mathbf{E} | ach per | 10 per 100 |
| CELTIS occidentalis—Continued | | |
| | .50 10. | 50 9.50 |
| | 5.00 14. | |
| 21/2" 21 | .00 20. | 00 19.00 |
| 3" BB 40 | 0.00 37. | 50 37.00 |
| | 0.00 | |
| | 0.00 0.00 | |
| -/- | | |
| Larger sizes avai | nable. | |
| CERCIDIPHYLLUM japonicum | Ka | atsura Tree |
| Leaves are heart-shaped ar | nd dark g | green. Turn |
| purplish-red and yellow in t | he Fall. A | fine, pest- |
| free, symmetrical tree 30' | | |
| 4-5' BB | | |
| 5-6' BB | 5.00 	 14. | .00 |
| 6-8' BB | 2.50 22 5.00 | .00 |
| Larger sizes ava | | |
| Larger Sizes ava | nabie. | |
| CERCIS canadensis (Shrub form) | Ameri | ican Redbud |
| Also known as the Judas tr | | |
| in early spring 15' | | |
| 3' BB | 5.00 4 | .50 	 4.25 |
| | | .25 5.75 |
| 0 22 111111111111111 | | .75 9.25 |
| | | .50 |
| Larger sizes ava | ilable. | |
| canadensis (tree form) | | |
| 1½" BB 2 | 5.00 24 | .00 |
| | | White Ded |
| canadensis alba | 1 | White Bud |
| Same as canadensis but flow | | |
| 2-3' BB 1 | | .50 |
| 3-4' BB 1 | 2.75 | |
| canadensis pink | | Pink Bud |
| Same as canadensis but flow | ers are pa | le pink. |
| 2-3' BB 1 | 0.00 | |
| 3-4' BB 1 | 2.75 | |
| CORNUS florida Whi | te Floweri | ng Dogwood |
| A short tree with white flow | | - |
| foliage. Bright red fruit in t | he fall 2 | 0' |
| 3' BB | 5.50 5 | .00 |
| | | 6.00 |
| | | 8.25 8.00 |
| 6' BB | 5.00 | 1.50 |
| 8' BB | | |
| 3" BB Tree Form 6 | 0.00 | |
| Larger sizes ava | | |
| | | |
| | | ng Dogwood |
| Red flowering form of the ab | | .05 |
| | | .25 |
| | | 3.75 50 |
| | | |
| Selected material 25% extr | ra. | |
| | | |

Each Each Each per 10 per 100 CRATAEGUS arnoldiana Arnold Hawthorn Stout ascending or speading branches with open head. Fruit is bright crimson. - 20' intricata (coccinea) Thicket Hawthorn Upright or spreading branches with long thorns. Fruit is of dull reddish-brown. - 20' calpodendron (tomentosum) Pear Hawthorn Spreading branches with short thorns. Fruit is a dull yellow and sometimes a yellowish red. - 15' macracantha A dense grower with long slender spines. Fruit is a dark shining cherry red - 20' mollis ollis
Bright green foliage and short thorns. Fruit ripens early and drops soon after maturity. - 20' Glossy Hawthorn Thin straight thorns with lustrous foliage and dark dull red fruit. Very ornamental tree. - 20' prunifolia Plumleafthorn Ascending or spreading branches. Deep red fruit. Good for hedges. - 25' punctata Dotted Hawthorn Broad-headed tree with large white flower. Dull red-spotted fruit. - 25' The above listed Crataegus are priced as follows: 3' BB 5.00 4.00 3.50 4' BB7.00 6.75 6.25 5' 9.50 8.75 8.00 6' 13.75 12.50 11.75 BB20.00 19.00 18.00 Heavy specimen plants on above sizes quoted on request. Larger sizes available. cordata (phaenopyrum) Washington Hawthorn White flower with brillant fall foliage. Bright orange-red fruit remaining a long time on branches. - 20' 3 3.50 3.25 4' 4.50 4.75 5' BB7.006.50 6.00 6' BB9.759.25 9.00 7' BB15.00 14.50 14.00 8' BB 25.00 24.50 24.00 Larger sizes available. crusgalli Cockspur Thorn Branches spreading. White flower and bright red fruit. Brilliant fall coloring. Foliage is a deep green and leather-like during summer. - 20' 3' bareroot..... 4.00 3.75 3.50 3' BB6.00 5.00 4.50 4' BB8.75 7.75 7.00 5' BB12.50 11.50 10.75 6' BB 17.50 17.00 16.00 7' BB 30.00 29.00 28.00 8, BB 40.00 37.50 Heavy XX 8' BB 75.00 10' BB Heavy XX 85.00

Larger sizes available.

| PRAIRIE VIEW, ILLINOIS | | | 9 |
|--|---|---------------------|---|
| | Each | Each per 10 | Each per 100 |
| CRATAEGUS crusgalli inermis | ; | | |
| Thornless Crusgalli same l except there are no thorns Sold out | nabit ar | nd form | as above |
| oxycantha | E | nglish H | awthorn |
| A short tree with stout t | horns. | Single w | hite |
| flowers 15' | F 77 | F 0F | F 00 |
| 3' BB 4' BB | $\begin{array}{c} 5.75 \\ 6.50 \end{array}$ | $\frac{5.25}{6.00}$ | $\frac{5.00}{5.50}$ |
| 5' BB | 8.75 | 8.50 | 8.00 |
| 6' BB | 11.00 | 10.50 | 10.00 |
| 7' BB | 4 = 00 | 14.50 | 2000 |
| Larger sizes a | | | |
| oxycantha plena Dbl | मा म | nglish H | awthorn |
| Same form as the above | | | |
| flowers 15' | but wit | ii dodbie | WILLOC |
| 4-5' | 3.75 | 3.50 | |
| 5-6' BB | 7.50 | 7.00 | |
| 7-8' BB | 15.00 | 14.50 | 14.00 |
| 8-10' BB | 18.00 | 17.50 | |
| 1½" BB | 22.50 | 22.00 | |
| 2" BB | | | |
| Larger sizes a | vanabie | 2. | |
| oxycantha splendens pauli Same form as the above b | | | et Thorn pink |
| flowers 20' | 3.00 | 2.75 | 2.50 |
| 3-4' 4-5' | $\frac{3.00}{3.75}$ | 3.50 | $\frac{2.50}{3.25}$ |
| 5' BB | 8.75 | 8.50 | 0.20 |
| 6' BB | 40 50 | 12.00 | |
| 1½" BB | 15.50 | 15.00 | |
| 2" BB | 25.00 | | |
| lavallei (carrierei) | L | avallei H | Iawthorn |
| White flower with red dis | | | |
| 3' BB | 5.50 | , | |
| 4' BB | 7.00 | 6.50 | |
| 5' BB | 8.00 | 7.00 | 6.50 |
| 6' BB | 12.00 | 11.50 | 11.25 |
| 7' BB 1½" BB | 00 50 | $14.50 \\ 22.00$ | $\begin{array}{c} 14.25 \\ 19.00 \end{array}$ |
| 1½" BB | 0000 | 29.00 | 19.00 |
| | | | |
| FAGUS sylvatica | | • | en Beech |
| Dark green foliage with to -80' | | e a light | ter color. |
| 4-5' BB 5-6' BB | | | |
| Larger sizes a | | | |
| | | | |
| sylvatica heterophylla (asple | | | |
| Leaves deeply cut into n | arrow 1 | lobes. A | graceful |
| tree forming a dense, low t | ree 2 | | |
| 4-5' BB 5" BB | | 9.50 | |
| 5" BB 5½" BB | 175.00 | | |
| 3/2 23 | 2.0.00 | | |

Larger sizes available

| 10 CHARLES FIORE NURSERIES, IN | C. |
|---|----------|
| Each Each Each per 10 per 1 | |
| FAGUS sylvatica pendula Green Weeping Bee Long pendulous branches, large limbs growing ve | |
| contorted. Very ornamental - 50' 2-3' BB | T J |
| sylvatica purpurea pendula red Weeping Red leaf Bee | ch |
| sylvatica purpurea pendula copper Copper leaf weeping Bee | ch |
| Prices on above Fagus as follows: 2-3' BB 8.50 | |
| sylvatica purpurea (Copper Beech) Purple Bee | och |
| Same form as the Sylvatica but with purple leav turning bronze 75' | es, |
| 4-5' BB | |
| sylvatica purpurea riversii Purple Leaf Bee | ch |
| Very deep red leaves in Spring. 2-3' BB | |
| sylvatica zlatra Same description as the Sylvatica only with gr | |
| color foliage. 3-4' BB 9.50 | m |
| grandiflora A larger leaved tree than the European Green Beech 80' | ch en |
| 5-6' BB | |
| FRAXINUS americana White A A rapid tall growing tree with good fall color ' | |
| lanceolata (pennsylvanica) Green A Similar form to above and thrives practically throughout the United States 60' | sh |
| Above listed Fraxinus priced as follows: $1\frac{1}{2}$ " 7.00 6.50 6. | 00 |
| 2" 9.25 8.75 8. | 00 |
| $2\frac{1}{2}$ " | |
| 3½" BB | |
| lanceolata "Marshall Seedless Green As Dark green foliage tree that is entirely free fro seed. | h" om |
| 1½" 10.00 9.75 Selected material 25% extra. | |

| Each | | Each per 100 |
|--|--|--|
| FRAXINUS globosa | G | lobe Ash |
| A Globe Head on a 7-8' stem. $(2\frac{1}{2})$ | | |
| | 17.00 | , |
| | τ. | Blue Ash |
| quadrangulata | | |
| Handsome foliage with heavy corl | 8.25 | - 00 |
| 8-10' 8.50 4½" BB | 0.40 | |
| 5" BB 75.00 | 74.00 | |
| Larger sizes available | • | |
| velutina glabra | Mod | esto Ash |
| A rapid growing, clean tree. Brig | ght yello | w leaves |
| in the fall. Thrives in poor soil | 40' | |
| 4-5' 3.50 | 3.25 | |
| 5-6' 5.50 | 5.25 | |
| GINKGO biloba (salisburia) | Maidenh | nair Tree |
| A stately tree with foliage shaped | | |
| hair fern. Immune from insects. | - 60' | |
| 2½" BB 30.00 | | |
| 3" BB | 39.00 | 40.00 |
| 3½" BB 47.50 4" BB 55.00 | 52.50 | 50.00 |
| Larger sizes available | | 00,00 |
| | | |
| GLEDITSIA triacanthos Com | | |
| A thorny tree with white fragran | nt flower | s. Hand- |
| some divided foliage and large co | nspicuou | 122 |
| * | | |
| | loss Ho | |
| | | neylocust |
| Same form as above and almost | thornless | s 70' |
| Above listed Gleditsia are priced as | thornless s follows | s 70' |
| Above listed Gleditsia are priced as | thornless s follows 9.50 | s 70' s: 9.00 |
| Above listed Gleditsia are priced as 1½" | thornless s follows 9.50 14.50 | s 70' s: 9.00 |
| Above listed Gleditsia are priced as 1½" | thornless s follows 9.50 14.50 | 9.00 14.00 |
| Above listed Gleditsia are priced as 1½" | thornless s follows 9.50 14.50 | 9.00 14.00 |
| Above listed Gleditsia are priced as 1½" 10.00 2" 15.00 2½" 20.00 3" BB 45.00 3½" BB 50.00 4" BB 65.00 | thornless s follows 9.50 14.50 | 9.00 14.00 |
| Above listed Gleditsia are priced as 1½" | thornless 5 follows 9.50 14.50 19.00 44.00 47.50 | 9.00 14.00 |
| Above listed Gleditsia are priced as 1½" 10.00 2" 15.00 2½" 20.60 3" BB 45.00 3½" BB 50.00 4" BB 65.00 4½" BB 75.00 Larger sizes available | thornless 9.50 14.50 19.00 44.00 47.50 | 9.00 14.00 |
| Above listed Gleditsia are priced as 1½" 10.00 2" 15.00 2½" 20.00 3" BB 45.00 3½" BB 50.00 4" BB 65.00 4½" BB 75.00 Larger sizes available triacanthos inermis Special Budded | thornless 5 follows 9.50 14.50 19.00 44.00 47.50 | 9.00 14.00 18.00 |
| Above listed Gleditsia are priced as 1½" | thornless 5 follows 9.50 14.50 19.00 44.00 47.50 e. | 9.00 14.00 18.00 |
| Above listed Gleditsia are priced as 1½" | thornless s follows 9.50 14.50 19.00 44.00 47.50 These the best develop | 9.00 14.00 18.00 trees are st grown oed head. |
| Above listed Gleditsia are priced as 1½" | thornless s follows 9.50 14.50 19.00 44.00 47.50 These the best develop | 9.00 14.00 18.00 trees are st grown oed head. |
| Above listed Gleditsia are priced as 1½" | thornless s follows 9.50 14.50 19.00 44.00 47.50 These to the best developing is sm | 9.00 14.00 18.00 trees are st grown oed head. ooth and |
| Above listed Gleditsia are priced as 1½" | thornless s follows 9.50 14.50 19.00 44.00 47.50 These to the best developing is sm | 9.00 14.00 18.00 trees are st grown oed head. ooth and |
| Above listed Gleditsia are priced as 1½" | thornless of follows 9.50 14.50 19.00 44.00 47.50 | 9.00 14.00 18.00 trees are st grown oed head. ooth and |
| Above listed Gleditsia are priced as 1½" | thornless of follows 9.50 14.50 19.00 44.00 47.50 | 9.00 14.00 18.00 trees are st grown oed head. ooth and |
| Above listed Gleditsia are priced as 1½" 10.00 2" 15.00 2½" 20.60 3" BB 45.00 3½" BB 50.00 4" BB 65.00 4½" BB 75.00 Larger sizes available triacanthos inermis Special Budded A tree of outstanding merits. budded trees from a selection of with a straight trunk and a well Foliage is darker green and trun of a lighter color. 1½" 11.50 2" 18.75 2½" BB 35.00 SUNBURST Locust (Plant Patent No. | thornless follows 9.50 14.50 19.00 44.00 47.50 c. d. These follows 11.00 18.00 34.50 c. 1313) | 9.00 14.00 18.00 trees are st grown oed head. ooth and |
| Above listed Gleditsia are priced as 1½" 10.00 2" 25.00 3" BB 45.00 3½" BB 50.00 4" BB 65.00 4½" BB 75.00 Larger sizes available triacanthos inermis Special Budded A tree of outstanding merits. budded trees from a selection of with a straight trunk and a well Foliage is darker green and trun of a lighter color. 1½" 11.50 2" 18.75 2½" BB 35.00 SUNBURST Locust (Plant Patent Normalist Budden foliage on 8 to 10 | thornless follows 9.50 14.50 19.00 44.00 47.50 c. d. These follows 11.00 18.00 34.50 c. 1313) | 9.00 14.00 18.00 trees are st grown oed head. ooth and |
| Above listed Gleditsia are priced as 1½" 10.00 2" 25.00 3" BB 45.00 3½" BB 50.00 4" BB 65.00 4½" BB 75.00 Larger sizes available triacanthos inermis Special Budded A tree of outstanding merits. budded trees from a selection of with a straight trunk and a well Foliage is darker green and trun of a lighter color. 1½" 11.50 2" 18.75 2½" BB 35.00 SUNBURST Locust (Plant Patent No Bright golden foliage on 8 to 10 tips. | thornless of follows 9.50 14.50 19.00 44.00 47.50 e. d. These of the best developate is sm 11.00 18.00 34.50 c. 1313) inches of the best developate is sm 11.00 18.00 34.50 c. 1313) | 9.00 14.00 18.00 trees are st grown oed head. ooth and |
| Above listed Gleditsia are priced as 1½" 10.00 2" 25.00 3" BB 45.00 3½" BB 50.00 4" BB 65.00 4½" BB 75.00 Larger sizes available triacanthos inermis Special Budded A tree of outstanding merits. budded trees from a selection of with a straight trunk and a well Foliage is darker green and trun of a lighter color. 1½" 11.50 2" 18.75 2½" BB 35.00 SUNBURST Locust (Plant Patent No Bright golden foliage on 8 to 10 tips. | thornless follows 9.50 14.50 19.00 44.00 47.50 c. d. These follows 11.00 18.00 34.50 c. 1313) | 9.00 14.00 18.00 trees are st grown oed head. ooth and |
| Above listed Gleditsia are priced as 1½" 10.00 2" 25.00 3" BB 45.00 3½" BB 50.00 4" BB 65.00 4½" BB 75.00 Larger sizes available triacanthos inermis Special Budded A tree of outstanding merits. budded trees from a selection of with a straight trunk and a well Foliage is darker green and trun of a lighter color. 1½" 11.50 2" 18.75 2½" BB 35.00 SUNBURST Locust (Plant Patent Normalist Budden foliage on 8 to 10 | thornless of follows 9.50 14.50 19.00 44.00 47.50 e. d. These of the best developate is sm 11.00 18.00 34.50 c. 1313) inches of the best developate is sm 11.00 18.00 34.50 c. 1313) | 9.00 14.00 18.00 trees are st grown oed head. ooth and |

| 12 | | CHARLES | FIORE | NUI | RSERIE | S, INC. |
|------------------|-----------------|---|--------------|----------------|----------|----------|
| | | | | | Each | Each |
| | | | Ea | ch | per 10 | |
| MORA | INE | | | , | Moraine | Locust |
| | | Patent 836 | | | | Locust |
| \mathbf{A} | seedle | ess, podless and | d thornl | ess h | oneyloci | |
| 11/4" | | | \dots 12. | .00 | 11.50 | 11.00 |
| 1½" 2" | חח | | $\dots 17.$ | 00 | 16.50 | |
| 2½" | BB BB | | | | 27.00 | |
| | | | | | | |
| | | ADUS dioicus | | | | |
| Lilį gra | gnt bl ower. | lue green foliag - 50' | ge. Whit | e ilov | wers and | a slow |
| $1\frac{1}{2}$ " | ower. | - 50 | 10 | 00 | | |
| 6" | BB | • | | | | |
| HALES | SIA (| carolina (tetra | itera) | | Silv | ver Bell |
| | | bell-like flower | | v lit | | |
| 5-6' | BB | 7 | 7. | 50 | 7.00 | |
| 2" | | | | | | |
| 2½" | BB | | \dots 20. | 00 | 19.50 | |
| 3" | BB | I organ sig | 30. | 00 | 29.00 | |
| | | Larger size | es avam | abre. | _ | |
| JUGLA | | | | C | Buttern | |
| 2" 2" | | own as white | | | park | 19. |
| - | BB | | | 00 | 27.50 | |
| 3" | BB | | 37. | 50 | _,,,, | |
| 5" | BB | | 50.6 | 00 | 49.00 | |
| | | Larger size | es availa | able. | | |
| nigra | a 1 1 | | 1 11:1 | 1 1 | | Walnut |
| 2", Ko | ugn r | orown bark wit | | | led nuts | 80' |
| 2½" | | • | | | | |
| 4" | BB | * | 40.0 | 00 | 39.00 | |
| 5" | $_{ m BB}$ | | \dots 50.0 | 00 | | |
| | | Larger size | | | 4 | |
| KOELI | REUT | ERIA panicula | ita | , (| Goldenra | in Tree |
| | | top grower wi Does well in n | | | sters of | yellow |
| | out | Does well in it | iost citie | es. | | |
| | | I vossii | | | Golden | Chain |
| | | green foliage v | with dro | | | |
| bri | ght y | ellow flowers i | n June. | | | |
| Sold | | | | | | |
| | | da (europea) | 7.70 | E | uropean | Larch |
| A (| deciau | ous plant reser A rapid grow | nbling a | n eve | ergreen | when in |
| 4, | BB | A rapid grow | er. beat | atiitui NN | 5.50 | 50 |
| 5' | BB | • • • • • • • • • • • • • • • | 8. | 50 | 8.00 | |
| 6' | BB | | | | 10.00 | |
| 7' | BB | | \dots 15.0 | 00 | 12.75 | |
| * *^ *** | | Larger size | | | | |
| rigun | DAMI | BAR styraciflus | S | Amer | ican Sw | eetgum |
| | | lal tree with r g a deep crims | | | | eaves |
| Bra | anche | s are usually c | orky 4 | . 111 e 10' | iutumm. | |
| 1½" | BI | 3 | 15.0 | 00 | | |
| 2" | BI | 3 | 20.0 | 00 | 19.00 | |
| 2½" | BE | | | | 24.50 | 23.50 |
| .3" 6-7" | BE BE | | | | 34.00 | |
| | | | | | | |
| 2 | select | ed material 25 | % extra | a. | | |
| | | | | | | |

| PRAIRIE VIEW, ILLINOIS | | | 13 |
|--|--|--|---|
| | Each | Each per 10 | Each per 100 |
| LIRIODENDRON tulipifera | | | Fuliptree |
| Large tulip-shaped leaves | with g | greenish | yellow |
| tulip like flowers 75' | 17.50 | | |
| 1½" BB 2" BB | 25 00 | 24.00 | 23.00 |
| 2½" BB | 30.00 | 29.00 | 20.00 |
| 3" BB | | | |
| 6" BB | 100.00 | | |
| MAGNOLIA alexandrina | (| Priental I | Magnolia |
| Large attractive flower, re | | | |
| and contrasting white on | the insi | ide. Fast | growing |
| Magnolia. 6-7' BB | 22.50 | 22.00 | |
| | 22.00 | 22.00 | |
| denudata (conspicus) | | | ohito |
| A tall growing tree with la sweet-scented flowers about standing Magnolia. | out 6" | across. | An out- |
| 2-3' BB 6' BB | | | |
| soulangeana | | Saucer I | Magnolia |
| Large leaves and showy p | ink and | white cu | ipshaped |
| flowers 25' | | | |
| 3' BB | 7.50 | 7.25 | 7.00 |
| 4' BB 5' BB | $10.00 \\ 12.50$ | $9.75 \\ 12.00$ | $9.50 \\ 11.50$ |
| 6' BB | 18.00 | 17.00 | 16.50 |
| 7' BB | 30.00 | 27.50 | 10.00 |
| 8' BB | 45.00 | 44.50 | |
| Larger sizes a | vailable | е. | |
| stellata | | Star I | Magnolia |
| | | | |
| Semi-double plant with p | ure wh | ite and | very |
| fragrant flowers. One of | ure wh the fir | ite and s st magno | very olias |
| fragrant flowers. One of to bloom 8' | the fir | st magno | olias |
| fragrant flowers. One of to bloom 8' 2' BB | the fir 8.00 | st magno 7.75 | 7.50 |
| fragrant flowers. One of to bloom 8' 2' BB | 8.00 10.00 | st magno 7.75 9.75 | 7.50 9.25 |
| fragrant flowers. One of to bloom 8' 2' BB | 8.00 10.00 15.00 25.00 | st magno 7.75 | 7.50 |
| fragrant flowers. One of to bloom 8' 2' BB | 8.00 10.00 15.00 25.00 60.00 | 7.75 9.75 14.50 24.00 | 7.50 9.25 |
| fragrant flowers. One of to bloom 8' 2' BB | 8.00 10.00 15.00 25.00 60.00 vailable | 7.75 9.75 14.50 24.00 | 7.50 9.25 14.00 |
| fragrant flowers. One of to bloom 8' 2' BB | the fir 8.00 10.00 15.00 25.00 60.00 vailable Sv | 7.75 9.75 14.50 24.00 e. | 7.50 9.25 14.00 |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. E | the fir 8.00 10.00 15.00 25.00 60.00 vailable Sw Blooms | 7.75 9.75 14.50 24.00 e. veetbay I in June. | 7.50 9.25 14.00 |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB | the fir 8.00 10.00 15.00 25.00 60.00 vailable Sw Blooms 12.50 | 7.75 9.75 14.50 24.00 e. | 7.50 9.25 14.00 |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB | the fir 8.00 10.00 15.00 25.00 60.00 vailable Sv Blooms 12.50 17.50 | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 | 7.50 9.25 14.00 |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB | 8.00 10.00 15.00 25.00 60.00 vailable Sw Blooms 12.50 17.50 30.00 | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 | 7.50 9.25 14.00 |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB 6' BB | 8.00 10.00 15.00 25.00 60.00 vailable Sw 12.50 17.50 30.00 40.00 | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 | 7.50 9.25 14.00 |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB 6' BB 8' BB | 8.00 10.00 15.00 25.00 60.00 vailable Sw 12.50 17.50 30.00 40.00 | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 | 7.50 9.25 14.00 |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB 6' BB 8' BB Larger sizes a | 8.00 10.00 15.00 25.00 60.00 vailable Sv Blooms 12.50 17.50 30.00 40.00 vailable | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 | 7.50 9.25 14.00 Magnolia - 15' |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB BB 4' BB Larger sizes a MALUS adstringes | 8.00 10.00 15.00 25.00 60.00 vailable Sw Blooms 12.50 17.50 30.00 40.00 vailable | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 e. | 7.50 9.25 14.00 Magnolia - 15' |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB 4' BB 8' BB Larger sizes a MALUS adstringes Deep rose. Foliage light fruit. | the fir 8.00 10.00 15.00 25.00 60.00 vailable Sv 12.50 17.50 30.00 40.00 vailable reddish . 8.50 | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 e. | 7.50 9.25 14.00 Magnolia - 15' |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB Larger sizes a MALUS adstringes Deep rose. Foliage light fruit. 1½" BB aldenhamensis | 8.00 10.00 15.00 25.00 60.00 vailable Sv 8looms 12.50 30.00 40.00 vailable reddish . 8.50 Aldenh | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 e. | 7.50 9.25 14.00 Magnolia - 15' |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB 6' BB 8' BB Larger sizes a MALUS adstringes Deep rose. Foliage light fruit. 1½" BB aldenhamensis Reddish tinge to foliage. flower. Dark purple25' | 8.00 10.00 15.00 25.00 60.00 vailable Sv Blooms 12.50 17.50 30.00 40.00 vailable reddish . 8.50 Aldenh Semi- | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 e. Red and 8.00 nam Puridouble conditions of the state of th | 7.50 9.25 14.00 Magnolia - 15' d yellow ole Crab |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB 6' BB 8' BB Larger sizes a MALUS adstringes Deep rose. Foliage light fruit. 1½" BB aldenhamensis Reddish tinge to foliage. flower. Dark purple25' 3' | 8.00 10.00 15.00 25.00 60.00 vailable Sv 8looms 12.50 17.50 30.00 40.00 vailable reddish . 8.50 Aldenh Semi- | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 e. Red and 8.00 nam Puridouble control 1.50 | 7.50 9.25 14.00 Magnolia - 15' d yellow ole Crab rimson 1.25 |
| fragrant flowers. One of to bloom 8' 2' BB 2½' BB 3' BB 4' BB 7' BB Larger sizes a virginiana (glauca) Fragrant white flowers. B 3' BB 4' BB 8' BB Larger sizes a MALUS adstringes Deep rose. Foliage light fruit. 1½" BB aldenhamensis Reddish tinge to foliage. flower. Dark purple25' | the fir 8.00 10.00 15.00 25.00 60.00 vailable Sv Blooms 12.50 30.00 40.00 vailable reddish . 8.50 Aldent Semi- | 7.75 9.75 14.50 24.00 e. veetbay I in June. 12.25 24.50 37.50 e. Red and 8.00 nam Puridouble conditions of the state of th | 7.50 9.25 14.00 Magnolia - 15' d yellow ole Crab |

Each Each Each per 10 per 100

| | • |
|-----------------------------------|-------------------|
| MALUS almey | Almey Crab |
| Large blossoms of glistening r | ed netals white |
| _ | |
| markings at base of each, giving | g enect of a five |
| pointed star. Scarlet fruit. | |
| 4 " | 9.77 9.70 |
| 4-5' 3.00 | 2.75 2.50 |
| 5-6' 4.25 | |
| 6-7' BB 7.50 | 7.00 6.50 |
| | |
| 13: | Annald Cuah |
| arnoldiana | Arnold Crab |
| Soft pink flower changing to | white. Fruit red |
| with yellow cheek20' | |
| 49 | 9.05 |
| 4' 2.50 | 2.25 2.00 |
| 5' 3.00 | 2.75 2.25 |
| 6' 4.50 | 4.00 3.50 |
| $1\frac{1}{2}$ " BB 7.50 | 7.00 6.50 |
| 2" BB 12.50 | 12.25 	 12.00 |
| 2½" BB 20.00 | 19.50 19.00 |
| 3" BB 30.00 | 27.50 	 27.00 |
| | |
| atropurpurea | Purpurea Crab |
| | _ |
| Similar to Floribunda except flo | owers are deeper |
| pink. Dark fruit15' | |
| 4' 2.50 | 2.25 2.00 |
| | |
| | 2.75 2.25 |
| 6' 4.50 | 4.00 3.50 |
| 1½" BB 7.50 | 7.00 6.50 |
| 2" BB 12.50 | 12.25 12.00 |
| 2½" BB 20.00 | 19.50 19.00 |
| 3" BB 30.00 | 27.50 	 27.00 |
| Larger sizes available | e . |
| | |
| atrosanguinea | Carmine Crab |
| | |
| Carmine buds changing to dull | |
| and dark foliage. Small red fruit | 20' |
| 4' 2.50 | 2.25 2.00 |
| | 2.75 2.25 |
| 01 | 4.00 3.50 |
| 44/11/7070 | 7.00 6.50 |
| 011 DD 40.80 | 12.25 12.00 |
| | 19.50 19.00 |
| | |
| 3" BB 30.00 | 27.50 27.00 |
| | |
| baccata | Siberian Crab |
| Fragrant white flowers. Yellowish | |
| | n-ica iraiv. |
| Bright green foliage30' | |
| 4' 2.00 | 1.60 1.35 |
| 5' 2.50 | 2.25 2.00 |
| 6' 4.25 | 3.75 3.00 |
| 1½" BB 7.50 | 7.00 6.50 |
| 2" BB 12.50 | 12.25 12.00 |
| 2½" BB 20.00 | 19.50 19.00 |
| 3" BB 30.00 | 27.50 27.00 |
| Larger sizes available | |
| Luiger Sizes available | • |
| | |

| PRAIRIE VIEW, ILLINOIS | | | 15 |
|--|--------------------------------|---------------------|---|
| | | Each | |
| | Each | per 10 | per 100 |
| MALUS bechtel | | Bech | tel Crab |
| Fragrant double pink flor | wers. | Blooms 1 | ate 15' |
| | 3.50 | 3.25 | |
| | 5.50 | 5.25 | 5.00 |
| | $8.00 \\ 12.00$ | 7.75 11.75 | $7.25 \\ 11.50$ |
| | 17.50 | 17.00 | 16.50 |
| 2" BB | 22.50 | | |
| 2½" BB | 30.00 | | |
| Larger sizes as | vailable | э. | |
| bechtel dwarf | Dw | arf Bech | tel Crab |
| Same form as above but a | | | |
| 4' BB | | | |
| 5' BB | | | |
| | | W:13 C | act Cuch |
| coronaria Fragrant pink flowers. Fru | | Wild Swe | |
| | $\frac{110 \text{ use}}{2.00}$ | 1.60 | 1.35 |
| | $\frac{2.00}{2.50}$ | 2.25 | $\frac{1.35}{2.00}$ |
| 6' | 4.25 | 3.75 | 3.00 |
| 1½" BB | 7.50 | 7.00 | 6.50 |
| 2" BB 2½" BB | 12.50 20.00 | 12.25 19.50 | $\begin{array}{c} 12.00 \\ 19.00 \end{array}$ |
| 2½" BB | 30.00 | | 27.00 |
| Larger sizes a | | | |
| and the short state and the | | Charle | tte Crab |
| coronaria charlotte wolfi Similar to above crab only | r much | | |
| 4.9 | 2.00 | 1.60 | 1.35 |
| 5' | $\frac{2.50}{2.50}$ | 2.25 | 2.00 |
| 6' | 4.25 | | |
| 1½" BB 2" BB | $7.50 \\ 12.50$ | $7.00 \\ 12.25$ | 6.50 12.00 |
| 2" BB 2½" BB | 20.00 | 12.25 19.50 | $12.00 \\ 19.00$ |
| 3" BB | 30.00 | 27.50 | 27.00 |
| | | 1D . 1 | |
| dolgo Large white flowers. Rich | and fami | | lgo Crab |
| 4' | | | |
| 5' | 2.50 | | 1.75 |
| 6' | 4.00 | 3.50 | 3.00 |
| | 7.00 | | |
| 2" BB | 20.00 | 9.50 | $9.00 \\ 18.50$ |
| 3" BB | 30.00 | 27.50 | 10.00 |
| | | | |
| Dr. van fleet | 1 | | eet Crab |
| Fine pink flowers. Good b | | | |
| 4' | $\frac{2.50}{3.00}$ | $\frac{2.25}{2.75}$ | |
| 2½" BB | 22.50 | 2 | |
| 3" BB | 32.50 | | |
| achtarmaran | p: | nk Weep | ing Crah |
| echtermeyer 5' BB | | _ | ing Crab |
| | | | |
| Selected material 25% e | VITTO | | |

| 16 | CHARLES FIG | RE N | URSERIE | ES, INC. |
|---------------------------------------|--|---|--|--|
| | | Each | Each per 10 | Each per 100 |
| MALUS eleyi Purple-red fruit15' | foliage. Flower | ers pu | El rplish-red | ey Crab . Red |
| 4' 5' 6' 1½" BB 2" BB | Larger sizes a | 2.00 2.50 4.25 7.50 12.50 20.00 30.00 vailable | 1.60 2.25 3.75 7.00 12.25 19.50 27.50 | $\begin{array}{c} 1.35 \\ 2.00 \\ 3.00 \\ 6.50 \\ 12.00 \\ 19.00 \\ 27.00 \end{array}$ |
| flame | | | Flai | me Crab |
| 4' 5' 6' 2" BB 2½" BB | flowers and d | 2.00 2.50 4.25 7.50 12.50 20.00 30.00 | d fruit1: 1.60 2.25 3.75 7.00 12.25 19.50 27.50 | |
| floribunda | | | Jap. 1 | Fl. Crab |
| | opening to pa t turning to red | | k flowers | . Small |
| 4' BB 5' BB 6' BB 1½" BB | Larger sizes a | 4.50 6.25 7.50 10.00 15.00 | 4.25 6.00 7.25 9.75 14.50 | 4.00 5.50 |
| | ee form) spec. | | | |
| | • • • • • • • • • • • • • | 27.50 | 27.00 | |
| large clust | nk in buds tur ers. Bright gr red fruit15' | ning to | white. I | vig Crab corne in ellowish- |
| 4′ | • | 2.50 | $2.25 \\ 2.75$ | |
| 6' | • | $\frac{3.00}{4.50}$ | $\frac{2.75}{4.25}$ | |
| 1½" BB | • | 7.75 | 7.50 | |
| and red18 | d flowers. Heav | Hop y bloor | <mark>a Floweri</mark> ner. Fruit | ng Crab c orange |
| 4' | | 2.00 | 1.60 | 1.35 |
| 6' | • | $\frac{2.50}{4.00}$ | $\frac{2.25}{3.50}$ | $\frac{1.75}{3.00}$ |
| 011 7070 | • | 7.50 | 7.25 | 7.00 |
| 2½" BB | Larger sizes a | 20.00 30.00 | 27.50 | 12.00 19.00 27.00 |
| M.R. No. 454 | | | | |
| A pyramida reddish foli | al tree growing age. Deep pink | to 10-1 | 2'. Has at | ttractive |
| 5-6' | | 2.50 | 2.25 | |
| Selected | material 25% e | xtra. | | |

| FRAIRIE VIEW, ILLINOIS | | | 11 |
|---------------------------|-----------|---------------------|---------------------|
| | | Each | Each |
| | Fach | per 10 | |
| | Laci | per 10 | per 100 |
| MALUS ioensis | | Prair | rie Crab |
| Pink flower. Native crab. | Large | | |
| | 2.00 | 3166H 110 | 1.25 |
| | 2.00 | 1.50 | |
| 5' | 2.50 | 2.25 | 1.75 |
| 6' | 4.00 | 3.50 | 3.00 |
| 1½" BB | 7.00 | 6.50 | 6.00 |
| 2" BB | 10.00 | 9.50 | 9.00 |
| 2½" BB | 17.50 | 17.00 | 16.00 |
| 3" BB | 0==0 | 27.00 | 26.50 |
| 3½" BB | | 34.50 | 34.00 |
| Larger sizes a | | | 0 1,00 |
| Larger sizes a | valiable | • | |
| icensis fiore's improved | | | |
| Heavier bloomer than abo | ve and | freer ord | ower -18' |
| 4' | 2.00 | 1.60 | 1.35 |
| | | $\frac{1.00}{2.25}$ | $\frac{1.55}{2.00}$ |
| 5' | | | |
| 6' | 4.25 | 3.75 | 3.00 |
| 1½" BB | 7.50 | 7.00 | 6.50 |
| 2" BB | 12.50 | 12.25 | 12.00 |
| 2½" BB | 20.00 | 19.50 | 19.00 |
| 3" BB | 0000 | 27.50 | 27.00 |
| | | | |
| lemoinei | | | ine Crab |
| Deep red flowers and bron | ıze folia | ige. | |
| 4' | 2.75 | 2.50 | |
| 5' | 3.25 | 3.00 | |
| 1½" BB | | 8.25 | 8.00 |
| 1/2 22 | 0.00 | | |
| mathew | | Mathe | ew Chab |
| A single pink flowering c | rab. Go | od foliag | e. |
| 4' | 2.50 | 2.25 | |
| 5' | 3.00 | 2.75 | |
| 2½" BB | 22.50 | 2 | |
| 27/2 DD | 22.50 | | |
| 3" BB | 04.00 | | |
| micromalus | | Mids | get Crab |
| Showy pink flowers. Gre | enish-v | ellow fr | uit. Up- |
| right grower10' | JOILLE J | | |
| 4' | 2.50 | | |
| 5' | 3.00 | | |
| 5' | | | |
| | . 44.00 | | |
| Larger size a | ivanable | | |
| neidzwetzkyana | | Red V | ein Crab |
| Mature leaves tinged red | Flow | | |
| red Emit and harl also | roddiah | _18 ⁷ | Pilit OI |
| red. Fruit and bark also | 1 eduisii | 1.00 | 1.95 |
| 4' | ~ ~ ~ | 1.60 | 1.35 |
| 5' | | 2.25 | 2.00 |
| 6' | 4.25 | 3.75 | 3.00 |
| 1½" BB | 7.50 | | 6.5 0 |
| 2" BB | 12.50 | | 12.00 |
| 2½" BB | 20.00 | 19.50 | 19.00 |
| 3" BB | | | 27.00 |
| Larger sizes a | available | 2 | |
| Larger Sizes & | , tuliani | | |
| parkmanni | | Parkm | an Crab |
| Double rose pink flowers | borne i | | |
| red fruit15' | | | |
| | 2.50 | 2.25 | |
| | | $\frac{2.25}{2.75}$ | |
| 5' | 0.00 | 2.10 | |
| 1½" BB | | | |
| 2½" BB | | 92.00 | |
| 3" BB | 32.50 | 32.00 | |
| Selected material 25% | extra. | | |
| Screed material 20 /0 | OZEVE OF | | |

| | TITUDES II | 71011 | OTCOLICILI | 0, 1110 |
|------------------------------|---|---------------------|---|-----------------------|
| | | 77. 1 | Each | |
| | | | per 10 | - |
| MALUS prunifolia | rinki | Chines | se Pearlea | f Crab |
| Pinkish-white | flower. Ea | table g | reenish a | apple. |
| Sometimes the | e iruit is re | ea. Grey | 2.25 | |
| | | $\frac{2.50}{3.00}$ | $\begin{array}{c} 2.25 \\ 2.75 \end{array}$ | |
| 2½" BB | | 22.50 | | |
| 3" BB | | 32.50 | 32.00 | |
| prunifolia xantho | ocarpa | | | |
| Abundance of | pink flowers | -Showy | orange fr | ruit15' |
| 5-6' | • • • • • • • • • • • • • | 2.50 | 2.25 | |
| red silver | | | Red Silve | er Crab |
| Crimson flowe silver and red | r, red fruit. | . Foliag | ge semi-cı | it with |
| 4 * | | 2.00 | 1.60 | 1.35 |
| 5' | | 2.50 | 2.25 | 2.00 |
| 4 4 / 11 TOTO | | 4.25 | 3.75 | 3.00 |
| 0.44 | • • • • • • • • • • • | 7.50 | 7.00 | 6.50 |
| | • • • • • • • • • • • | | $12.25 \\ 19.50$ | 12.00 |
| | • | | $\frac{19.50}{27.50}$ | $\frac{19.00}{27.00}$ |
| ringo | | 00.00 | | |
| Large shining | green foli | ara P | ink flower | o Crab |
| bright orange | fruit. | age. 1 | mk nowe | rs anu |
| 4-5' | | 2.00 | 1.75 | |
| 5-6' | | 2.50 | 2.25 | |
| robusta | | | Cherr | y Crab |
| Large white flo | owers occasi | onally t | inged wit | h pink. |
| Very fragrant. | Dull red or | yellow | | |
| | • | 2.50 | $\begin{array}{c} 2.25 \\ 2.75 \end{array}$ | |
| 2½" BB | • • • • • • • • • • • • • | 22.50 | 22.00 | |
| | • • • • • • • • • • | | | |
| sargent | | | Sargan | t Crab |
| Flowers pure | white. Red | fruit. D |)warf tree | 8' |
| g, BB | | 6.00 | 5.25 7.50 | 5.00 |
| | | | 7.50 | 7.25 |
| 01 | • • • • • • • • • • • • • | | 9.50 | 9.00 |
| | ger sizes av | 15.00 | 14.50 | 14.00 |
| | .gci sizes a | | | |
| scheideckeri | | S | cheidecke | r Crab |
| Deep rose bud grower20' | s opening t | o pale | pink. Sle | nder |
| 4' | | 2.50 | 2.25 | 2.00 |
| 5' | | 3.00 | $\frac{2.25}{2.75}$ | 2.50 |
| 6' | | 5.00 | 4.50 | 4.00 |
| | • • • • • • • • • • | | 7.50 | 7.00 |
| o DD | • • • • • • • • • • | 32.50 | | |
| siberian | | | Siberia | n Crab |
| White flowers. | Upright gr | cower3 | 0' | |
| w | | | 1.60 | 1.35 |
| 6' | | $\frac{2.50}{4.25}$ | $2.25 \\ 3.75$ | $\frac{2.00}{3.00}$ |
| 1½" BB | | 7.50 | 7.00 | 6.50 |
| 2" BB | | 12.50 | 12.25 | 12.00 |
| | | | 19.50 | 19.00 |
| | Car sizes ex | 30.00 | 27.50 | 27.00 |
| | ger sizes av | | | |
| Selected mate | erial 25% e | xtra. | | |
| | | | | |

| PRAIRIE VIEW, ILLINOIS | | · | 13 |
|--|---------------------|---|---------------------|
| | | Each | Each |
| | Each | per 10 | |
| | | 1 | * |
| MALUS snowbank | 0.01 | | |
| White flowers. Large grow | ver-30 | 1.60 | 1.35 |
| 4' | $\frac{2.00}{2.50}$ | $\frac{1.00}{2.25}$ | $\frac{1.35}{2.00}$ |
| 5' | 4.50 | $\frac{2.25}{3.75}$ | $\frac{2.00}{3.00}$ |
| 6' | $\frac{4.25}{7.50}$ | 7.00 | |
| 1½" BB | 30.00 | 27.50 | 27.00 |
| Larger sizes av | | | |
| | | | ese Crab |
| spectabilis Semi-double pink flower. | Emit : | | |
| yellow15' | riuit | very sii | iaii aiiu |
| | 2.50 | 2.25 | |
| 4' | $\frac{2.30}{3.00}$ | $\begin{array}{c} 2.25 \\ 2.75 \end{array}$ | |
| 6' | 4.50 | 4.25 | |
| 3" BB | 32.50 | 3.20 | |
| | 02.00 | | |
| strathmore | Q1 | . 1 1 | 1 |
| Best pyramidal crab to date | e. Show | y pink b | olossoms. |
| - 15' 3-4' | 0.95 | 2.00 | |
| 4-5' | | | 2.00 |
| 4-0 | 2.00 | 2.20 | 2.00 |
| sundog | | | |
| A narrow compact colum | nar tr | ee. Doul | ble pink |
| blossoms with red fruit. | | | |
| 3-4' 4-5' | 2.00 | 2.25 | |
| 4-5' | 2.50 | 2.25 | |
| theifens (hunchongis) | | | |
| theifera (hupehensis) | 4- olm | | to Tiny |
| Buds rose red, expending red fruit.20' | to aim | iost wni | te. Imy |
| | 0.50 | 0.05 | 0.00 |
| 4' | $\frac{2.50}{3.00}$ | $2.25 \\ 2.75$ | $2.00 \\ 2.50$ |
| 5' | $\frac{3.00}{4.50}$ | 4.25 | |
| 6' | 8.00 | 7.75 | 4.00 |
| 3" BB | | 1110 | |
| | 02.00 | | |
| toringoides | | | eaf Crab |
| Flowers pinkish-white. Yel | low frui | it with r | ed cheek |
| almost pear shaped15' | | | |
| 4' | 2.50 | 2.25 | 2.00 |
| 5' | 3.00 | 2.75 | 2.50 |
| 6' | 4.50 | 4.25 | 4.00 |
| 1½" BB | 8.00 | 7.75 | |
| whitney | | White | ney Crab |
| Eatable fruit. Good for je | lliog | 77 11103 | acy cras |
| | | 1.60 | 1.35 |
| 4' | $\frac{2.00}{2.50}$ | $\frac{1.60}{2.25}$ | $\frac{1.35}{2.00}$ |
| 5' | $\frac{2.50}{4.25}$ | 3.75 | 3.00 |
| 1½" BB | 7.50 | 7.00 | 6.50 |
| 2" BB | 12.50 | 12.25 | 12.00 |
| 2½" BB | 00.00 | 19.50 | 19.00 |
| 3" BB | | 27.50 | 27.00 |
| | | 77 | 7.1.0.1 |
| zumi calocarpa | | | Cal. Crab |
| Pink buds opening pure | white. | Bright | red to |
| orange fruit 18' | NEVE | DACE | |
| PRICES ON THE | | FAGE | |
| Selected material 25% | extra. | | |
| | | | |

| 20 | HARLES FIORE | NURSERI | ES, INC. |
|---|--------------------------------------|--|--------------------------------------|
| | Eac | Each eh per 10 | |
| MALUS zumi ca | locarpa — contin | nod | |
| 4' 5' 6' 1½" BB | 2.0 2.5 4.0 7.0 | $egin{array}{lll} 00 & 1.60 \ 50 & 2.25 \ 00 & 3.50 \ 00 & 6.50 \ 00 & 9.50 \ \end{array}$ | 1.35 1.75 3.00 6.00 9.00 |
| 3" BB | | 27.50 | |
| MORUS alba tata A bushy and | a rica rapid growing tr | Russian l ee. Fruit a | |
| 3" BB | | 0 26.00 | |
| alba pendula Branches wee | ping from a $5\frac{1}{2}$ -6 | Weeping I | Mulberry |
| 5 yr. heavy H | BB 15.0 BB 50.0 | 0 | |
| NYSSA sylvatica | | | ck Gum |
| autumn 40' | te flowers. Scarlet | | |
| 1¼" BB | | 0 | |
| OSTRYA virginica | 1 | Т | ronwood |
| Bright green Foliage turns | foliage. Hardy as clear yellow in f | nd slow gr | |
| 2" BB 2½" BB 3" BB 3½" BB 4" BB | | $egin{array}{cccc} 0 & 14.00 \\ 0 & 22.00 \\ 0 & 29.00 \\ 0 & 39.00 \\ 0 & 0 & 0 \\ \end{array}$ | 13.00 20.00 |
| OXYDENDRON a | rhoroum | q | |
| Flowers whit | e with leathery ng. Flowers bloor | foliage. | Brilliant st. Bark |
| 6' BB 1¼" BB | |) | |
| PHELLODENDRO | N amurense | Co | rk Tree |
| A rapid grown 4-5' 6-7' BB | ing small tree. Fr. 2.00 | ragrant foli | |



A block of Sycamore averaging 2 and 21/2" cal.

| | | Each | |
|---------------------------------|---------------------|-------------|---------|
| | Each | per 10 | per 100 |
| PLATANUS occidentalis | Ame | erican Pla | ne-tree |
| Branches almost creamy w | hite col | or while t | he base |
| of the trunk is dark brown | n 100' | | |
| 1½" | | 8.50 | 8.00 |
| 2" | 12.00 | 11.50 | 11.00 |
| * 2½" | 17.00 | 16.50 | 15.50 |
| 3" BB | 37.50 | 37.00 | 36.50 |
| 3½" BB | 45.00 | 44.00 | |
| Larger sizes a | vailable | | |
| * Special price in quantity lot | s of $2\frac{1}{2}$ | /2"· | |
| orientalis | | riental Pla | |
| A tall rapid growing tree | . An in | npressive | tree or |
| lawn specimen. | | | |
| 1½" | 10.50 | 10.00 | 9.50 |
| 2" | 14.00 | 13.50 | 13.00 |
| 2½" | 20.00 | 19.50 | 18.50 |
| 3" BB | 40.00 | 39.50 | 38.50 |
| | 47.50 | | |
| Larger sizes a | vailable | | |
| POPULUS alba (niuea) | | | Poplar |
| Young branches have white | tish bar | ck, while | the |
| mature parts are rough an | | | 60' |
| 4-5' | .75 | | |
| 5-6' | 1.00 | | |
| 6-8' | | 2.25 | |
| 1½" | 7.50 | | |
| 2" | 9.50 | 9.00 | |
| bolleana | | Bolleana | |
| Columnar habit of growt | h. Leav | ves white | under- |
| neath. Good for screening. | | . == | 0.50 |
| 6' | | 2.75 | 2.50 |
| 8' | 4.50 | 4.00 | 3.50 |
| 1½" | 5.75 | 5.25 | 5.00 |
| 2" | 7.75 | 7.00 | 6.50 |
| 2½" | 10.00 | 9.00 | |

 $\dots 25.00$

Selected material 25% extra.

| 22 | CHARLES FIORE | NURSERI | ES, INC. |
|------------------|---------------------------------------|---|---------------------|
| | | Each | Each |
| | Ea | ch per 10 | per 100 |
| POPULUS | nigra italica | Lombardy | popular |
| Pyrami | dal shape tree. Ideal i | for screens. | - 60' |
| 8-10' 2" | 3. | $\frac{00}{50}$ $\frac{2.50}{5.00}$ | 2.00 |
| 2½" | 7. | | 6.00 |
| 2 /2 | Larger sizes availa | | |
| | | | |
| tremuloid | es d growing broad-heade | Quakin | g Aspen |
| | s in the slightest bree | | lage |
| 21/2" | | 00 | |
| 3" BB | 30.0 | 00 | |
| PRUNUS a | mericana | Americ | an Plum |
| Short t: 2-3' | ree. White flowers. Frui | it yellowish- | red 20' |
| 3' | | 50 per 1,00 | .40 |
| 4' | | | .50 |
| 5' | | 0.0 | .70 |
| 6' | 2.3 | 50 2.25 | 1.75 |
| 6' BB 8' BB | 7. | $\begin{array}{ccc} 00 & 6.50 \\ 00 & 9.50 \end{array}$ | $\frac{6.00}{9.00}$ |
| 0 111 | Larger sizes avail | able | <i>3.00</i> |
| blireiana | | Blireia | na Plum |
| | nt double pink flowers | | |
| leaves. 4' Bus | | 25 0.00 | 4 === |
| | h Form 2.5 sh Form 3.5 | | 1.75 |
| 5' BB | tree form 7.8 | | |
| 6' BB | tree form 8.2 | 25 7.75 | |
| 1½" BB 2" BB | bush form 12.0 | | |
| 2 BB | bush form 15.4 Larger sizes avails | | |
| padus | • | ropean Bird | I Cherry |
| Large 1 | fragrant white flowers | in clusters. | Blooms |
| first pa | rt of May 18' | | |
| 3' 4' | 1.8 | 50 1.25 00 1.75 | 1 50 |
| 5' BB | 2.0 4.' | | $\frac{1.50}{4.00}$ |
| 6' BB | 6.8 | | 6.00 |
| 8' BB | 8. | 8.00 | |
| 10' BB 12' BB | | | 10.00 |
| 12 DD | Larger sizes avails | 00 19.50 able | 19.00 |
| pendula o | on own stem | | Cherry |
| 5-6' | 4. | $\frac{1}{4.00}$ | |
| pennsylva | nica | Pir | Cherry |
| fruit : | s small and white with | cherry red | pea size |
| | 22.5 | 50 22.00 | |
| 3" BB | 30.0 | | |
| persica | | . F | l. Peach |
| An ear | rly bloomer. Double r | ed. White | or pink |
| flowers. 4' BB | 20' · · · · · · 5.0 | 20 | |
| | 7.5 | 50 | |
| 1½" BB | | 00 14.00 | 13.00 |
| 2" BB | 20.0 | 00 19.00 | |
| 2½" BB | 27. | | |
| Selec | ted material 25% extra | ı. | |
| | | | |

| PRAIRIE VIEW, ILLINOIS | 23 | |
|--|------------------------------|--|
| Each | Each Each per 10 per 100 | |
| PRUNUS persica red leaf Re | ed Leaf Fl. Peach | |
| Same as above with red leaves. $1\frac{1}{2}$ " BB | 11.00 10.00 | |
| ·- | | |
| | Purple Leaf Plum | |
| Dark red foliage and single pink 4' 1.75 | 1.65 1.40 | |
| 5' 2.50 | 2.00 1.75 | |
| 6' BB | | |
| 1½" BB | | |
| 2½" BB | 11.00 | |
| | Black Cherry | |
| serotina 4-5' | .70 .60 | |
| 5' 1.00 | .90 .80 | |
| 6' 1.50 | 1.25 1.00 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 4.50 	 4.00 	 7.50 | |
| | 1.00 | |
| mt. fuji Double pink or white flowers in M | panese Fl. Cherry lay 30' | |
| shiro Double red flowers in May 30' | | |
| shirofugen Double white flowers 30' | | |
| Above Flowering Cherries priced a | c follows. | |
| 4-5' 5.00 | s tonows. | |
| 6-7' BB 10.50 | 10.00 | |
| 1½" BB | $12.00 \\ 17.00$ | |
| 2" BB 17.50 | 11.00 | |
| subhirtella | Weeping Cherry | |
| Pink weeping Japanese cherry. | | |
| 5 yr. heads BB 12.50 | | |
| 15 yr. heads BB 40.00 | | |
| PYRUS Communis | Common Pear | |
| A stately upright tree with she green foliage and white flowers. | Fall colors 40' | |
| 5-6' BB 7.50 | 7.25 | |
| $1\frac{1}{4} - 1\frac{1}{2}$ " BB | 8.50 | |
| QUERCUS alba | White Oak | |
| A stout spreading tree. Foliage as | ssumes a deep red | |
| in the autumn 75' 1½" BB | 17.00 | |
| 2" BB | 24.50 | |
| 3" BB | | |
| 4" BB | | |
| | D 0.1 | |
| macrocarpa A broad round headed tree with | Burr Oak | |
| brown bark. Branches are some | ewhat corky 75' | |
| 2" 15.00 | 1 | |
| 2½" BB | | |
| Selected material 25% extra. | | |
| | | |

| 24 | | CHARLES FIO | RE NU | JRSERIE | ES, INC. |
|---------------------------------|------------------|---|-----------------------|-----------------------|---------------------|
| | | | Each | Each per 10 | Each per 100 |
| | | coccinea | | Sca | rlet Oak |
| Ar | ound | l headed tree with b | | | ring75' |
| 1½" | | | 10.00 | 9.50 | |
| 2" | DD | | 15.00 | 13.50 | 13.00 |
| | BB BB | | $\frac{30.00}{45.00}$ | $\frac{29.00}{44.00}$ | 28.00 |
| | BB | | 50.00 | 44.00 | |
| | BB | | 60.00 | | |
| | | Larger sizes av | | е | |
| monta | na | | | Chest | nut Oak |
| An | irre | gular headed tree | with | ridged ba | |
| 5" | BB | * | | | |
| 6" | BB | | 00.00 | | |
| palust | ris | | | | Pin Oak |
| A r | apid | growing Oak often | used | for aver | nues. Its |
| broa | ad p | yramidal head and | brigh | t red fo | liage in |
| 11/4" | auti | imn makes it a har | | | |
| $1\frac{7}{4}$ $1\frac{1}{2}$ " | | ••••••• | 7.50 10.00 | $7.25 \\ 9.50$ | 7.00 |
| $\frac{1}{2}$ ", | | | 15.00 | $\frac{9.50}{14.00}$ | $9.00 \\ 13.00$ |
| 21/2" | BB | | 30.00 | 29.00 | 28.00 |
| 3" | BB | | 45.00 | 44.00 | |
| | BB | | 50.00 | | |
| | BB | | 60.00 | | |
| - / | BB BB | | $70.00 \\ 85.00$ | | |
| 0 . | DD | Larger sizes av | | 9 | |
| rubra | | | | | Red Oak |
| | anid | growing oak develo | nina i | | |
| ed t | apid ree. | Dark red foliage in | bing n | nto a tar; n -75' | ge nead- |
| 11/4" | | ····· | 7.50 | 7.25 | 7.00 |
| 1½" | | | 10.00 | 9.50 | 9.00 |
| 2" | - | | 13.00 | 12.50 | 12.00 |
| | BB | | 30.00 | 29.00 | 28.00 |
| | BB BB | | 45.00 | 43.50 | |
| | BB | • | 50.00 | | |
| | BB | | | | |
| 5" | BB | | 85.00 | | |
| | | Larger sizes av | ailable |) | |
| SALIX | mat | sudana tortuosa | C | orkscrew | Willow |
| A p | ictu | resque curly stemm | | llow 20' | |
| 8' | BB | | 11.00 | | |
| | BB BB | | 17.50 | | |
| | D _. D | * | 22.50 | | |
| niobe | 3 1 | | | Weeping | Willow |
| 1½" | ien | bark with weeping f | | | 0.77 |
| $2^{\frac{1}{2}}$ | | | $\frac{4.50}{7.50}$ | $\frac{4.00}{7.00}$ | 3.75 6.50 |
| 2½" | BB | * | 22.50 | 22.00 | 20.00 |
| 3" | BB | | 32.50 | 30.00 | |
| 3½" | BB | | 40.00 | | |
| | | Larger sizes av | ailable | • | |
| pentar | ndra | | | Laurel | Willow |
| Onic | J- ~ | morning Dans | 7 7 | 111 | 0.01 |

pentandra

Quick growing. Deep green, bush willow. - 30'
(Continued on next page)

| PRAIRIE VIEW, ILLINOIS | | | 25 |
|--|----------------------|----------------------|----------------------|
| | | Each | |
| | Each | per 10 | per 100 |
| SALIX vitellina britzensis | | | |
| Yellow stemmed bush form Above listed Salix priced as | | | ower30 |
| 3-4' | .50 | .45 | |
| 4-5' | .65 | .60 | .50 |
| 5-6' 6-8' BB | $\frac{1.00}{7.50}$ | .90 7.00 | .80 6.50 |
| Larger sizes a | | | 0.00 |
| | | | |
| SOPHORIA japonica Also known as the Chines | Japan | ese Pag | oda Tree |
| small, street tree that wit | hstands | ar Tree s city co | nditions. |
| Bears white flowers in the | he late | summe | |
| noticeable green bark in w 6-7' | | | |
| SOPRIIS americana | A | morioon | Mt. Ash |
| SORBUS americana | 7.00 | 6.75 | nit. Asit |
| 1½" | 9.00 | 8.75 | |
| 2" BB | | | 35. 4.1 |
| aucuparia White flowers with showy | | | Mt. Ash |
| 1" | 5.00 | 4.75 | 4.00 |
| 1½" | 7.50 | | 6.00 |
| 2" 2½" BB | 9.00 | 8.50 | 8.00 |
| 2½" BB 3" BB | 35.00 | 34.00 | |
| Larger sizes a | vailable | 9 | |
| quercifolia (thuringiaca) | 0,10 | ak Leaf | Mt. Ash |
| Leaves resemble a minatur | | 1ear 30 8.50 |)′ |
| 2" | 11.00 | 10.50 24.00 | |
| 2½" BB | 25.00 | 24.00 | |
| Larger sizes a | vanabie | | |
| SYRINGA japonica Handsome foliage. Creamy | white | | ree Lilac |
| panicles in June and July. | - 25' | nowers | in large |
| 3-4' | 2.75 | 2.50 | 2.00 |
| F AL DD | $\frac{3.75}{10.00}$ | 3.50 | |
| 5-6' BB | | | |
| 12' BB | 45.00 | | |
| 12' BB Heavy Larger sizes av | | | |
| | | | n Lindon |
| TILIA americana Rapid grower with large o | | | n Linden fragrant |
| yellow flowers 75' | | | |
| | 9.25 | 8.50 | $8.00 \\ 11.00$ |
| 2" 2½" | 17.50 | $11.50 \\ 17.00$ | 16.00 |
| 3" BB | 40.00 | 39.00 | |
| Larger sizes av | | | |
| cordata A European small leaf tree | | | f Linden |
| 1-14" | ~ ~ ~ | 4.50 | 4.00 |
| 11/4" | 7.50 | 7.00 | 6.50 |
| 1½" BB | 10.00 | $9.50 \\ 19.50$ | |
| 2" BB 2½ "BB | 27.50 | | 10.00 |
| 5" BB | 100.00 | | |
| Selected material 25% e | xtra. | | |
| | | | |

5-6'

Each Each per 10 per 100

3.25

TILIA pyramidalis (platyphyllos) Pyramidal Linden Pyramidal habit of growth, ideal for heavy

| DOI | CCIID. | 00 | | |
|-----|--------|-------------------------|-------|-------|
| 2" | | 9.00 | 8.75 | |
| 2½" | | 11.50 | 11.25 | 11.00 |
| 3" | | 30.00 | 29.00 | 28.00 |
| 3½" | | 37.50 | 37.00 | 36.00 |
| 4" | BB | 50.00 | | |
| | | Larger sizes available. | | |

redmond Redmond Linden A heavy foliaged rapid grower. - 50' 6' 3.50



Tilia Pyramidalis 21/2" and 3" calipered trees

spectabilis (moetkoi) Showy Linden Leaves similar to the Americana. A rapid grower. - 50'

tomentosa White Linden A tree of dense habit and upright branches. - 50' Above listed Lindens priced as follows:

4" BBBB

vulgaris (europaea) European Linden A spontaneous hybrid of the Cordata. - 75' 6" BB 75.00

ULMUS americana American Elm A tall wide-spreading tree with arching branches. - 80'

> PRICES ON THE NEXT PAGE Selected material 25% extra.

| PRAIRIE VIEW, ILLINOIS | | | 27 |
|--|---------------------|------------------|---------------------|
| | Each | Each per 10 | Each per 100 |
| ULMUS americana—Continued | | | |
| | 6.00 | 5.50 | 5.00 |
| | | 6.00 | 5.50 |
| | 7.00 | 8.00 | 7.50 |
| 2" | 9.00 | 11.50 | 10.50 |
| | $\frac{2.50}{6.00}$ | 15.00 | 14.00 |
| | 6.00 | | 34.00 |
| 0/2 22 | 39.00 | $36.00 \\ 44.00$ | 43.00 |
| | 15.00 | 52.50 | 50.00 |
| 1/2 22 000000000000000000000000000000000 | $55.00 \\ 57.50$ | 66.00 | 50.00 |
| | 75.00 | 74.00 | |
| 0/2 22 | 35.00 | 84.00 | |
| 6" BB 8 | | | |
| Larger sizes ava | anabie | | |
| campestris (procera) | | Engl | ish Elm |
| A tall growing-deeply fissur | red ba | ark tree. | Foliage |
| is a good green 125' | | | |
| 2½" | 14.00 | 13.50 | 13.00 |
| 3" 1 | 7.50 | | |
| 31/2" 2 | 21.00 | 19.50 | |
| 4" BB | 18.00 | | |
| Larger sizes ava | ilable | | |
| carpinifolia sarniensis | | Wheatl | eyi Elm |
| Narrow pyramidal tree with | asceno | ling bran | ches70' |
| 2" BB | 7.50 | 17.00 | 16.00 |
| 2½" BB | 25.00 | 24.00 | 23.00 |
| 3" BB | 32.00 | - 2000, | ; |
| 3½" BB | 10.00 | | |
| Larger sizes av | | e | |
| Christine Buisman Highly resistant to both Dutch Elm Disease. Dense forms a round-topped head. | Phloe | m Necro | osis and foliage |
| 2½" BB | 35.00 | | |
| | | Stan | tch Elm |
| glabra | di | | |
| A broad headed tree with sp | preau | ng pranc | nes. |
| Smooth bark 120' | 7.50 | | |
| 1½" 2" | 12.00 | 11.00 | 10.50 |
| | R5 00 | 34.00 | 10,00 |
| 2½" | J 0. 00 | | |
| glabra camperdowni | | Weep | ing Elm |
| Branches pendulous. | 20.00 | 10.00 | |
| 4 yr. BB 2 | 20.00 | 19.00 | |
| globe elm | | Globe H | ead Elm |
| 5' stem - 24" heads BB 1 | 15.00 | 14.50 | |
| | | | |
| fiorii | | Fi | ore Elm |
| A budded Elm of great state | ore. H | | |
| a dense grower. Smooth ba | rk 6 | 0' | |
| | | Lake | City Elm |
| lake city A heavy branched type of | unric | | |
| | uprig | | |
| moline | | | line Elm |
| A pyramid grower with hand | isome | green 10 | nage80 |
| urni | | v | ase Elm |
| An Elm with vase formation | on of | | |
| | | | |
| Prices on above listed Elms | on n | ext page | |

| 28 | | CHARLES FI | ORE NU | JRSERI | ES, INC. |
|----------------------------|----------|---|----------------|------------------|----------------|
| | | | | Each | Each |
| | | | Each | per 10 | |
| TH MILE | 9 (| Continued | | | |
| | | sted Elms priced as | follows | | |
| 11/4" | | ······ | | 6.50 | 6.00 |
| 1½" | | *************** | ~ - ~ | 9.00 | 8.50 |
| 2" | | | . 11.50 | 11.00 | 10.50 |
| 2½" | | | | 14.00 | 13.00 |
| 3" 3½" | ВВ | • | | 16.50 | 15.50 |
| 4" | BB | | = 0 0 0 | $41.50 \\ 50.00$ | 39.00 49.00 |
| 4½" 5" | BB | | | 61.00 | 60.00 |
| | BB | | | 74.00 | |
| $\frac{5\frac{1}{2}}{6}$ " | BB BB | | | 82.50 | |
| 0 | ВВ | Larger sizes a | | 97.50 | |
| | | Larger bizes t | · vanabie. | | |
| parvi | folia | | | Chin | ese Elm |
| - | | rous grower with a | aomnaat | | |
| and | l sm | all leaves 50' | compact | nabit of | growth |
| 11/4" | . ~ | 100, 00, 00 | 4.50 | 4.25 | 4.00 |
| 1½" | | *************** | | 5.50 | 5.00 |
| 2" | | * | | 7.25 | 7.00 |
| 2½" | | • | | 9.50 | 9.00 |
| 3" 3½" | | * | | 11.50 | 11.00 |
| 4" | вв | • | | 16.00 | 15.50 |
| | BB | • | X 0 0 0 | | |
| | | Larger sizes a | | | |
| narvit | folia | BUSH FORM | | | |
| Lov | w bi | ranched for hedge | purposes | š . | |
| 5-6' | | | | 1.25 | 1.00 |
| chiner | nsis | pyramidalis fiorii | Fiore | 's Pyrai | nid Elm |
| | | led tree of pyramida | | | |
| Lea | ves | similar to Parvifo | lia only | much da | arker in |
| colo 2" | or | 70' | | | |
| 2½" 2½" | | | | 11.50 | |
| $3^{\frac{72}{72}}$ | вв | | 0000 | $14.50 \\ 19.00$ | |
| 3½" | BB | | | 30.00 | |
| 41/2" | | | | 30100 | |
| 5" | BB | * | 65.00 | | |
| hybrid | d (/ | American-Chinese) | | | |
| Lar | rge, | dark green leaves. | Typical | Elm sha | ape. Re- |
| sist | ant | to Elm diseases. | | | |
| | BB BB | | | | |
| | | * | 125.00 | | |
| | | YLUM americana | | | kly Ash |
| As | mal | l tree with prickly | branche | s 25' | |
| 4-5' 5-6' | | • | | .75 | .65 |
| 6-8' | | •••••••• | | .90 1.40 | |
| ZELKO | 37.A | | | | 1.00 |
| | | | | Jap. Kea | |
| Foll | iage | and habit of grov Graceful round-hea | vth reser | nbles sn | all leaf |
| Elm | n dis | seases. | ded tree | not su | oject to |
| 5-6' | | | 4.50 | | |
| 6-8' [] | BB | | 7.50 | | |
| S | elec | ted material 25% e | extra. | | |
| | | | | | |

SHRUBS

Our assortment of SHRUBS consists of many varieties. If blended together properly, using care in selecting either for foliage, flower, berries or stem colors, one can attain the utmost beauty for seasonal effect. If client wishes to order only one shrub each of many different varieties add 10% to the unit price of each

| Each Each Each Each per 10 per 100 |
|--|
| ACANTHAPANAX pentaphyllum (sieboldianus) |
| A dense thorny shrub with light green leaves. Thrives well under city conditions stands shade 8' |
| 3-4' |
| |
| ALTHEA (hibiscus syriacus) Rose of Sharon |
| Upright shrub for spring planting only. Blooms in August 10' |
| Anemonaeflorus—Double Pink ardens—Double Violet jean d'arc—Double white lucy—Double red purpurea semi-plena—Double purple |
| |
| Above listed Althea priced as follows: 3-4' .65 .60 .50 4-5' .85 .75 .65 5-6' BB .10.00 .65 6' BB .15.00 .65 |
| AMELANCHIER alnifolia Saskatoon Juneberry |
| A low shrubbery, white flowering bush. Ideal for hedges 10' Sold out |
| stolonifera Running Shadblow A dwarf shrub with small white flowers. Blooms in May. Fruit is purplish-black 6' 2-3' 1.50 3-4' 2.25 4-5' 4.75 |
| AMORPHA fruiticosa False Indigo |
| Violet-purplish speckled flowers in July. Fine feathery foliage 10' |
| 18-24" 1.00 2-3' 1.50 |

ARONIA arbutifolia

Red Chokeberry

Small white flowers in June, and red fruit. Good fall coloring. Stands shade and wet soil. - 8'

melanocarpa Black Chokeberry
Similar to above but with black berries. - 8'

| Above | Aronia | priced as | iollows: | | |
|-------|--------|-----------|---------------|------|------|
| 2-3' | | | 1.00 | .75 | .70 |
| 3-4' | | | 4 4 0 | .85 | .810 |
| 4-5" | | | \dots 1.25 | 1.00 | .90 |
| | | | es available. | | |

| 30 CHARLES FIG | RE N | URSERII | ES, INC. |
|--|-------------------|----------------------|-----------------------|
| | Each | Each per 10 | Each per 100 |
| ARONIA brilliantissima | Bri | illiant Ch | okeherry |
| Similar to red type with | more | brilliant | colored |
| berries 8' | | ~ | COLOTEG |
| 2-3' | 1.10 | .85 | .70 |
| 3-4' | 1.20 | .95 | .80 |
| 4-5' | 1.40 | 1.25 | 1.00 |
| 5-6' BB | 4.00 | 3.75 | |
| AZALIA molle Large clusters of flowers in May 5' | in oran | Chines | e Azalia w or red |
| 18" BB | 6.50 | 6.00 | FFA |
| 24" BB | 8.50 | 8.00 | 5.50 7.50 |
| 30" BB | 12.50 | 12.25 | 12.00 |
| 36" BB | 20.00 | 19.00 | 12.00 |
| schlippenbachi Rose pink flowers 5' | | 20100 | |
| 24" BB | | | |
| BERBERIS koreana | | Korean | Barberry |
| Dense, upright growth. Br | road le | aves that | t color a |
| deep red in the fall. Yello | w clus | tered flor | wers and |
| bright red fruit. Very outs | standin | g shrub. | |
| 3-3½ BB | 4.00 | 3.75 | 3.50 |
| mentorensis | | Mentor | Barberry |
| Upright type with dark gr | een fo | liage Sta | nds heat |
| and drought. Ideal for for | rmal h | edges. | |
| 18-24" | .85 | .80 | .70 |
| 24-30" | | .85 | .80 |
| 30-36" | | | .85 |
| 36-42" | 1.40 | 1.15 | 1.00 |
| thunbergi | Jap | Green | Barberry |
| Low hedge plant. Rich gre | en foli | age with | red her- |
| ries and color in the fall. S | tands s | shade and | drought |
| - 5' | | | |
| 18-24" 24-30" | .90 | .85 | |
| 00.000 | 1.00 | .75 | .60 |
| | 1.10 | .90 | .75 |
| thunbergi thornless Th A green barberry as the th prickly thorn. | ornless hunber | s Green gi but wi | Barberry thout the |
| 2-3' | | | |
| thunbergi atropurpurea | Red | -Leaved | Barberry |
| Same as above except the fred throughout the summe 18-24" | er 5' | is a rich | |
| 24-30" | | | .60 .70 |
| 30-36" | 1.25 | 1.00 | .85 |
| thunbergi erecta | | | |
| Pyramidal form with da coloring. Excellent for hed | rk glo | ssv folia | imnberry ige. Fall |
| 18-24" | .55 | .50 | .45 |
| 24-30" | 65 | .60 | .55 |
| 30-36" | .80 | .75 | .70 |
| thunbergi minor | | Box | Barberry |
| A dwarf barberry excellen | t for h | edges | 3' |
| 18-24" | .70 | 800. | |
| 24-30" | | .80 | |
| Selected material 25% | | | |
| Delegated indicated 20% | Aula. | | |

| PRAIRIE VIEW, ILLINOIS | | | 01 |
|---|---------------------|---------------------|------------------------|
| | Each | Each per 10 | Each per 100 |
| BUDDLEIA | | - 4 | |
| ils de france—Rosy-purple fl charming—Pink flowers 6' dubonnet—Wine red 6' snowbank—White 6' | lowers. | - 8' | |
| Above Buddleia priced as fo 2 yr. plants | llows: .50 | .45 | |
| CALYCANTHUS floridus Dense grower with gloss | y leave | es. Does | well in |
| shade. Dark maroon flowers in 2-3' | 1.05 1.50 | .80 1.25 3.75 | .70 1.00 |
| | | | |
| CARAGANA arborescens Upright growing shrub. flowers in late May. Foliag | Bright | ght greei | pea-like |
| 3-4' | .95 | .70 | .65 |
| 4-5' 5-6' | 1.10 | .85 | .75 .85 |
| 5-6' | $\frac{1.25}{7.50}$ | $\frac{1.00}{7.00}$ | •00 |
| 6-8' BB | 25.00 vailable | 22.50 | |
| frutex | Semi I | Owarf Pe | a Shrub |
| Similar form as above but | of dw | arf habit | 8' |
| 3-4' | 1.00 | 1.10 | |
| 4-5' BB | | | |
| CARYOPTERIS clandonensis A dense shrub with cluster | rs of po | wder blu | Slue Mist e flowers |
| from August to frost Silve | er gree | n foliage. | , - 4' |
| 2 yr. #1 | | | |
| CEANOTHUS americanus | | New Jer | |
| A low erect shrub with att 18-24" | 1 00 | .90 | wers o |
| 2-2½' 2½' BB | 1.50 | | |
| CEPHALANTHUS occidentalia Round-headed creamy-whi | ite flow | ers in J | ttonbush une-July. |
| Fragrant. Blooms July-Seg-2-3' | ptember .70 | r 5' | .50 |
| 3-4' | ~ ~ | | .65 |
| 4-5'4-5' BB heavy plants | 1.10 | | .75 |
| CHAENOMELES lagenaria (j A dark green foliaged | aponica plant | with or | l. Quince ange-red |
| flowers in early May 5' | .90 | .75 | .65 |
| 3-4' | 1.00 | | |
| 3-4' BB 4-5' BB | 3.25 | | 2.75 |
| Hybrids - 5': Apple Blossom—Apple Blossom—Bright (Cardinal—Deep Red Flow (Continued on next page) | Crimsor er | Pink 1 Flower | |
| Galacted on metal 95% | | | |

Each Each Each per 10 per 100

| | 4 |
|------------------------------------|----------|
| CHAENOMELES—Continued | |
| Coral Sea—Salmon Flower | |
| Nivalis—Pure White Flower | |
| Snowbird—Pure White Flower | |
| Vermillion—Vermillion red flower | |
| Above listed Chaenomeles priced as | follows: |
| 18-24" 1.00 | .95 |
| 24-30" 1.35 | 1.25 |

| ADOVE | nsted Chaenomeles pric | | |
|--------|------------------------|-------------|------|
| 18-24" | | 1.00 .95 | .85 |
| 24-30" | | 1.35 	 1.25 | 1.00 |
| 30-36" | | 1.75 1.65 | |
| 36-42" | BB | 7.50 7.25 | |
| 42-48" | BB | 9.75 | |
| | BB 1 | | |
| | | | |

CHIONANTHUS virginica White Fringetree Large glossy leaves and large white fragrant flowers in May. Fruit is dark blue resembling grapes. Stands shade. - 20'

| 2-3' | | | 2.00 | 1.75 |
|-------|----|-------|-------|------|
| 3-4' | | | 3.00 | 2.75 |
| 4-5' | BB | | 5.50 | 5.00 |
| 5-6' | BB | | 8.00 | |
| 8-10' | BB | Heavy | 50.00 | |

CLETHRA alnifolia Summersweet Clethra

Delightfully fragrant white flower spikes in July and August. Does best in moist shade. - 6'

| 18-24" | | .70 | .65 | |
|--------|------------|----------|------|-----|
| 2-3' | | .80 | .70 | .60 |
| 3-4' | | .90 | .80 | .70 |
| 4-5' | | 1.10 | 1.00 | .90 |
| 5-6' | $_{ m BB}$ | 4.50 | 4.25 | |

CORNUS alba siberica

Siberian Dogwood

An upright broad shrub with coral red bark and clusters of white flowers. Fruit is porcelain-blue and showy. Stands shade. - 10'

amomum Silky Dogwood Purplish twigs. Blue berries in fall. Very good for moist locations - 10'

hairy. - 8'

Bailey Dogwood

Stems somewhat

paniculata (racemosa) Gray Dogwood Creamy-White flowers in May. Gray stems with white fruit. With stands shade, wet or dry soil. - 10'

Sanguinia Bloodtwig Dogwood
Dark red branches. Good foliage. Fine for damp
locations. An upright grower. - 8'

stolonifera

White fruit and dark red bark. Upright spreading growth with brilliant red branches. Ideal for banks, etc. - 8'

| Above | listed | Dogwoods | priced a | s follows: | |
|--------------|--------|----------|----------|------------|------|
| 3-4' | | | | 90 .70 | .65 |
| 4 -5' | | | 1. | .85 | .75 |
| 5-6' | | | 1:: | 20 .95 | .85 |
| 6-8' | | | 1. | 35 1.10 | 1.00 |
| 6-8' B | В | | 3. | 00 2.50 | 2.00 |

| PRAIRIE VIEW, ILLINOIS | 99 | | | | | | | |
|--|---|--|--|--|--|--|--|--|
| | Each Each | | | | | | | |
| Each | per 10 per 100 | | | | | | | |
| | Pagoda Dogwood | | | | | | | |
| CORNUS alternifolia | | | | | | | | |
| A small tree with branches gr | t horizontal plant. | | | | | | | |
| tiers forming a somewhat fla | t horizontal plant. | | | | | | | |
| Flowers pale yellow in May. Fr | .75 .65 | | | | | | | |
| | | | | | | | | |
| 3-4' 1.00 4-5' 1.2 | 5 1.00 .85 | | | | | | | |
| 5-6' 1.50 | | | | | | | | |
| 5-6' BB 4.2 | | | | | | | | |
| 6-7' BB 6.7 | | | | | | | | |
| Larger sizes availal | | | | | | | | |
| | | | | | | | | |
| lutea (flaviramea) Y | ellowtwig Dogwood | | | | | | | |
| Bark is bright yellow. Excellent 2-3' | 70 .60 | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| mascula | Cornelian Cherry | | | | | | | |
| Tree like shrub. Bright yellow flowers in March. | | | | | | | | |
| Small plum like fruit in August- | —edible 18' | | | | | | | |
| 2-3' | | | | | | | | |
| 3-4' | | | | | | | | |
| 4-5' | | | | | | | | |
| 5-6' | | | | | | | | |
| 5-6' BB | • | | | | | | | |
| | 0 9.00 | | | | | | | |
| Larger sizes available. | | | | | | | | |
| CORYLUS americana | Hazelnut | | | | | | | |
| Attractive foliage. Delicious edi | ble nuts. Thrives in | | | | | | | |
| shady locations 12' | - 00 55 | | | | | | | |
| 2-3' | | | | | | | | |
| 3-4' | | | | | | | | |
| 4-5' 1.0 | • | | | | | | | |
| Larger sizes availa | | | | | | | | |
| avellana atropurpurea | Purple Hazelnut | | | | | | | |
| The leaves are dull purple or | prownish-red and | | | | | | | |
| become greener and less pur | ple as the season | | | | | | | |
| advances 10' | 0 | | | | | | | |
| 2-3' | | | | | | | | |
| COTINUS coggygria (rhus cotinus |) Smokebush | | | | | | | |
| Misty smoke color flowers in Ju | ne, July and August | | | | | | | |
| Fine fall foliage 15' | | | | | | | | |
| 2-3' 1.0 | | | | | | | | |
| 3-4' 1.2 | | | | | | | | |
| 4-5' | | | | | | | | |
| 5-6' 2.0 | | | | | | | | |
| 6-8' BB 5.0 | | | | | | | | |
| COTONEASTER acutifolia | Peking Cotoneaster | | | | | | | |
| Slender upright branches. Glos | sy black fruit in | | | | | | | |
| fall. Stands partial shade. Idea | for hedges 10' | | | | | | | |
| 2-3' 1.0 | .80 .70 | | | | | | | |
| 3-4' | | | | | | | | |
| 4-5' 1.5 | | | | | | | | |
| 4-5' BB 3.5 | | | | | | | | |
| 5-6' BB 5.0 | | | | | | | | |
| 6-7' BB 7.7 | | | | | | | | |
| adpressa | reeping Cotoneaster | | | | | | | |
| A very prostrate plant. The b | A very prostrate plant. The branches will root as | | | | | | | |
| they grow. A good rockery plant 18" | | | | | | | | |
| Sold out | | | | | | | | |
| | | | | | | | | |

| | | Each | Each per 10 | Each per 100 | | | | |
|--|--|--|-------------------------------------|---|--|--|--|--|
| COTONEAS | TER aniculata | | | | | | | |
| COTONEASTER apiculata Cranberry Cotoneaster Dwarf type plant with arching branches. Glossy | | | | | | | | |
| green 1 | onage. Large red | herries | H'orme | a little | | | | |
| mouna (| or growth for brand | thes are | more in | a nune | | | | |
| 10-10 D | D | 3.75 | 3.50 | 3.25 | | | | |
| 18-24" B | В | 5.50 | 5.00 | 4.75 | | | | |
| 24-30° B | В | 6.00 | 5.75 | 5.50 | | | | |
| Pinkish in Septe Fall. A lets 6' | (applanata) flowers in June for the demonstration of the demonstration o | ange-re airy le | ad foliam | a in the | | | | |
| | ************ | | | | | | | |
| divaricata | it with and 1 | Sprea | ding Cot | oneaster | | | | |
| Red fruit with arched spreading branches. Pink flowers 6' | | | | | | | | |
| 2-3' B | В | 2.50 | 2.00 | 1 75 | | | | |
| 3-4' B | B | $\frac{2.50}{3.00}$ | $\frac{2.00}{2.75}$ | $\frac{1.75}{2.50}$ | | | | |
| 4-5' B | 3 | 5.00 | $\frac{2.15}{4.50}$ | $\begin{array}{c} 2.50 \\ 3.75 \end{array}$ | | | | |
| 5-6' B] | 3 | 7.50 | 7.00 | 6.50 | | | | |
| foveolata Glossy Cotoneaster | | | | | | | | |
| Pinkish | flowers with black | fruit. | Brilliant | fall | | | | |
| coloring. 3-4' | - 10' | | | | | | | |
| 4-5' | • | .95 | .85 | .75 | | | | |
| 5-6' BI | 3 | $\frac{1.00}{5.00}$ | $\frac{.95}{4.50}$ | .85 | | | | |
| 6-8' B | В | 6.50 | 6.00 | $\frac{4.00}{5.75}$ | | | | |
| horizontalis (davidiana) Small glossy green leaves with bright red fruit. A flat spreading variety. Pinkish-white flowers 3' | | | | | | | | |
| A nat sp 15-18" Bl | reading variety. Pi | inkish-v | white flov | vers 3' | | | | |
| 18-24" BH | | $\frac{4.00}{6.00}$ | 3.75 | | | | | |
| | | | | | | | | |
| Pale nin | a (vulgaris) | Euror | ean Coto | neaster | | | | |
| 3-4' BF | kish flowers with k | oright r | ed fruit. | - 6' | | | | |
| 4-5' BE | *********** | $\frac{3.50}{5.00}$ | $\frac{3.00}{4.50}$ | | | | | |
| multifla | | 0.00 | 4.00 | | | | | |
| multiflora | | | | | | | | |
| Slender a | arching branches. I | Masses | of white | flowers | | | | |
| and neav 2-3' | ily laden with red | | | | | | | |
| 3-4' | * | $\frac{1.00}{1.25}$ | $\frac{.90}{1.10}$ | 1.00 | | | | |
| 4-5' BI | | $\frac{1.25}{3.75}$ | 3.50 | $\frac{1.00}{3.25}$ | | | | |
| 5-6' BB | | 5.50 | 5.00 | 4.50 | | | | |
| praecox | | | | | | | | |
| | preading habit and | large r | ed fruit | Rest of | | | | |
| an dwari | cotoneaster 3' | 80 1 | ca 11 aiv. | Dest of | | | | |
| 12-15" BE | | 3.00 | 2.75 | | | | | |
| 15-18" BE | | 3.75 | 3.50 | 3.25 | | | | |
| 18-24" BE 2-2½' BE | | 5.50 | 5.00 | 4.75 | | | | |
| | | | 0.05 | | | | | |
| , | | 6.50 | 6.25 | 6.00 | | | | |
| wilsoni | | 6.50 Wi l | son Coto | | | | | |
| wilsoni Semi-dwa | arf Cotoneaster and | 6.50 Wi ld red fr | son Coto | | | | | |
| wilsoni Semi-dwa 2-3' BB | arf Cotoneaster and | 6.50 Wil d red fr 2.50 | son Coto cuit 5' 2.25 | | | | | |
| wilsoni Semi-dwa 2-3' BB | arf Cotoneaster and | 6.50 Wi ld red fr | son Coto cuit 5' 2.25 3.00 | | | | | |
| wilsoni Semi-dwa 2-3' BB 3-4' BB 4-5' BB | rf Cotoneaster and | 6.50 Wildred for 2.50 3.50 5.00 | son Coto cuit 5' 2.25 | | | | | |

| PRAIRIE VIEW, IDDINOIS | | |
|---|---------------------|------------|
| Each | Each per 10 | |
| DAPHNE mezerium (rubrum and wh | ite flowe | rs) |
| Semi-dwarf shrub. Very fragrant flowers. Blooms very early spring | ; purpie (| or white |
| fall 4' | , | |
| 18-24 [*] BB | | |
| 36-42" BB | | |
| 42-48" BB 12.50 | | |
| DEUTZIA gracilis | Slender | Deutzia |
| Small compact shrub. Masses of | single w | hite |
| flowers in May 3' | .75 | .70 |
| 10-24 | .90 | .85 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 1.40 | |
| 30-30 | * | Doutsia |
| lemoine White flawars in | Lemoine | Deutzia |
| Upright grower. White flowers in 18-24" | .75 | .70 |
| 18-24" | .85 | .80 |
| 30-36" 1.25 | 1.10 | 1.00 |
| 36-42" 2.00 | 1.75 | 1.50 |
| | | |
| pride of rochester Upright grower with large pink, | changing | to white |
| flowers in June 9' | | |
| 2-3' | .70 | |
| 3-4' 1.00 | .90 1.40 | |
| 4-5' 1.50 5 6' 2.00 | 1.40 | |
| 0-0 | | |
| scabra crenata Do | uble Pink | Deutzia |
| White flowers in June. Pinkish | inside | 6′ |
| 2-3' 1.00 | .80 1.00 | |
| 9-4 | $\frac{1.00}{1.25}$ | |
| 4-0 | | 1.1. |
| DIERVILLA trifida Dwarf | Bush Hol | neysuckie |
| Yellowish flowers in June and | g Jury. Hanks s | and mass |
| spreading habit. Very good for plantings. Do not confuse with L | onicera D | warf 4' |
| plantings. Do not confuse with 2 3-4'55 | .45 | .40 |
| 3-4' | .55 | .50 |
| | Russ | sian Olive |
| Shrub or small tree with hands | some gre | v foliage |
| and decorative black fruits. Fr | agrant y | ellow |
| flowers in June 20' | | |
| 3-4' | ~ ^ | |
| 4-5' 1.15 | | |
| 5-6' 6-8' BB 7.50 | | |
| 0-0 | | |
| 8-10' BB 15.00 Larger sizes available | | |
| | Ru | ffaloberry |
| shepherdia argentea (See page 48 under Shepherdia.) | | |
| umbellata | Autumn | Eleagnus |
| Developer groon foliage with cliss | sters of a | mber |
| berries. Yellowish flowers semi-s | preading | growth-8 |
| 3-4' BB 9.00 | | |
| 4-5' BB | 9.00 |) |
| 5-6' BB 10.00 6-8' BB Heavy 15.00 | | |
| | | |
| Selected material 25% extra. | | |

| | | | Each | per | 10 | per | r 100 |
|-----------------|------------------|----------------------------------|--------|------|------|-----|-------|
| | | S campanulatus | | Bell | Flo | wer | Tree |
| Drooj Brilli | oing ant a | racemes of pale utumn foliage | yellow | flov | vers | in | May. |
| 3-4' | $_{\mathrm{BB}}$ | | 12.00 | | | | |
| 4-5' 5-6' | BB | • • • • • • • • • • • • • • | | | | | |
| THOMAS | FTTO | | 20.00 | | | | |

Dwarf Euonymus

Each

Each

| EUONY | | | | | | Wing | ed E | uonymus |
|--------------|----------|---------|-------------|-----|-------|-------|-------|-----------|
| Busl | ny, cor | npact, | corky | bar | ked | plant | with | brilliant |
| scar | let foli | age in | the fa | II | 10' | _ | | |
| 2-3' 3-4' | | | | | | • | 2.25 | 2.00 |
| 3-4° 4-5' | מת | | • • • • • • | | | • | 3.25 | 3.00 |
| 4-5 5-6' | BB | | • • • • • • | | | _ | 9.50 | 9.00 |
| 9-0 | BB | | | | | | 24.00 | 23.00 |
| | Liè | arger s | sizes a | van | able. | | | |

alatus compacta

| | | | | | marr ranc | |
|--------------------|--------|--------------|----------|----------|-----------|-------|
| Simil | ar fo | rm to p | receding | variety | but of d | warf |
| natur | re. Ex | xcellent | for hedg | ges. Out | standing | fall |
| color | ing | · 8 ' | | | | |
| $2-2\frac{1}{2}$ | | | | 2.75 | 2.50 | 2.25 |
| $2\frac{1}{2}$ -3' | | | | 3.50 | 3.00 | 2.75 |
| 3-3½' | | | | 4.00 | 3.50 | 3.00 |
| 31/2-4' | | | | 6.00 | 5.50 | 5.00 |
| 4-41/2" | BB | | | | 14.50 | 13.50 |
| 41/2-5' | BB | | | | 20.00 | |
| | - | | | 44.00 | 20.00 | 19.00 |

Larger sizes available.



Euonymus Alatus Compacta 21/2' and 3' heavily branched stock.

| atropurpurea Also known as the Wahoo shrub. flowers crimson fruit 20' | Burning Purplish | Bush |
|---|---------------------|---------------------|
| 3-4' 4-5' 5-6' Larger sizes available. | .95 1.10 1.25 | .85 1.00 1.15 |
| 1.00 | 1.25 | 1.15 |

| FRAIRIE VIEW, ILLINOIS | |
|--|---------------------------------------|
| Each | Each Each per 100 |
| EUONYMUS europaeus (spindle tree | |
| Em Em | ropean Euonymus |
| Striking pink fruits and beauti | iful fall coloring. |
| Yellowish green flowers in May. | - 12' |
| 3-4' 1.00 | .95 .85 |
| 4-5' 1.25 | |
| 5-6' | |
| Larger sizes available. | |
| yedoensis | Yeddo Euonymus |
| Brilliant fall coloring with rose of | colored fruit. Very |
| showy greenish flowers in May. | - 10' |
| 4 57 1 25 | 1.00 |
| 5-6' 1.50 6-8' RR Heavy 7.50 | 1.25 |
| 0-6 DD Heavy 1.00 | |
| Larger sizes availabl | le∙ |
| EXOCHORDIA grandiflora | Pearl Bush |
| Pure white flowers in May. Upr | ight grower 10' |
| 2-3' | .55 |
| 3-4' | |
| 4-5' | .80 .70 |
| 5-6' 1.25 | 1.10 1.00 |
| 5-6' BB 4.00 | 3.75 3.50 |
| FORSYTHIA compacta nana | Dwarf Forsythia |
| Yellow flowers with rich green | |
| 18-24" | |
| 24-30" 1.25 | |
| intermedia | Border Forsythia |
| Bright yellow flowers in early | |
| branches 8' | O1 77 41.1 |
| spectabilis Showiest of all Forsythia. Large | Showy Forsythia flowers 8' |
| | Weeping Forsythia |
| Drooping branches. Ideal for bar | ıks 6' |
| | Fortune Forsythia |
| Deep green foliage. Upright gro | |
| Prices on above listed Forsythias a | |
| 3-4' | |
| 4-5' 1.00 | .85 .75 |
| 5-6' 1.15 | |
| 6-8' BB 4.00 | |
| | |
| No. | Golden Forsythia |
| | |
| A new variety - erect branche | es with masses of |
| golden, yellow flowers. 18-24" | .55 |
| 18-24 | .00 |
| | Davis Davaskia |
| ovata | Early Forsythia |
| Pale primrose-yellow flowers on | arcning |
| branches. Earliest to bloom 8' | |
| spring glory | 11 1 1.1 |
| Brilliant yellow flowers. Unusu | ally neavy bloom- |
| er 8' | G. 73 .11.1 |
| | en Stem Forsythia |
| Late bloomer. Dark green stem | |
| | is and thick green |
| leaves. Upright grower 8' | |
| Prices on above listed Forsythias a | as follows: |
| Prices on above listed Forsythias a 3-4' | as follows: |
| Prices on above listed Forsythias a 3-4' | as follows: 5 .85 .80 6 .95 .90 |
| Prices on above listed Forsythias a 3-4' | as follows: 5 .85 .80 6 .95 .90 |
| Prices on above listed Forsythias a 3-4' | as follows: 5 .85 .80 6 .95 .90 |

| | 7177 71 | OTENTION | 30, 1110. |
|---|--------------------------------|------------------------------|----------------------|
| | Each | Each per 10 | Each per 100 |
| HAMAMELIS virginiana Yellow flowers in early win shady location 10' | Cor | nmon Wi | itchhazel |
| 3-4' 4-5' 5-6' BB 6-7' BB | 1.25 1.50 6.00 7.50 | 1.15 1.40 5.50 7.25 | 1.00 1.30 5.00 |
| Larger sizes availa vernalis Yellow fragrant flowers ap January 6' 3-4' | v | ernal Wi | tchhazel ly as |
| 4-5' BB 5-6' BB | $\frac{4.00}{6.00}$ | 3.50 | |
| HIBISCUS syriacus (See page 29 under Althea.) | | | |
| HOLDISCUS ariaefolius Creamy white flowers in p July 6' | anicles | Oce Blooms | eanspray in |
| 3-4' | 1.00 | .90 | .65 .85 |
| HYDRANGEA arborescens gra | andiflo | ra | |
| Large, pure white flowers be summer. Rich green folia shade 5' | loomir | wball Hyng throug | hout the |
| bronze towards autumn | 's that | e Gee Hy change | drangea to pink- |
| paniculata tardivum Similar to the Grandiflora: much later 20' | | | |
| Prices on above listed Hydran | .80 .90 | as follow: .75 .85 | .70 .80 |
| 4-5' tree form | 1.00 | .95 | .90 |
| Same as above in a tree fo 3-4' 4-5' BB | orm ha 2.50 5.50 7.50 | Tree Hy bit 10' 2.25 | drangea |
| quercifolium Pinkish-white flowers tur with an oak shaped leaf 6 | Oak | Leaf Hy purplish | drangea in June |
| 2-3' BB | 3.00 | $\frac{2.50}{4.00}$ | |
| HYPERICUM hidcote | | warf Mos | |
| Large, waxy, golden yello Semi-prostrate grower 4' 18-24" | | | summer. |
| 2-2½', 2½-3' | $1.00 \\ 1.25 \\ 1.75$ | .90 1.15 | |
| prolificum | | St. Jo | hnswort |
| Yellow flowers on a dense brownish-peely bark 5' | grow | ing shru | b. With |
| 2-3', | .80 .90 1.25 | .75 .85 1.10 | .70 .80 1.00 |
| Coloated material 9500 | 1.20 | 1.10 | 1.00 |

| FRAIRIE VIEW, ILLINOIS | | | |
|---|---------------------|------------------|------------------------|
| | | Each per 10 | per 100 |
| HYPERICUM snowflake | | Wh | iteflower |
| HYPERICUM snowflake White flowers on handsome Sold out | shrub | 4' | |
| ILEX verticillata (Black Alder) |) | | nterberry |
| Abundance of red berries in almost to spring. Slow gro | Septe ower a | ember and | d stay on l foliage. |
| 2-3' | 1.00 | .90 | .80 |
| 0.41 | 1.25 | 1.10 | 1.00 |
| 4-5' BB | 4.00 | 3.75 | $\frac{3.50}{4.50}$ |
| 6-7' BB Heavy | | 1.50 | |
| KERRIA japonica (Jews-mallo Yellow flowers during June green stems. For winter effe | e-Sept | ember. X | e Kerria ellowish- |
| 2-3' | 1.25 | 1.00 | .90 |
| KOLKWITZIA amabilis | | Be | autybush |
| Masses of delicate pink flo June. A graceful shrub, ver | ry har | dy 9' | |
| 3-4' | .85 | .75 | .65 .70 |
| 4-0 | 1.00 | 1.25 | 1.00 |
| 5-6' BB | $\frac{1.50}{3.50}$ | 3.25 | 2.75 |
| Larger sizes availa | able. | | |
| Small tree-shrub with yell in long racemes 20' Sold out | ides) low p | Gold ea-shape | d flowers |
| LEUCOTHOE catebaei | Dr | ooping l | Leucothoe |
| Waxy, bell shape, white flow clusters 7' | wers n | n way in | drooping |
| 5-6' BB | 8.50 | 8.00 | |
| LIGUSTRUM amerense Hardiest and best privet f | for he | Am dges. Ol | ur Privet ive green |
| foliage 10' 2-3' | .35 | .32 | |
| 3-4' | .40 | .38 | .35 |
| 4-5' | .50 | .45 | and the |
| 5-6' | .70 | .60 Thedia | .50 am Privet |
| ibolium Similar to California prive | t but l | hardier. | - 10' |
| 2-3' | .45 | .40 | .50 |
| 3-4' | .50 | | |
| 4-5' | .55 | .50 | .45 |
| ibota (obtusifolium) Dense grower, flowers and | l fruit | | ler Privet Black |
| berries. Stands shade 8' | | | |
| 2-3' | .75 | | |
| 3-4' 4-5' | .85 .95 | | |
| lodense | | Lode | nse Privet |
| Very compact and dwar hedge 3' | f for | m. Ideal | for low |
| 18-24" | .60 | | |
| 24-30" | = ^ | •60 | .50 |

| 40 | CHARLES FC | HRE . | NURSEF | MES, INC. |
|--------------|---|------------|-----------------|-------------------|
| | | Eacl | Each h per 1 | Each 0 per 100 |
| LIGUSTRU | M regelianum (obi | ısifoli | um) Re | gels Privet |
| Low, den | se, spreading. Very | | | - 5' |
| 18-24" | • | | | |
| 2-3' 3-4' | • | | | |
| 3-4 | • | 90 | S. 0 | .80 |
| viceryi (i | bota) | | Gol | den Privet |
| | vn in full sunlight | this | | |
| bright | yellowish foliage th | rough | out the | summer -4' |
| 15-18" | · · · · · · · · · · · · · · · · · · · | .8 | 5 .8 | |
| 18-24" | | | | |
| 24-30" | •••••• | 1.40 | | 5 1.00 |
| vulgare | | | T | and Duimed |
| | green compact gre | Mor | Europ | ean Privet |
| 2-3' | green compact gre | | | 0 |
| 3-4' | • | | | |
| 4-5' | | | | |
| LONICEDA | | | | |
| | bella albida | | | |
| Uprigh | t, spreading shrub | . Pin | kish-whit | te flowers. |
| Red be | rries. Blue-green f | oliage | e 8' | |
| morrowii | | Mo | rrowi H | oneysuckle |
| Arch si | preading habit. Le | aves | dark gre | en on ton |
| and gr | ayish underneath. | Flow | ers pure | white in |
| May an | d June. Red fruit. | - 8' | P | |
| wunnaahtia | | Mr 1 | | |
| ruprechtia | flowers changing t | Manch | urian Ho | oneysuckle |
| or oran | ge-red 10' | o yen | iow. Fru | it is corai |
| | ge-reu 10 | | | |
| wheeleri | 11 1 . | | , | 1 101 |
| riower | buds are red openi | ng to | deep pin | .k 10' |
| Prices on | above listed Lonic | eras a | s follows | s: |
| 3-4' | | .75 | .70 | 0 .60 |
| 4 22 | | .85 | | , , , , , |
| | | .95 | | - |
| 6-8' | | 1.50 | 1.2 | |
| | | | | |
| claveyi | , | Now T | lwarf H | oneysuckle |
| • | warf Lonicera-yello | | | |
| herries | in Fall 4' | w 110 | wers in | may, red |
| 18-24" | | .85 | .80 | 0 .70 |
| 24-30" | | 1.00 | | |
| 30-36" | | 1.25 | | |
| | | | | |
| fragrantis | | Fra | grant Ho | oneysuckle |
| First 1 | Lonicera to bloom | , wit | h fragra | ant white |
| 0.01 | in April-May 6' | 75 | | 0 0= |
| 0.41 | | .75 .85 | | |
| 4 21 | | 1.00 | | |
| | | | • | |
| korolkowii | | Blue | Leaf Ho | neysuckle |
| Rose p | ink flowers. Blue- | green | foliage | and red |
| fruit | 10, | | | |
| zabelli | | Nov | v-Red He | neysuckle |
| | d flower Honeysuc | kle I | Red fruit | in carly |
| fall. Der | nse upright grower. | Exce | llent for | hedges -9' |
| P | RICES ON THE | NEXT | PAGE | ug csi-v |
| Coloat | | | | |

| FRAIRIE VIEW, ILLINOIS | | 41 |
|--|-------------|-----------|
| | Each | Each |
| Eac | | per 100 |
| LONICERA—Continued | • | _ |
| Prices on above listed Loniceras | as follows: | : |
| 3-4' | 0 .75 | .70 |
| 4-5' | 0 .85 | .80 |
| 5-6' 1.0 | | |
| 6-8' 1.50 | | |
| 6-8' BB 4.0 | 0 3.75 | |
| maacki | Amur Hor | neysuckle |
| Wide spreading shrub produci | ng fragra | nt white |
| flowers changing to vellow in M | Iay-June. E | Red fruit |
| in early fall 12' | _ | |
| 5-6' | | |
| 6-8' 1.00 6-8' BB 5.00 | .90 | |
| | | |
| Larger sizes availal | | |
| pileata yumanensis Pro | strate Hor | neysuckle |
| Glossy foliage. Prostrate plan | t. White | fragrant |
| flowers in April. Purple fruit in | n late sum | mer. Re- |
| tains foliage very late in Fall | | |
| 12-15" BB 1.7 | 5 | |
| tatarica varieties Tat | arian Hor | evsuckle |
| Pink, red and white flowering | varieties. | Flowers |
| in late May. Red berries in mid-s | summer | 10' |
| 3-4' | | .60 |
| 4-5' | | .70 |
| 5-6' | | .80 |
| 6-8' 1.25 | | 1.00 |
| 6-8' BB 4.50 | 4.00 | 3.50 |
| syringantha | Lilac Hon | evsuckle |
| The small leaves are bluish-gree lilac-rose and fragrant in May | n; flowers | are pale |
| lilac-rose and fragrant in May | . Scarlet | fruit in |
| August 6' | | |
| 2-3' | .70 | |
| MAHONIA aquifolium O | regon Gra | pe Holly |
| A broad-leaf evergreen producin | g vellow s | pike like |
| flowers in May. Foliage is a glo | ssy dark | green. A |
| bushy grower. Purple and black | k fruit in | Septem- |
| ber3' | | • |
| 18-24" BB 4.50 | | |
| 24-30" BB 6.50 | | |
| 30-36" BB 8.00 | | |
| bealei | Leatherle | af Holly |
| A stout upright shrub. Thick, ri | gid leaves | that are |
| dark, blue-green. Yellow cluster | s of flower | rs. Blue- |
| black fruit. | ~~ | |
| | .50 | |
| MYRICA carolensis | Northern I | Bayberry |
| Gray berries in abundance. Ver | ry decorat | ive both |
| indoors and out. Aromatic foliage | | |
| 15-18" BB 3.50 | | 3.00 |
| 18-24" BB 4.50 | | 4.00 |
| 2-2½' BB 5.50 3-4' BB 10.00 | | 4.50 |
| | | |
| | | |
| PHILADELPHUS aureum Go | lden Mock | Orange |
| Leaves a golden yellow. A dwarz | f shrub | |
| 18-24" | .75 | .65 |
| $\frac{2-2\frac{1}{2}}{21}$ 1.00 | | |
| $2\frac{1}{2}$ -3' BB | | |
| Selected material 25% extra. | | |
| | | |

| 42 | CHARLES FIO | RE NU | JRSERIE | ES, INC. |
|--|---|--|------------------------|---------------------|
| DILLY AT | DI DIIII A | Each | Each per 10 | Each per 100 |
| | DELPHUS atlas | a | 0.1 | |
| 2-3' | all grower. Large white | nower .60 | .50 | .40 |
| 3-4' 4-5' | ••••••• | .80 .90 | .75 .85 | .70 |
| | te fragrant flowers in | Swo May-J | eet Mock une10' | Orange |
| falcon Whi | eri te fragrant flowers sin | nilar to | coronar | ius 8' |
| grandi Larg | iflorus ge white flowers non-fra | Big Swagrant. | eet Mock - 10' | Orange |
| nivalis An | s upright grower with la | | nk Mock nite flowe | |
| | on above listed Philad | lelphus | as follow | |
| 3-4' | | .70 | .65 | .55 |
| 4-5' 5-6' | • | .80 .95 | .75 .85 | .65 .75 |
| 6-8' | ••••• | 1.25 | 1.10 | 1.00 |
| Sem | et blanc ni-double white flowers nt 5' | s. Arc | hing gro | owth |
| | ntment ble white flowers simila | ar to b | ouguet bl | anc 7' |
| | on above listed Philade | | | |
| 2-3' 3-4' | | 1.00 1.15 | .95 1.10 | .90 |
| lemoin | nei . | Lemo | ine Mock | Orange |
| Sma | all fragrant flowers on | | | |
| 2-3' 3-4' | ••••• | $\begin{array}{c} .90 \\ 1.00 \end{array}$ | .80 .90 | .70 .80 |
| | sota snowflake lant Patent 538 | | | |
| Dee | ply cut white flowers. r. Sweetly scented 7' | Bloom | several | times a |
| 3-4' | | 1.00 | .90 | .85 |
| 4-5' 5-6' | | $\frac{1.25}{1.50}$ | $1.00 \\ 1.25$ | .90 1.10 |
| mont | blanc | | | |
| $rac{\mathbf{A}\mathbf{n}}{\mathbf{e}\mathbf{x}\mathbf{t}\mathbf{r}}$ | upright variety of lemo emely fragrant white fl | oine. He | eavy bloo -5' | mer and |
| 2-3' | | .90 | .80 | |
| 3-4' 5-6' | | $\frac{1.00}{2.00}$ | .90 | |
| virgin | alis | Virgi | nal Mock | Orange |
| Pur | e white semi-double flow grant. Best of all mock | wers al | most all | summer. |
| 2-3' | | .75 | .65 | .60 |
| 3-4' | | .90 | .80 | .75 |
| 4-5' 5-6' 5-6' B | B | 1.25 1.50 4.50 | $1.00 \\ 1.35 \\ 4.25$ | .90 1.00 3.75 |
| | | | | |

| PRAIRIE VIEW, ILLINOIS | | | 43 |
|--|------------------------|--|------------------------------|
| | Each | | Each per 100 |
| PHOTINIA villosa | | Christm | as Berry |
| White flowers in May rebloom. Red berries in Sep | esemble tember | the H | awthorne |
| in the Fall 15' | | | |
| 4-5' BB 5-6' BB 6-8' BB | $3.00 \\ 3.75 \\ 5.75$ | 3.50 5.25 | 3.25 |
| | 9.19 | | |
| PHYSOCARPUS monogynus Dense grower with small for hedge 4' | green | | Ninebark Suitable |
| 2-3' | .65 | .55 | .45 |
| 3-4' | .75 | | .60 |
| 4-5' | .85 | .80 | .70 |
| opulifolius Small white flowers in June well in shade 10' | e. Vigor | ommon l ous grov | Ninebark ver. Does |
| 4-5' | .90 | .80 | |
| 5-6' | $\frac{1.00}{1.10}$ | .90 1.00 | |
| opulifolius aurea | | | NT:11- |
| A golden leaved form of the | e above | Golden J | Ninebark |
| 2-3' | | .60 | .55 |
| POTENTILLA fruiticusa | | Puga C | im au afail |
| A shrubby little plant with are tiny and deep green. F | h shred lowers | ldv bark | inquefoil . Leaves |
| yellow 4' | 0.50 | 0.00 | 4 == |
| 18-24" BB 2-2½' BB | $\frac{2.50}{3.50}$ | $\frac{2.00}{3.25}$ | $\frac{1.75}{3.00}$ |
| 2½-3' BB | 4.50 | 4.25 | 3.75 |
| 3-3½' BB | 6.75 | 6.25 | |
| fruiticusa alba White flowers. Same foliage | | | |
| 2-2½' BB 2½-3' BB | $\frac{4.00}{5.00}$ | $\frac{3.75}{4.75}$ | |
| PRUNUS americana (see unde | | | |
| blireiana (See under trees) | | | |
| cistina A dwarf variety with rich | | | ple Plum age 6' |
| newport | 1 1 | Newpo | rt Plum |
| Foliage reddish purple wit | | | |
| thundercloud Deep purple leaf. Single de | | | ud Plum er. |
| Blossoms on all Purple Leablireiana usually fade out to blooming period. | | | |
| Prices on above listed Prunus | as foll | lows. | |
| 3-4' | 1.50 | 1.40 | 1.30 |
| 4-5' | 1.75 | 1.65 | 1.50 |
| 5-6' 6-8' BB | $\frac{2.75}{7.50}$ | $\frac{2.50}{7.25}$ | 2.25 |
| | $7.50 \\ 12.50$ | $\begin{array}{c} 7.25 \\ 12.00 \end{array}$ | 7.00 |
| 2" BB | 17.50 | 17.00 | |
| Larger sizes availa | able. | | |

Each Each Each Each per 100

PRUNUS—Continued



| Purple Leaf Plums 4-5' height stock. |
|--|
| glandulosa rosea (japonica) glandulosa sinensis Both have same habit of growth. One produces a double pink flower and the other double white flowers both in May - 6' |
| 2-3' 1.00 .90 .75 3-4' 1.20 1.00 .85 4-5' 2.00 1.75 1.50 |
| maritima Small white flowers, sometimes pink in May. Fruit is edible and good for jams. Dark green foliage 6' 5-6' BB |
| padus (See under trees) |
| pumila Dwarf Sand Cherry Small white flowers and purple-black fruit. A compact growing shrub 5' |
| 2-3' |
| tomentosum Nanking Cherry |
| White flowers before foliage appears. Fruit is red and delicious to the taste. Good for jams 10' |
| 3-4' 1.15 1.00 .80 4-5' 1.25 1.10 .90 5-6' 1.50 1.35 1.10 6-8' BB 5.00 4.75 4.50 Larger sizes available. |
| triloba plena Double Flowering Plum |
| Double pink flowers in April-May. A small shrubby tree 7' 2-3' Shrub Form 1.209085 3-4' Shrub Form 1.50 . 1.25 . 1.15 4-5' Shrub Form 2.50 . 2.25 . 2.00 4-5' BB Tree Form 10.00 . 9.50 |

| TRAIRIE VIEW, ILLINOIS | | | 45 |
|--|-----------------|----------------|--------------------|
| | Each | Each per 10 | Each |
| PRUNUS virginiana | Liucii | | |
| Dense, white flowers. Red Rough speckled bark 30' | fruit | in late | okeberry summer |
| 5-6' | .75 | .65 | |
| 6-7' | | .95 | |
| 8' BB | | | |
| RHAMNUS cathartica | Co | mmon B | |
| Greenish flowers with dark screen planting 12' | green | foliage. | Ideal for |
| frangula | | Glossy B | uckthorn |
| Pale yellow flowers all su | mmer. | Red to | rning to |
| black berries in the Fall. Glo | ossv. o | ale green | foliage. |
| Ideal for hedges—stands sh | iade | 12' | |
| Prices on above listed Rhamr | ius as | | |
| | .70 | .60 | .50 |
| T 01 | .80 | .70 | .60 |
| 5-6' 6-8' | 1.25 | 1.10 | .70 .90 |
| Larger sizes av | ailable | 2.10 | .90 |
| chadwickii (oavurica) | Cha | dwick B | ıckthorn |
| A dwarf compact grower he | eavily | laden wi | th black |
| berries. Outstanding for w | inter | effect ' | 7' |
| 4 24 | .75 | .70 | .60 |
| *********** | 1.00 | .90 | |
| 5-6' BB Larger sizes av | 7.50 ailable | | |
| tallhedge | | ımnar Bı | ickthorn |
| Patent #1388 | | | |
| A tall, narrow growing h | edge | plant. H | as deep |
| green foliage and is thornles Available in 1958 | ss 12 | , | истр |
| RHODOTYPOS kerrioides (scan | dens) | White | Korria |
| White flowers in May-June | From | sh maon | folioma |
| and small black berries. | Doog | moll in | Tonage |
| snade 5 | Dues | wen m | semi- |
| 2-3' | .85 | .80 | .75 |
| 3-4' | .95 | .90 | .85 |
| 4-5' | 1.10 | 1.00 | .90 |
| RHUS canadensis (aromatica) | , | Fragrant | |
| Yellow flowers in May, followers | orred h | riagiani | Sumac |
| berries. Brilliant autumn fo | liago Jiago | Fragran | rea + |
| ronage. | mage. | Tagran | U |
| 18-24" | .85 | .80 | .70 |
| 2-3' | .95 | .90 | .80 |
| copallina | | cı | a |
| Yellowish-green flowers in foliage Emits and leaves | noniele | Shining | Sumac |
| foliage. Fruits are hairy red | panicie | es with i | ustrous |
| cotinus (see cotinus coggygria | nage | 33) | |
| glabra | re. | | a |
| Very similar to typhina exc | ant +1 | Smooth | Sumac |
| smooth, not hairy 10' | ept ti | ie branci | nes are |
| trilobata | | C. | 1 10 1 |
| Greenish clustered spiked f | I orres | Skun | k Bush |
| appears in the Spring. Red, | hairu | fruit in t | hollage |
| Summer. The whole shrub is | very s | cented | ne late |
| 18-24" | .75 | .65 | .55 |
| Selected material 25% ext | | ,00 | ,00 |
| bereeted material 25% ext | ra. | | |

Each Each Each per 10 per 100

| RHUS typhina Greenish flowers in dense termin Picturesque habit of growth with | Staghorn Sumac |
|--|---|
| crimson berries. Branches covered vet hairs 10' | |
| Prices on above listed Rhus as follo | |
| 3-4' | .60 $.55$ $.75$ $.60$ |
| 5-6' | .95 .85 |
| | Cout leaf Sumaa |
| lanciniata Finely cut leaves giving feather | Cut-leaf Sumac |
| rapid grower. Best of all upright | Sumac 15' |
| 3-4' | .90 |
| 4-5' 1.00 | .95 |
| 5-6' 1.25 6-7' 1.75 | $\begin{array}{ccc} 1.00 & .90 \\ 1.50 & 1.25 \end{array}$ |
| | |
| RIBES alpinum | Alpine Currant |
| Small greenish flowers in April- fruit. Dense shrub suitable for h | May. Scarlet |
| areas 5' | euges in shauy |
| 12-15" | .65 .60 |
| 15-18" | .80 .75 |
| 18-24" | .90 .80 |
| $2-2\frac{1}{2}$, 1.25 $2\frac{1}{2}$ -3, 1.50 | $\begin{array}{ccc} 1.10 & 1.00 \\ 1.40 & 1.25 \end{array}$ |
| $2\frac{1}{2}-3$, 1.50 $3-3\frac{1}{2}$, 2.00 | $\begin{array}{ccc} 1.40 & 1.25 \\ 1.85 & 1.75 \end{array}$ |
| / - | |
| ureum Upright growing shrub producir in April-May. Stands shade 8' | Golden Currant ng yellow flowers |
| 2-3' | .60 |
| 3-4' | .70 .60 |
| 4-5 1.00 | .90 |
| ROSA altica (spinossima) Large white flowers. Black fruit. | Scotch Rose |
| blanda | Meadow Rose |
| Pink flowers. Slender grower | 5' |
| lucida (virginiana) Bright pink flowers followed by fruit 6' | Virginia Rose shining red |
| palustris Large pink flowers. Upright gro | Swamp Rose wer 8' |
| rubiginosa (eglanteria) | Sweetbrier Rose |
| Bright pink flowers in June. Good aromatic odor. Reddish foliage. | l foliage with - 6' |
| Prices on above listed Roses as followed | lows: |
| 2-3' | .70 .60 |
| 3-4' | .80 .70 |

grootendorst pink and red
Pink or red flowers borne in clusters. Good foliage. - 5'

Rugosa Rose rugosa Dark green foliage turning orange in Fall. Bears single and double flowers in white, pink and red in June and July. - 6'

(Continued on next page)

| | | Each | Each |
|---|-------------|-------------|---------|
| | Each | per 10 | per 100 |
| ROSA—Continued | | _ | - |
| rugosa alba—White flowers | | | |
| rugosa pink—Pink flowers | | | |
| rugosa rubra—Red single flo | owers | | |
| rugosa belle etoil—Pink flow | | | |
| rugosa hansa—Large double | red fl | owers. | |
| rugosa sir thomas lipton—Do | ouble w | hite flow | ers |
| Prices on above listed Roses | | | |
| 2-3' | .90 | .80 | .75 |
| | 1.00 | .90 | .80 |
| harrison's yellow | | | |
| Yellow flowers and a heav | y bloor | mer. Long | g brown |
| stems. A very showy rose. | - 10' | ` | Ĩ. |
| 2-3' | 1.00 | .95 | |
| 3-4' | 1.25 | 1.10 | |
| 4-5' | 1.50 | 1.35 | 1.25 |
| hugonis | | Hu | go Rose |
| Yellow flowers in May-June | e. Scarl | et fruit. | - 6' |
| 2-3' | -85 | .75 | |
| 3-4' | 1.00 | .90 | |
| max graf | | | |
| Apple blossom pink flower | , C., | all abine | 1 |
| Very good ground cover | rs. om o | an sniny | ieaves. |
| 2 yr #1 | .80 | .75 | .70 |
| 12-18" | 1.00 | .10 | .10 |
| 10.041 | 1.25 | 1.00 | .90 |
| | 1.20 | _ | |
| multiflora | | | se Rose |
| White flowers in June and | | | У |
| grower. Ideal for fence plan | | | |
| 14" & up | | * | ~~ |
| 2-3' | .50 | .45 | .35 |
| | .60 | .55 | .45 |
| | .70 | .65 | .55 |
| setigera | , , | | ie Rose |
| Rose-pink flowers. Ideal for | | | |
| plantings. Similar habit of a | | | |
| 0.41 | .60 | .55 | .50 |
| 4 21 | .70 | .65 | .55 |
| | .80 | .75 | .65 |
| wichuriana | | Memoria | al Rose |
| Clusters of white flowers. | Glossy | foliage. | |
| Prostrate grower 2' | | | |
| 2-3' 3-4' | .70 | .60 | .50 |
| 3-4' | .80 | .70 | .60 |
| Pogeg of 1 | | | |
| ROSES Climbers or Ramblers | | | |
| american beauty-Rich red flo | owers t | to crimso | n. |
| blaze—Scarlet crimson flowers | s, vigo | rous climl | ber |
| climbing peace—Canary yellow | w to pa | ale yellov | 7 |
| crimson rambler—Giant spray dorothy perkins—Double shell | s of sc | arlet red | flowers |
| dorothy perkins—Double shell | l pink | flowers. | |
| excersa—Double scarlet crims | on flow | ver. | |
| new dawn—Everblooming ros | se with | apple b | lossom |
| pink flowers and fragrant. | ashl. | no1 -1 -1 | |
| paul's scarlet—Clusters of do good size. | uble so | carlet flov | vers of |
| | | | |
| Prices on above listed Roses a | s follo | | |
| 2 yr | .75 | .70 | .65 |
| 3 yr | .90 | .80 | .70 |
| Selected material 25% ex | tra. | | |
| | | | |

Each Each

| | Each | per 10 | per 100 |
|--|--------------------|-----------------------|---------------|
| SALIX caprae | Fre | nch Pussy | Willow |
| Pink catkins in March and 3-4' | | .70 | |
| discolor | | Pussy | Willow |
| Fuzzy, silver gray buds of March and April 15' | on will | lowy brai | |
| 3-4' | .75 | .70 | .60 |
| 4-5' | .85 1.00 | .80 .90 | .70 .80 |
| 6-8' | 1.25 | 1.15 | 1.00 |
| Larger sizes a | vailabl | e | |
| incana (rosemary) | | Eleagnus | Willow |
| Very slow grower with silv kept dwarf. Resembles Ru ance8' | very lea ussian | aves. Can Olive in | be appear- |
| 2-3' | .70 | .60 | .50 |
| 3-4' | .80 | .70 | .60 |
| 4-5' BB | $\frac{.90}{5.00}$ | .80 4.50 | .70 |
| Larger sizes a | | | |
| pentandra (see under trees) | | | |
| purpurea nana | | varf Artic | |
| Silvery green foliage. Idea hedges 4' | | | |
| 18-24" 2-3' | .70 | .60 | .55 .65 |
| 2-3' 3-4' | .80 1.00 | .70 .90 | .00 |
| vitellina britzensis (see unde | | | |
| | er tree | | 1 1 |
| SAMBUCUS canadensis | and also | | derberry |
| White fragrant flowers in f July. Black edible berries in | | | |
| 3-4' | .85 | .75 | |
| 4-5' | 1.00 | .85 | |
| 5-6' | | 1.00 | |
| canadensis aureum | | Golden El | • |
| Similar form as above but 4-5' | with y | ellow foli .90 | age 8' |
| 5-6' | 1.10 | 1.00 | |
| 6-7' BB | 5.00 | | |
| 7-8' BB | 8.50 | | |
| canadensis dissectum A distinct cut leaf form of | | ut-leaf El | |
| are noticeably red during l | | | |
| 2-3' | .65 | 4 00 | |
| 4-5' 5-6' BB | $1.25 \\ 4.50$ | 1.00 | |
| | | / D. 0 | . 1 . 1 |
| SHEPHERDIA canadensis Yellowish flowers in clust | | sset Buff | |
| Leaves green on top side a side 8' | | | |
| argentea | | lver Buff | |
| Small yellowish flowers in | May. | Red-yello | |
| Silvery leaves. A thorny tr | ee wit | h young | |
| growth silvery 12' PRICES ON THE 1 | VEXT | PAGE | |
| | , | - 11013 | |

| PRAIRIE VIEW, ILLINOIS | | | 49 |
|--|------------|-----------------------|-----------------|
| | Each | per 10 Each | per 100 Each |
| SHEPHERDIA—Continued | | | |
| Prices on above listed Sheph | erdias | as follow | g • |
| 3-4' | .90 | .80 | .75 |
| 4-5' | 1.00 | .90 | .85 |
| 5-6' | 1.50 | 1.35 | 1.25 |
| | 10.00 | 9.50 | |
| 8-10' BB | 12.50 | | |
| SOBARIA sorbifolia | | Fals | e Spirea |
| White flowers in upright | panicles | | - |
| burst open very early in S | | | |
| Mountain Ash foliage 6 | , | | |
| 3-4' | | .60 | .50 |
| 4-5' | .75 | .70 | .60 |
| SPIRAEA arguta | | Garlan | d Spirea |
| White free flowering shruk | o. Bloor | | _ |
| thunbergi | | Thunberg | • |
| White flowers in April-Ma | | | |
| branches. Feathery light-g | reen f | ider arcii. oliage | nig 5' |
| Prices on above listed Spirea | as foll | lows: | |
| 2-3' | .55 | .50 | .45 |
| 3-4' | .65 | | .50 |
| 4-5' | .75 | .70 | .60 |
| L:11. 1* | | m·11 | 1 0 |
| billardi | | | d Spirea |
| Bright rose colored flowers shrub 6' | s in Ju | lly-Augus | t. Dense |
| 2-3' | .55 | .50 | .45 |
| 3-4' | .65 | .60 | .55 |
| Inclused I | A 41 | 337 - 4 | Oninca |
| | | y Watere | _ |
| Rose colored flowers all su green foliage 3' | ımmer. | Kich red | aisn- |
| 18-24" | .95 | .70 | .65 |
| 24-30" | 1.00 | .85 | .75 |
| 30-36" | 1.15 | 1.00 | .90 |
| bulmalda froebeli | | Frobel | i Spirea |
| Brighter pink flowers than | the a | bove and | a |
| taller grower. Blooms earl | | | |
| Waterer 4' | 0= | 0.0 | F 0 |
| 18-24" 24-30" | .65 .75 | .60 .70 | .50 .60 |
| 24-30" | .85 | | .70 |
| | | | |
| caryopteris (See Caryopteris page 31.) | | Blue Mis | t Spirea |
| | | | |
| discolor (See Holdiscus page 38.) | | | |
| | | | |
| japonica coccinia Flat topped rose-pink flow | word I | Bloome T | aru nro |
| fusely. Improved variety | | | |
| Waterer 4' | J. J. VI. | -5 -21101101 | -3 |
| 18-24" | .85 | .80 | |
| macrothyrsa (improved billa | rdi) | | |
| Rose pink flowers on long | | Good ble | omer6' |
| 2-3' | .55 | .50 | .45 |
| 3-4' | .65 | .60 | .55 |
| Selected material | 25% e | xtra. | |
| | | | |

| 50 CH | ARLES 1 | FIORE | NURS | ERIES | s, INC. |
|---------------------------------------|-----------------|--|--------------------|------------|----------------|
| | | Eac | | ch 10 p | Each er 100 |
| SPIREA prunifolia | plena | | True | Bridle | wreath |
| Button like de | - | ite flov | | | . Dark |
| green foliage. | | | | 2.200 | |
| 2-3' | | 7 | ' 5 | .70 | .60 |
| 3-4' | | | | .85 | .75 |
| 4-5' | | | | .95 | .85 |
| 5-6'sorbifolia | • • • • • • • • | 1.2 | | 1.10 | a • |
| Pink flowers. A | n unnich | t ahmah | Cood | blacia | Spirea |
| 3-4' | | | . Good 1 5 | .60 | .50 |
| 4-5' | | | 5 | .70 | .60 |
| trichocarpa | | | | | Spirea |
| Similar descri | ption as | the Va | n Hou | ttei b | ut has |
| larger flowers | | | | | |
| specimen 6' | | | _ | | |
| 3-4' 4-5' | | | 5 | .60 | .50 |
| | • • • • • • • • | •• | 5 | .70 | a • |
| van houttei Masses of pui | eo zybito | flormone | van E | loutei | Spirea |
| growing plant. | Ideal for | nowers mass | nlanting | ay. G | racerur |
| shade 6' | rucar 101 | mass . | pianting | 5 and | partiai |
| 3-4' | | 1.1 | .0 | .85 | .75 |
| 4-5' | | 1.2 | 20 | .95 | .85 |
| SYMPHORICARPO |)S albug | (racem | vene) | Sno | whorry |
| Dainty pink flo | ware in | Tuly fol | lowed h | one ma | agog of |
| white fruit in | Sentem | her V | ioweu i erv att | ractiv | e foli- |
| age 6' | Septem | DC1. • | cry acc | 14001 | C 1011- |
| chenaulti | | (| Chenaul | t Cora | alberry |
| Grey-green fol | liage wit | h arch | ing bra | anches | Red. |
| spotted white | berries. L | eaves a | are sma | all and | l hairy |
| beneath. Impro | | | | | |
| c. hancock (sold | out) | P | rostrat | e Cora | alberry |
| Ideal ground co | | | | | at with |
| small foliage an | _ | nk beri | | | |
| orbiculatus (vulg | aris) | e 1 | Inc | lian C | Currant |
| Best red-berrie Flowers in Jul | a snrub : | ior pan | KS to r | 10ld th | ne soll. |
| October 4' | y 10110we | a by p | urpnsn | -rea r | ruit in |
| Prices on above 1 | isted Sym | nhorica | rnos as | s follo | ws: |
| 2-3' | | | | | .55 |
| 3-4' | | | | .80 | .70 |
| | | | | | |
| SYRINGA japonica | (see und | der tree | | v 1 · | T 11 |
| chinensis (rothon Purplish-lilac f | | Marr | | | Lilac |
| | lowers in | may. | | | |
| persica | ma and f | | C 11 | 'ersiar | Lilac |
| Pale-lilac flower Prices on above l | rs and I | ragrant | . Small | i leave | es 9 |
| | ······ | | 5 1 | 1.00 | .90 |
| 4-5' | | 1.5 | 13 | 1.20 | 1.10 |
| 5-6' | | 1.6 | 5 1 | 1.50 | 1.25 |
| | | | | 1.75 | |
| Larger | sizes av | allable. | | | |
| norgies alles | | , | 0071.:4 T | | . т.: |
| persica alba Creamy-white | flowers | | White F | | |
| Persian lilac | | m ma | y. Ball | 101 | in as |
| 4-5' | | 1.3 | 5 1 | .25 | |
| Selected mat | | | | | |
| Science man | | onuia | • | | |

| PRAIRIE VIEW, ILLINOIS | | | 51 |
|---|----------------|---------------------|---------------------|
| Ea | | Each per 10 | Each per 100 |
| SYRINGA villosa (bretschneider) | | La | te Lilac |
| Fragrant pinkish-lilac flowers | | | |
| grower 8' | | | • |
| 7. 2. | .00 | .95 | |
| | .35 .50 | $\frac{1.20}{1.35}$ | 1.25 |
| | .00 | 5.50 | 5.00 |
| Larger sizes avai | | 0.00 | |
| vulgaris | Commo | on Purp | le Lilac |
| Fragrant purple flowers in M plant 12' | | | |
| vulgaris alba | Comm | on Whit | e Lilac |
| Same as above with pure wh | ite si | ngle fra | grant |
| flowers 12' | 7.17 | 0 11 | |
| Prices on above listed Vulgaris | | as follow | vs: |
| | 50 2.00 | $1.25 \\ 1.75$ | 1.15 1.50 |
| | 2.75 | 2.50 | 2.00 |
| | 7.75 | 7.50 | |
| Larger sizes availabl | le. | | |
| SYRINGA (hybrid lilacs) | | | |
| Berryer—Double Flower Mau | 370 | | |
| Chas. Jolly—Double red | ve | | |
| Chas. X—Single red | | | |
| Congo—Single wine red | | | |
| Florent Stepman—Single whi | te | | |
| General Sheridan— Double w | hite | | |
| Jan Van Tol—Single white | . h | m1. | |
| Ludwig Spaeth—Single reddis Mme. C. Perriere—Double wh | sn-pur site | pre | |
| Mme. Lemoine—Double white | | | |
| Maria La Graye—Single whit | | | |
| Maxine Cornu—Single blue | | | |
| Miss Ellen Wilmott—Double | white |) | 1 C |
| Persica Lancinata—Single | pale. | lilac, cu | t leai |
| Pres. Lincoln—Single blue Pres. Carnot—Double lavende | Ωr | | |
| Pres. Grevy—Double blue | CI CI | | |
| Pres. Roosevelt—Single dark | red | | |
| Vauban—Double pink | | | |
| Prices on above listed Hybrid | | | |
| | 2.25 | 2.00 | $\frac{1.75}{2.00}$ |
| | $2.75 \\ 4.50$ | $\frac{2.25}{4.00}$ | $\frac{2.00}{3.75}$ |
| | 3.00 | $\frac{4.00}{7.75}$ | 7.00 |
| Larger sizes availab | le. | **** | ,,,, |
| Additional prices for balling li | | | |
| | l.35 ea | ach | |
| | 1.50 ea | | |
| 5-6' 1 | L.75 ea | ach | |
| TAMARIX amurense | Five | stamon ' | Tamarix |
| | | | |
| Showy panicles of pink flowe feathery foliage 12' | rs. Di | ue greei | |
| 3-4' | .75 | .70 | |
| 4-5' | .85 | .80 | .75 |
| 5-6' | .95 | .90 | .80 |
| 6-8' BB | 5.50 | 5.00 | |
| Selected material 25% ext | tra. | | |
| | | | |

| 52 CHARLES FIG | DRE NU | RSERIES | s, INC. |
|---|-----------|----------------------|-----------------|
| | Each | Each per 10 j | Each per 100 |
| VIBURNUM acerifolium | Map | leleaf Vil | burnum |
| Maple like leaves. White fl | | | |
| fall coloring stand shade. | - 6' | i buile. 132 | ACCIICIIU |
| 18-24" | | .75 | |
| 2-3' | | 1.10 | |
| 3-4' | 1.50 | | |
| americana (trilobum) A | moricon | Cranharn | w Buch |
| | | | |
| White flowers in May-Jun scarlet fruit, far superio | e. Large | e, edible o | orange- |
| ety 10' | r to the | e Luropa | a varı- |
| 3-4' | .95 | .90 | .85 |
| 4-5' | 1.10 | 1.00 | .95 |
| 5-6' | 1.30 | 1.20 | 1.15 |
| 5-6' BB | 3.50 | 3.25 | |
| 6-7' BB | 5.00 | 4.75 | |
| Larger sizes avai | lable. | | |
| burkwoodi | Rurl | cwood Vil | aurnum |
| Pinkish-white flowers in M | | | |
| Dark leather-like foliage t | hat is so | y iragran motimos | . |
| evergreen 6' | nat is st | meumes | |
| 2½-3' BB | 4.00 | 3.50 | 3.00 |
| 3-4' BB | 5.00 | 4.50 | 4.00 |
| 4-5' BB | 7.00 | 6.50 | 6.00 |
| 5-5½' BB | 12.50 | 12.00 | 11.50 |
| carlesi | Mayfl | ower Vib | urnum |
| Pinkish-white flowers. Ver | v fragra | nt. Foliac | re is |
| gray 6' | , ilugiu | 110. 1 0114 | 50 15 |
| 2-2½' BB | 3.75 | 3.25 | 3.00 |
| 2½-3' BB | 4.50 | 4.00 | 3.50 |
| 3-4' BB | 5.50 | 5.00 | 4.50 |
| 4-5' BB | 9.00 | 8.50 | 8.25 |
| 5-5½' BB | 15.00 | 14.50 | |
| carlesi standard | Globe | -headed | Carlesi |
| Same flower and foliage a | | | |
| on a 4-5 foot stem. | | | |
| 18-24" BB Heads | 15.00 | 14.50 | |
| 24-30" BB Heads | 20.00 | 19.00 | |
| cassinoides | With | nerod Vib | urnum |
| White flowers in May-Jun | | | |
| as well as autumn foliag | e. Does | well in | partial |
| shade 8' | | | |
| 3-4' | | 1.00 | |
| 4-5' | 1.40 | 1.25 | 1.10 |
| 5-6' BB | 5.50 | 5.00 | |
| dentatum | Arrow- | wood Vib | urnum |
| White flowers in May-Ju | ne. Blu | e-black b | erries. |
| Brilliant fall foliage. Šuita locations 10' | able for | moist | |
| 3-4' | .90 | 95 | 75 |
| 4-5' | 1.00 | .85 .95 | .75 .85 |
| 5-6' | 1.25 | 1.10 | .00 |
| 6-7' BB Heavy | | 1110 | |
| dilatatum | | nden Vib | 17777177 |
| Large clusters of creamy | white fl | lowers in | May. |
| Scarlet fruit which persist | s in ear | ly winter | 10° |
| 2-3 BB | 3.00 | 2.75 | |
| 3-4' BB | 5.00 | 4.50 | |
| 5-6' BB | 6.50 | 6.00 | |
| Selected material 25% e | xtra. | | |
| 20 /0 0. | - Va 441 | | |

| TRAINE VIEW, IDDINOIS | | | 99 |
|-----------------------------|-----------------|----------------------|-----------------|
| | Each | Each per 10 | Each per 100 |
| VIBURNUM fragrance | Fr | agrant V | iburnum |
| Very fragrant pink flower | | | |
| leaves come out. Upright g | | | rore the |
| 0.41 777 | | | |
| | 5.00 | 4.50 | |
| F 41 777 | $6.50 \\ 12.50$ | $\frac{6.00}{12.00}$ | |
| 0 41 55 | 17.50 | 12.00 | |
| 6-7' BB | 17.50 | | |
| lantana | | Wayfari | ng Tree |
| White flowers in May-June | with h | eavy gray | leaves. |
| Red berries changing to bla | | | , |
| 3-4' | 1.00 | .95 | .85 |
| 4-5' | 1.25 | 1.15 | 1.00 |
| 5-6' BB | 6.50 | 6.00 | 1100 |
| 6-7' BB | | 0.00 | |
| Larger sizes avail | | | |
| Laiger Sizes avair | able. | | |
| lentago | | Nan | nyberry |
| Fragrant white flowers in | May-J | une. Lar | ge dark |
| green foliage. Good fall | | | |
| fruit 15' | | 5. 2.4.2. | 200012 |
| 3-4' | .90 | .85 | .75 |
| 4-5' | 1.00 | .95 | .85 |
| 5-6' | 1.10 | 1.05 | .95 |
| 6-7' | 1.35 | 1.25 | 1.00 |
| 6-7' BB | 5.00 | 4.75 | 4.00 |
| Larger sizes avail | | 4.10 | 4.00 |
| Larger sizes availa | able. | | |
| molle | Kei | ntucky Vi | burnum |
| White flowers in May-June | e. Blue | berries. | |
| Excellent fall coloring 8 | | 20221001 | |
| 3-4' | .90 | .85 | .75 |
| 4-5' | 1.00 | .95 | .85 |
| 5-6' | 1.10 | 1.05 | .00 |
| 5-6' BB | 4.75 | 4.25 | |
| _ | | | |
| opulus nana | Dwarf | Cranberi | y Bush |
| Seldom flowers. Dwarf-com | pact ar | nd round- | |
| headed 2' | _ | | |
| 2 yr. heavy | 1.25 | 1.10 | 1.00 |
| 12-15" | 1.50 | 1.40 | |
| 15-18" | 2.00 | 1.85 | |
| . 1 4 21 | | ~ | |
| opulus sterile | | ommon S | |
| Round clusters of pure whi | | | .y- |
| June. Resembling snow bal | ls 10 |)* | |
| 2-3' | .85 | .80 | .70 |
| 3-4' | .95 | .90 | .80 |
| 4-5' | 1.10 | 1.00 | .90 |
| 5-6' | 1.50 | 1.25 | 1.00 |
| Larger sizes avails | able. | | |
| | | | |
| opulus xanthocarpum | | | |
| Rich green foliage with br | ight ye | ellow frui | t. Form |
| of Highbush Cranberry. Dy | varf ty | pe 5' | |
| 2-3' | 1.00 | .90 | |
| 3-4' | 1.25 | 1.00 | .90 |
| 3-4' BB | 3.00 | 2.50 | 2.25 |
| 4-5' BB | 4.50 | 4.00 | |
| Selected material 25% ex | rtro | | |
| Beleeted material 25% ex | ula. | | |



Viburnum Opulus Xanthocarpum Yellow Fruited Viburnum with rich green foliage. Plant is a compact grower. Picture shows a 36" plant.

| <u>0</u> "] | rower. Picture shows a 36" pl | | ant is a | compact |
|-------------|---|---------------------|------------|--|
| 01 | pi | | Each | Each |
| | | Each | | per 100 |
| V | IBURNUM prunifolium | | ckhaw V | - |
| | Flat white flowers in Ma | | | |
| | black edible fruit. Excellen | ty. Olu t foll a | sters or | pink to |
| | 3-4' BB | | 3.75 | - 19 |
| | 4-5' BB | | | |
| | 5-6' BB | | | |
| | Larger sizes avail | | 5.50 | |
| | pubescens | | Downy V | :h:::::::::::::::::::::::::::::::::::: |
| | Whitish flowers. Black fruit | Rughs | r habit of | lournum |
| | Smaller foliage than Vibur | rnum d | ontatum | growin |
| | 3-4' | 1.00 | .95 | - 0 |
| | 4-5' | 1.10 | 1.05 | |
| | | | | |
| | Sargenti White flavors Similar to | | argent Ci | ranberry |
| | White flowers. Similar to t | ne vib | urnum ar | nericana |
| | except it is of denser gro corky branchlets 8' | owth w | ith darke | er, more |
| | 2-3' | 75 | .65 | |
| | 3-4' | 1.00 | 95 | |
| | 4-5' | 1.40 | 1.25 | |
| | sieboldii | | ieboldi V | ihumum |
| | Creamy white flowers in pa | nicles <i>i</i> | during M | ave Tuna |
| | Vigorous grower and dark | green | foliage | Pink to |
| | bluish fruit which drops e | arlv | 10' | 1 11111 |
| | 3-4' | | | |
| | 4-5' | 2.00 | 1.75 | 1.50 |
| | p-6, BB | 7.50 | 7.00 | |
| * | 6-8' BB | 15.00 - | | |
| | tomentosum | Doubl | e File V | iburnum |
| | White flowers borne in fla | it head | s in Jun | e. Hori- |
| | zontal branching with red | to blac | ck berries | s 8' |
| | 3-4' BB | | 4.75 | |
| | 4-5' BB | | | |
| | 5-6' BB | 10.00 | 9.50 | 9.00 |
| | 6' BB | | | |
| | Selected material 25% ex | tra. | | |
| | | | | |

| PRAIRIE VIEW, ILLINOIS | | | 99 |
|--|----------------|--|----------|
| | Each | Each per 10 | |
| VIBURNUM tomentosum plicati | um J | apanese S | nowball |
| Showy white snowball flower | ers in | June. Pur | |
| autumn coloring. Undoubted | dly the | e best of | |
| Snowballs 8' | | | |
| 2-3' BB | 4.50 | 4.25 | |
| 3-4' BB | 6.00 | 5.50 | 5.00 |
| F A! DD | 8.00 | 7.50 | |
| | 11.00 | 10.50 | |
| tomentosum rotundiflorium | | | |
| Similar to the above variety | | | ves and |
| blooming several weeks ear | | | |
| 2-3' | 1.00 | .90 | 4.00 |
| 3-4' BB | | | 4.00 |
| wrighti | ١. | Wright Vil | ournum |
| An upright shrub of disting | ction. | Large wh | ite |
| flowers, red fruit and blue-g | | | 4.00 |
| 3-4' BB 4-5' BB | | 4.50 6.50 | 4.00 |
| 4-0 DD | 1.00 | 0.50 | |
| VITEX macrophylla |] | Hardy Cha | stetree |
| Lilac-blue flowers on long | spikes | in Augu | st- |
| September. Gray-green star | | | |
| Prefers sunlight 5' | _ | | |
| 2 yr | .75 | .65 | .50 |
| 3-4' BB | 3.50 | 3.00 | 2.75 |
| 4-5' BB | 5.00 | | |
| WEIGELA amabilis (florida) | Old f | nghionod I | Voicela |
| | | | |
| Rose-pink flowers that fade June bloomer. 8' | to a | paier pini | c. may- |
| eva rathke | | | |
| Reddish-carmine flowers tha | | | |
| from June through August. | | | _ |
| vaniceki | | anicek's V | |
| Deep red flowers. A vigorou foliage 6' | as gro | wer with | rich |
| | | 2 11 . | |
| Prices on above listed Weigel | | follows: | 70 |
| 2-3' | 1.00 | .75 .85 | .70 |
| 4-5' | $1.10 \\ 1.20$ | .00 .95 | .80 |
| 4 -0 | 1.40 | .30 | .90 |
| candida | | | |
| Best white flowering Weight | gela v | with light | green |
| leaves 8' | Scia | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | green |
| | 1.50 | | |
| nana variegata | | Dwarf V | Wierela |
| Flowers a bluish color with | ı vari | | |
| green leaves 4' | ı valı | egated wil | ite and |
| | 1.50 | 1.25 | |
| 2-3' BB | 3.50 | | |
| gustav mallot | | 0.20 | |
| Rose-red flowers bordered w | hite i | n June-Au | oust8' |
| | 1.50 | ir ounc 11a | g ubv. o |
| | 2.00 | 87 1 | |
| ZANTHORIHIZA apiifolia | _ | | lowroot |
| Small purplish flowers in I | May-Ju | ine. Rich | foliage. |
| Excellent ground cover. T | urns | a gold c | olor in |
| Fall 2' | | | |
| | .85 | .80 | .75 |
| 18-24" | 1.00 | .90 | |
| 0.1 | | | |
| Selected material 25% ex | tra. | | |

Each Each Each Each per 100

EVERGREENS

| ADVECT | | | |
|-------------------|--|------------------|----------------|
| ABIES bals | | | sam Fir |
| Fragra | us dark green foliage of ant needles 50' | pyramid | spread. |
| | 3 | | |
| | 35.00 | 34.50 | |
| 9 101 | 3 47.50 | | |
| concolor | | | hite Fir |
| Broad- needles | pyramid evergreen with blus 60' | ie-gray | |
| 2' BB | 8.00 | | |
| 2½' BB | | 8.50 | |
| 3' BB 3½' BB | | 9.50 | 9.00 |
| 4' BB | | $11.00 \\ 12.00$ | 10.50 11.50 |
| 5' BB | | 18.00 | 17.50 |
| 6' BE | | 24.00 | 11.00 |
| 7' BE | | | |
| 8' BE | | | |
| | Larger sizes available. | | |
| | | ramid W | |
| Same | texture as above but of | close py | ramidal |
| color | | nan regul | ar Con- |
| 2½' BB | 8.50 | | |
| 3' BB | | 4.4.00 | |
| 4' BB 5' BB | | 14.00 | |
| 6' BB | | 19.00 | |
| 7' BB | | 32.50 | |
| | 45.00 | 02.00 | |
| lasiocarpa | | Alı | oine Fir |
| (Not Ava | ulable) | | |
| JUNIPERU | S chinensis columnaris | Chinese | Juniper |
| Gray-g | reen needles. Fast growing | columna | \mathbf{r} |
| tree | 25' | | |
| 3' BB | | 4.50 | |
| | 6.00 | 5.50 | |
| 5' BB 6' BB | | 8.00 | 40.00 |
| о рр | Larger sizes available. | 10.50 | 10.00 |
| chinensis | columnaris blue | | |
| | Blue Column | Chinese | Juniner |
| Blue fo | oliage and same shape as al | | |
| 5' BB | | 10.25 | |
| 6' BB | 12.50 | 12.00 | |
| 7' BB | 15.00 | 14.50 | 14.00 |
| | Larger sizes available | | |
| chinensis | cracouia | Polish | Inniner |
| Available | | LUMBIL | amper |
| ar turiable | 111 1000 | | |

| | | | Each | Each |
|--|---|--|---|---|
| | | Each | per 10 | |
| HINIPE | RUS chinensis fiore | | | _ |
| | outstanding blue p | | None of | her like |
| this | tree. Requires alm | ost no trin | nming | 30' |
| 4-5' | BB | 12.50 | | |
| 5-6' | BB | 15.00 | | |
| chinen | sis mascula | | | |
| | ble in 1958 | | | |
| | sis pfitzeriana | | Pfitzer | Juniper |
| Spre | eading growth with | dense fea | thery gra | av-green |
| folia | ge. An old stand-by | у. | v 3 | • 0 |
| | BB | \dots 4.75 | 4.00 | 3.75 |
| 24" | BB | | 5.00 | 4.50 |
| 2½' 3' 3½' | BB | | 6.00 | 5.50 |
| 3′ | BB | 8.00 | 7.50 | 7.00 |
| 3 ½ 4' | ВВ | | 9.00 | 8.50 |
| 5' | BB | | $11.75 \\ 17.00$ | 11.25 |
| U | BB Larger sizes a | | 17.00 | |
| chinen | sis pfitzeriana upri | | Unrigh | t Fitzer |
| | apright form of Fitz | | | |
| | med to grow in co | | | |
| | ptionally nice plant | | pe. Ours | arc |
| | BB | | 6.75 | 6.50 |
| | BB | 0 0 | 8.25 | |
| 31/2'] | 3B | | 10.25 | |
| 4' | BB | 17.50 | 17.00 | |
| 5' | BB | 25.00 | 24.00 | |
| | 3B | | 29.00 | |
| 7' I | BB Heavy | 40.00 | | |
| | | | | |
| | sis pfitzeriana aure | | | n Fitzer |
| Gold | en tipped variety of | Juniper F | itzer. | n Fitzer |
| Gold 24" I | en tipped variety of BB | Juniper F 6.00 | itzer. 5.50 | n Fitzer |
| Gold 24" I 30" I | en tipped variety of BB BB | Juniper F 6.00 7.50 | itzer. 5.50 7.00 | n Fitzer |
| Gold 24" I 30" I 36" I | len tipped variety of BB BB BB | Yuniper F 6.00 7.50 10.00 | 5.50 7.00 9.50 | |
| Gold 24" I 30" I 36" I chinens | len tipped variety of BB | F Juniper F 6.00 7.50 10.00 Blu | itzer. 5.50 7.00 9.50 ie Fitzer | Juniper |
| Gold 24" I 30" I 36" I chinens | len tipped variety of BB | F Juniper F 6.00 7.50 10.00 Blu | itzer. 5.50 7.00 9.50 ie Fitzer | Juniper |
| Gold 24" I 30" I 36" I chinens Sam color | len tipped variety of BB | ! Juniper F 6.00 7.50 10.00 Blue but with | itzer. 5.50 7.00 9.50 re Fitzer a dense- | Juniper |
| Gold 24" I 30" I 36" I chinens Sam color 18" I | len tipped variety of BB | I Juniper F 6.00 7.50 10.00 Blue but with 5.50 | itzer. 5.50 7.00 9.50 ae Fitzer a dense- 5.25 | Juniper |
| Gold 24" I 30" I 36" I chinens color 18" I 24" | len tipped variety of BB | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5.50 7.00 9.50 e Fitzer a dense- 5.25 6.50 | Juniper |
| Gold 24" I 30" I 36" I chinens color 18" I 24" 21½' | en tipped variety of BB | I Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 | Juniper blue |
| Gold 24" I 30" I 36" I chinens Sam color 18" I 24" 21½' 3' | len tipped variety of BB | I Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 | 5.50 7.00 9.50 e Fitzer a dense- 5.25 6.50 | Juniper |
| Gold 24" I 30" I 36" I chinens Sam color 18" I 24" 21½' 3' 31½' I | len tipped variety of BB | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 | Juniper blue |
| Gold 24" I 30" I 36" I chinens Sam color 18" I 24" 21½' 3' 31½' I 4' I 4' | len tipped variety of BB | E Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 | Juniper blue |
| Gold 24" I 30" I 36" I chinens color 18" I 24" 2 ½' 3' 3 ½' I 4' Chinens | len tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fior | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree | Juniper blue 8.00 9.25 n Fitzer |
| Gold 24" I 30" I 36" I chinens Sam color 18" I 24" 2 ½' 3' 3 ½' I 4' Chinens Sam | len tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fior | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree | Juniper blue 8.00 9.25 n Fitzer |
| Gold 24" I 30" I 36" I chinens color 18" 24" 2½' 3' 3½' I 4' Chinens Sam gree | len tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 e green Fionals the abo | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree | Juniper blue 8.00 9.25 n Fitzer |
| Gold 24" I 30" I 36" I chinens color 18" 24" 2½' 3' 3½' I 4' E chinens Sam gree 18" | len tipped variety of BB | I Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 e green Fiorms the abo 5.50 | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w | Juniper blue 8.00 9.25 n Fitzer |
| Gold 24" I 30" I 36" I chinens sam color 18" 24" 2½' 3' 3½' I 4' E chinens sam gree 18" 24" | len tipped variety of BB | I Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 e green Fiorms the abo 5.50 5.50 5.50 5.50 5.50 | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w | Juniper blue 8.00 9.25 n Fitzer |
| Gold 24" I 30" I 36" I chinens Sam color 18" 24" 2 ½' 3' 3 ½' I 4' 5 chinens Sam gree 18" 24" 2 ½' | len tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 e green Fioral Fior | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 | Juniper blue 8.00 9.25 n Fitzer ith deep |
| Gold 24" I 30" I 36" I chinens sam color 18" 24" 2½' 3' 3½' I 4' E chinens sam gree 18" 24" 2½' 3' | len tipped variety of BB | Fior state about 1.50 a.s. the about 1.50 a.s. | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 | Juniper blue 8.00 9.25 n Fitzer ith deep 8.00 |
| Gold 24" I 30" I 36" I chinens color 18" 24" 2½' 3' chinens gree 18" 24" 2½' 3' 3½' I 3½' | len tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fioral | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 9.50 7.25 | Juniper blue 8.00 9.25 n Fitzer ith deep |
| Gold 24" I 30" I 36" I chinens color 18" I 24" 21½' 3' 4' Chinens Sam gree 18" 24" 21½' 3' 31½' I 4' 4' 1 4' 1 4' 1 4' 1 4' 1 4' 1 4' | len tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fioral the abo 5.50 5.50 6.75 7.50 8.50 9.75 12.00 | itzer. 5.50 7.00 9.50 ie Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 9.50 11.50 | Juniper blue 8.00 9.25 n Fitzer ith deep 8.00 9.25 |
| Gold 24" I 30" I 36" I chinens color 18" I 24" 21½' 3' 31½' I 4' Chinens Sam gree 18" 24" 21½' 3' 31½' I 4' Chinens Ch | len tipped variety of BB | Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fioras the abo 5.50 7.50 8.50 9.75 12.00 mbens) James | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 9.50 11.50 apgarden | Juniper blue 8.00 9.25 n Fitzer ith deep 8.00 9.25 |
| Gold 24" I 30" I 36" I chinens color 18" I 24" 21½' 3' 31½' I 4' Chinens Sam gree 18" 24" 21½' 3' 31½' I 4' Chinens Ch | ten tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fioras the abo 5.50 7.50 8.50 9.75 12.00 mbens) Jsh-green fe | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 9.50 11.50 apgarden | Juniper blue 8.00 9.25 n Fitzer ith deep 8.00 9.25 |
| Gold 24" I 30" I 36" I chinens color 18" 24" 21½' 3' 31½' I 4' Chinens Sam gree 18" 24" 21½' 3' 31½' I 4' Chinen Pros 18" 2' | len tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fioral the abo 5.50 5.50 9.75 12.00 mbens) June Beneric Fioral State | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 9.50 11.50 apgarden oliage. 6.50 | Juniper blue 8.00 9.25 n Fitzer ith deep 8.00 9.25 |
| Gold 24" I 30" I 36" I chinens color 18" 24" 2½' 3' 3½' I 4' chinens gree 18" 24" 2½' 3' 3½' Chinen Pros 18" 2' 2½' | den tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fioral the abo 5.50 5.50 9.75 12.00 mbens) June Bens Ju | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 9.50 11.50 apgarden oliage. 6.50 | Juniper blue 8.00 9.25 n Fitzer ith deep 8.00 9.25 |
| Gold 24" I 30" I 36" I chinens color 18" 24" 21½' 3' 31½' I 4' Chinens Sam gree 18" 24" 21½' 3' 31½' I 4' Chinen Pros 18" 2' | den tipped variety of BB | S Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 9.75 12.00 green Fioral the abo 5.50 5.50 9.75 12.00 mbens) June Bens Ju | itzer. 5.50 7.00 9.50 re Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 9.50 11.50 apgarden oliage. 6.50 | Juniper blue 8.00 9.25 n Fitzer ith deep 8.00 9.25 |
| Gold 24" I 30" I 36" I chinens Sam color 18" 24" 2½' 3' 3½' I 4' Chinens Sam gree 18" 24" 2½' 3' 3½' I 4' Chinen Prost 18" 2' 2½' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' | den tipped variety of BB | Juniper F 6.00 7.50 10.00 Blue but with 5.50 6.75 7.50 8.50 Flora sthe abo 5.50 6.75 7.50 8.50 9.75 12.00 mbens Jackson Jack | itzer. 5.50 7.00 9.50 ne Fitzer a dense- 5.25 6.50 7.25 8.25 9.50 11.50 re's Gree ve but w 6.50 7.25 8.25 9.50 11.50 apgarden oliage. 6.50 7.50 | Juniper blue 8.00 9.25 n Fitzer ith deep 8.00 9.25 |

| CHARLES | FIORE NU | RSERIE | S, INC. |
|---|------------------------|------------------------|----------------------------|
| | Each | Each per 10 | |
| JUNIPERUS chinensis sar Prostrate form with gr cover. | gentii reen foliage | Sargent . A good | Juniper ground |
| chinensis sargentii blue Same habit and form a foliage. | Blue s above but | Sargent with blu | Juniper ish |
| Prices on above listed Sa 18" BB | rgent's Jun | ipers as f | follows: |
| 18" BB | 7.25 | 7.00 7.75 | $6.75 \\ 7.50$ |
| communis depressa Low spreading with sh | P narp pointe | rostrate d, grayish | Juniper a green |
| leaves. 18-24" BB | | | |
| communis depressa aurea Same texture and grov | | | Juniper |
| cept the foliage is gold 18-24" BB | en. | is the ab | OVE EX- |
| 24-30" BB | 6.00 | 5.50 10.50 | |
| communis hibernica A narrow columnar for 15' | rm with blo | Irish ae-green | Juniper foliage. |
| communis suecica Similar foliage as abov | e variety b | Swedish at wider | Juniper growth. |
| Prices on above Commun | is Junipers | as follow | |
| 4' BB 5' BB | 9.50 | 9.25 | |
| excelsa stricta Broad base pyramid. P | Spin | y Greek | Juniper |
| 18-24" BB | 3.25 | 3.00 | 2.75 |
| 24-30" BB | 15.00 | 4.25 | 4.00 |
| glauca hetzi Rapid growing blue fo | Het | zi Blue | Juniper |
| a Fitzer in habit of gr | owth, but a | denser ; | grower. |
| 18" BB 24" BB 2½' BB | 6.75 | 5.25 6.50 | 5.00 |
| 3' BB | | 10.25 | 10.00 |
| 4' BB Larger size | 13.00 | 12.50 | 12.00 |
| glauca hetzi upright Same foliage as the | Uprigh | t Hetzi | Juniper |
| column shape. Develope | es rapidly. | | grow |
| 2½' BB 3' BB | 9.00 | 7.25 8.75 | |
| 3½' BB 4' BB | 17.50 | $10.50 \\ 17.00$ | $10.25 \\ 16.50$ |
| 5' BB Selected material 25% | | 24.00 | |
| beleeted material 25% | o extra. | | |

| PRAIRIE VIEW, ILLINOIS | | 59 |
|---|------------------------|-----------------|
| Each | Each per 10 | Each per 100 |
| JUNIPERUS horizontalis bar harbor | Harbor | _ |
| Procumbent trailing branches wit Desirable for banks, slopes or rock | h green | |
| 18" BB 6.00 24" BB 7.50 30" BB 9.00 | 7.25 | |
| horizontalis depressa plumosa | Andorra | Juniper |
| Light green foliage in the summe the fall. A low spreading evergree | r. Plum | |
| 18" BB 5.50 | 5.25 | 5.00 |
| 24" BB 6.25 | 6.00 | 5.75 |
| 30" BB 7.25 | 7.00 | 6.50 |
| 3' BB 9.50 4' BB 11.00 | 9.00 | 8.50 |
| | aukegan | |
| Steel-blue foliage trailing along | | |
| purplish-pink color in the winter | er. Suita | ble for |
| ground covers and effective among 18-24" BB 7.50 | g rocks. | etc. |
| 24-30" BB 9.00 | | |
| prostrate venusta | Trailing | Juniper |
| A prostrated evergreen that trails | s on the | ground. |
| Foliage is green. Doesn't grow ov (Not Available) | er 8" hig | gh. |
| sabina | | Juniper |
| Deep green foliage. Vase shaped g | | 4.05 |
| 18" BB | $4.50 \\ 6.00 \\ 7.00$ | $4.25 \\ 5.50$ |
| sabina tamariscifolia Tamari | x Savin | Juniper |
| Bright blue-green foliage. A low g plant 18" | growing, | compact |
| Available in 1958 | 771 | |
| Semi-erect rapid grower. Rich gr | n Ehron | Jumper |
| 3' BB 6.50 4' BB 7.50 | 6.00 7.00 | |
| scopulorum blue moon Roo Compact columnar growth. A good | cky Mt. | |
| scopulorum fiore blue Very good blue color. | a brue ee | |
| scopulorum nevans blue | | |
| A narrow, compact grower. Blue single leader. | foliage | from a |
| Prices on above Scopulorums as fol | lows: | |
| 3' BB 5.75 4' BB 8.75 | | |
| 5' BB | | |
| 6' BB 17.50 | | |
| 7' BB | | |
| | Meyer's | |
| Semi-upright habit with deep b | lue, pri | kly |
| foliage 6' 24" BB 7.50 | | |
| Selected material 25% extra. | | |

| OU CHARLES FIO | RE N | JRSERII | 20, 1110. |
|-----------------------------------|------------------|-----------------------|------------------|
| | Each | | Each per 100 |
| JUNIPERUS virginiana | | Re | ed Cedar |
| Dark green foliage, column | nar for | | |
| during winter months 30 | | in. Luipi. | ion color |
| | 5.50 | 5.25 | |
| 5-6' BB | 8.00 | 7.75 | |
| 6-7' BB | 11.00 | | |
| virginiana burkii | | Burks | Juniper |
| Bluish foliage during the s | zummer | | |
| the winter. Good compact | | | |
| 3' BB | | 6.50 | 6.00 |
| 4' BB | 10.00 | 9.75 | 9.25 |
| 5' BB | | 12.00 | |
| 6' BB | 15.00 | 14.50 | 14.00 |
| virginiana cupressifolia |] | Hillspire | Juniper |
| Green foliage, columnar s | | _ | _ |
| 2½-3' BB | 7.50 | 7.25 | |
| 3-3½' BB | 8.50 | 8.25 | 8.00 |
| 3½-4' BB | 9.75 | 9.50 | |
| | 11.50 | 11.00 | |
| 4½-5' BB | 12.75 | 12.25 | |
| 5-6' BB | | 14.50 | |
| 6-7' BB | 20.00 | | |
| virginiana canaerti | | | rt Cedar |
| A rich green heavily tufted | | | |
| silver berries. Maintains a 3' BB | | | |
| 3' BB 4' BB | | 6.50 | 6.00 |
| 5' BB | | $9.50 \\ 12.00$ | $9.00 \\ 11.50$ |
| 6' BB | | $12.00 \\ 14.50$ | 14.25 |
| 7' BB | 20.00 | 19.50 | 17.20 |
| Larger sizes a | | | |
| virginiana elegantissima | Go | ld Tip Re | ed Cedar |
| Prostrate form like the Ju | | | |
| golden color 4' | | 110201. | ripo die |
| Available in 1958 | | | |
| virginiana glauca | | Silve | er Cedar |
| Bright silvery-blue foliage | e. Dark | blue be | erries in |
| the winter. An old favori | | | |
| 3' BB | 8.00 | 7.50 | 7.00 |
| 4' BB 5' BB | $11.00 \\ 13.00$ | $10.50 \\ 12.50$ | $10.00 \\ 12.00$ |
| 6' BB | | 12.50 | 12.00 |
| virginiana ketleri | 11.00 | Ketleri | Juniper |
| Deep green foliage. Comp | act gro | | |
| formal in outline. Always | | | |
| 3' BB | 7.00 | $6.7\overline{5}$ | |
| 4' BB | 10.00 | 9.50 | |
| | 12.50 | 12.00 | |
| mi DD | 15.00 | 14.50 | |
| 7' BB | 17.50 | 17.00 | |
| 8-9' BB Heavy Spec | 25.00 | $\frac{24.00}{32.50}$ | |
| virginiana kosteri | 30.00 | | Juniper |
| A prostrate grower with bl | uish-gr | een folia | ge. 4' |
| 18-24" BB | 6.00 | 5.50 | 80, 3 |
| 3' BB | 7.50 | | |
| 4' BB | 10.50 | | |
| Selected material 25% e | xtra. | | |
| | | | |



| Dundee Juniper $4\frac{1}{2}$ ' and 5' heavily sheared plan | ts. |
|---|-------|
| Each E | ach |
| Each per 10 per | |
| JUNIPERU virginiana pyramidformia hilli | 100 |
| | • |
| Dundee Jur | - |
| An excellent conical shape Juniper requiring | very |
| little shearing. Gray-green foliage turns a | olum |
| color in the fall 18' | |
| 2½' BB 5.00 4.50 | 4.25 |
| 3' BB 7.00 6.50 | 6.00 |
| 4' BB | 9.00 |
| FI DD | 1.50 |
| 6' BB | 11.50 |
| Larger sizes available. | |
| | |
| virginiana schotti Schott Red C | edar |
| Formal columnar habit with fresh green foliage | 15' |
| 6' BB | |
| 7' BB 20.00 19.50 | |
| 8' BB 30.00 | |
| Larger sizes available | |
| TOTO OF A SA | |

| | | s excelsa | | | | Norway | Spruce |
|----|------------------|-----------|--------|-------|---------|---------|--------|
| A | rapid | grower | with | dark | green | foliage | 70' |
| 2' | | | | | | 3.75 | |
| 3' | BB | | | | 6.00 | 5.50 | 5.00 |
| 4' | $_{\mathrm{BB}}$ | | | | 9.00 | 8.50 | |
| 5' | BB | | | | 12.50 | 12.00 | 11.50 |
| 6' | $_{ m BB}$ | | | | 17.50 | 16.00 | 15.50 |
| | | Large | er siz | es av | ailable | • | |

glauca (alba) White Spruce
A symmetrical tree with dense gray-green

A symmetrical tree with dense gray-green foliage. - 60'

(Continued on next page)

| PICEA—Continued | Each | Each per 10 | Each per 100 |
|--|---|---|---|
| glauca albertiana (canadensi A similar tree in form as more crowded than the G | the Gla | uca. Nee | l Spruce edles are |
| Prices on the above two Gla 2' BB 3' BB 4' BB 5' BB 6' BB 7' BB Larger sizes a | 5.00 8.00 11.00 16.00 21.00 25.00 | $\begin{array}{c} 4.50 \\ 7.50 \\ 10.50 \\ 15.50 \\ 20.00 \\ 24.00 \end{array}$ | 4.00 7.00 |
| glauca conica Very dense, pyramidal sha among the spruces with its -5' | pe ever | green. A | a Spruce in oddity oranches. |
| 2½' BB | 12.50 17.50 22.50 30.00 | | |
| excelsa nana | | _ | d Spruce |
| A depressed subglobose for tal branches. Dark green 3' BB spread | foliage. 14.00 17.50 | 13.00 17.00 | horizon- |
| pungens glauca Steel blue-tip foliage. Bro | Colo | rado Blu | e Spruce |
| 75' 2½' BB | $ \begin{array}{c} 15.00 \\ 17.50 \\ 25.00 \\ 30.00 \end{array} $ | 9.50 12.50 14.50 17.00 24.50 29.50 | 9.25 |
| pungens viridis Same texture and form a | s the a | bove, bu | n Spruce t foliage |
| tip is light green. Also a factor of the state of the sta | 5.00 8.00 9.50 11.00 15.00 20.00 | $\begin{array}{c} 4.50 \\ 7.50 \\ 9.00 \\ 10.50 \\ 14.50 \\ 19.50 \end{array}$ | 4.00 7.00 8.50 10.00 13.50 18.00 |
| pungens kosteri; pungens moerheimi The bluest of all Blue Sp rich blue in color. A graf | ruce. A | select | strain of |
| ## Pich blue in color. A grain 44 BB | 27.50 32.50 40.00 45.00 60.00 300.00 | 27.00 32.00 39.00 42.50 59.00 | |
| 0 1 1 1 1 1 1 0 0 0 0 | | | |

P]

4' 5' 6' 7' 8'

BB

BB

BB

BB

BB



A block of Koster Blue Spruce $5\frac{1}{2}$ ' trees. Trees are carefully sheared annually and of good color.

11.00

14.50

10.50

14.25

11.50

15.00

20.00

30.00

40.00


| | Each | Each per 10 | Each per 100 |
|---|--|------------------------|---------------------|
| INUS cembra | | Swiss Ste | one Pine |
| Soft-green foliage, similar to very slow grower. Slowest 4½' BB | to the t of a 15.00 25.00 30.00 35.00 | white pir ll the pi | ne, but a |
| densiflora Rapid growing pine with blu Available in 1958 | uish-gr | | Red Pine .ge 60' |
| mughus | | Mus | gho Pine |
| Deep green foliage. Dwarf head 4' | , com | | |
| 24" BB | 25.00 | 5.50 6.50 9.50 | 6.00 9.00 |
| nigra (austriaca) | | Anatri | D: |
| | | Austri | an Pine |
| Deep green stiff needles wit boughs 50' | th upv | | |

Larger sizes available Selected material 25% extra.



Austrian Pine 41/2' and 5' heavy-sheared plants.

| | | Each | Lacn |
|--------------------------------|----------|-----------|---------|
| | Each | per 10 | per 100 |
| PINUS peuce | | Macedoni | an Pine |
| An upright growing pine v | vith blu | ish green | needles |
| similar to the white pine. 50' | A slov | v narrow | grower. |
| 5' BB | 25.00 | 24.00 | |
| 6' BB | | 34.00 | |
| Larger sizes a | vailabl | e | |
| ponderosa | Yell | ow-Weste | rn Pine |
| A rapid growing long nee | dled pi | ne 50' | |
| 3' BB | 6.00 | 5.50 | 5.00 |
| 4' BB | 8.00 | 7.50 | 7.00 |
| 5' BB | 10.00 | 9.75 | 9.25 |
| 6' BB | 15.50 | 15.25 | 15.00 |
| 7' BB | 22.50 | | |



Pinus Ponderosa 3-4' carefully sheared and of exceptional quality. Pyramid Arbor Vitae in the background. Selected material 25% extra.

Each Each

| | E | ach pe | r 10 | per 100 |
|---|--|--|---------------------------------|------------------------|
| PINUS resin | ıosa | | R | ed Pine |
| Glossy g 2½' BB 3' BB 4' BB 5' BB 6' BB 8' BB | | 6.00 8.00 1.50 7.50 2.50 0.00 | | rk 50' 5.00 7.00 10.50 |
| strobus | | | Whi | te Pine |
| | | st all aro 7.50 1.00 5.00 2.50 7.50 0.00 | | |
| strobus fa | _ | | vramid | lal Pine |
| | w growing white Pir | ne. 2.50 7.50 | 17.00 | |
| sylvestris | | | Scot | ch Pine |
| needles. 3' BB 4' BB 5' BB 6' BB 7' BB 8' BB | | d growth 3.00 1.50 : 3.00 : 2.50 7.50 0.00 ilable | h 50' 7.50 11.00 15.50 | |
| thunbergi | | | _ | ck Pine |
| A hands 5-6' BB 6-7' BB 7-8' BB | ome tree with rich g | $0.00 \\ 5.00$ | | 80' |
| den. umbra A short the trad Available | stem tree with a fla e as Pinus Tanyosho. | at top. I | - | ole Pine among |
| wateriana | | | | |
| needles. 5' BB | eonical shaped pine w A dense, very slow g | grower. 0.00 | t bluis | h green |
| PSEUDOTSI | UGA douglasi | | Doug | glas Fir |
| Broad-py iage, tip does wel nice 70 | yramidal tree with s os are grayish in cold l in most locations. O | or. Rapi Ours are | ish great id grov excep | en fol- |

PRICES ON THE NEXT PAGE

| 00 | CHARLES FIORE NO | INSERTES, INC. |
|------------------|--|-------------------|
| | | Each Each |
| | Each | per 10 per 100 |
| PSEUDOT | SUGA douglasi—Continued | Donglas Fir |
| 3' BI | | 7.50 |
| 4' BI | | 11.50 11.00 |
| 5' BI | | |
| 6' BI | B 22.00 | 21.00 20.00 |
| 7' BI | | 26.00 25.00 |
| 8' BI | | |
| | Larger sizes available | |
| douglasi | | |
| | description as the above ex | cent the ends of |
| | e are blue in color. Resemble | |
| 3' BI | | 8.50 |
| 4' BI | | 12.00 |
| 5' BI | 3 | 14.50 |
| 6' BI | 3 | 20.00 |
| | PORA cham, squarosa K & (| |
| | ~ | |
| An uj | oright form with blue-grey | Ionage. |
| | 3B 5.00 | 4.75 |
| | rac. comp. nana | and plant Warry |
| | ry deep green flat leaf folia | aged plant, very |
| 15-18" | esque. BB 7.50 | |
| pisifera | Say | wara Retinospora |
| | green, lacy foliage, Broad | |
| | r 40' | , , |
| pisifera | aurea Golden Say | wara Retinospora |
| | n tinge on leaf, same form a | |
| | on above listed Retinispora | |
| | B 7.50 | 7.00 |
| 6' B | R 10.00 | 1.00 |
| 8-10' B | B | |
| 010 1 | Larger sizes available | 3 |
| plumosa | _ | |
| | leafed foliaged plant of go | ldon colon |
| | $3 \dots 6.50$ | orden color. |
| 2-5 DI | 3 0.00 | |
| pisifera | flifana The | J. D. 45 |
| | | read Retinospora |
| | d-like, drooping branches cov foliage 15' | vered with bright |
| | | |
| pisifera Soft | plumosa Pla feathery pyramids of fern- | ume Retinospora |
| | n above listed Pisifera's as | |
| 2½' BI | | 3.50 |
| 3' BI | | 9.90 |
| 4' BI | | 5.75 |
| 5' Bi | | 7.50 |
| | | 1.00 |
| TAXUS (| | |
| The V | aw tree is an ornamental wo | ody plant grayen |

The Yew tree is an ornamental woody plant, grown for its dark green foliage. They are desirable for park plantings, foundation plantings, well suited for hedges and easily trimmed into any desired shape. They are much used for fantastic topiary work. The wood of the Yew is heavy, hard and of reddish color. Because of the slow rate of growth reddish color. Because of the slow rate of growth it takes years to develop a plant for the market; thus, the heavier cost per plant in comparison to other varieties.

(Continued on next page.)

| E | Each ach per 10 | Each per 100 | | |
|--|--------------------|-----------------|--|--|
| TAXUS brevefolia erecta | Uprig | ht Nana | | |
| Upright form of the dwarf y | ew. | | | |
| | 9.00 | | | |
| | 2.00 11.50 | | | |
| 3' BB 20 | 0.00 19.75 | | | |
| $3\frac{1}{2}$ ' BB | 5.00 24.00 | 23.00 | | |
| 4' BB 35 | 34.00 | 33.00 | | |
| 4½' BB 40 | 39.00 | | | |
| cuspidata | Spread | ling Yew | | |
| | • | J | | |
| Spreading, bushy habit. Attains a wide spread but may be trimmed to keep in bounds 10' | | | | |
| | 7.00 6.50 | 6.00 | | |
| | 3.00 	 7.50 | 7.25 | | |
| Charles and Charle | 1.00 10.00 | ••=0 | | |
| | 1.00 13.50 | | | |
| mark a mark | 3.50 	 16.00 | | | |
| | 20.00 | | | |
| 4½' BB | 5.00 24.00 | | | |
| 5' BB 32 | 2.50 30.00 | 27.50 | | |
| Larger sizes available. | | | | |



Taxus Cuspidata heavily sheared 18-24" plants.

cuspidata andersoni

Anderson Yew

A larger needled Yew than the cuspidata, with darker foliage.

Available in 1958

cuspidata brownii

Brown's Yew

More upright form than Cuspidata. A compact, dense grower, Foliage is darker green than Cuspidata. - 10'

PRICES ON THE NEXT PAGE

| | | | Each | Each per 10 | Each per 100 |
|--|-----|---|----------|----------------|-----------------|
| TAXUS | cus | spidata brownii—Co | ntinued | ł | |
| 18" | BB | · · · · · · · · · · · · · · · · · · · | 7.50 | 7.00 | 6.75 |
| 2' | BB | • | 8.75 | 8.25 | 8.00 |
| $2\frac{1}{2}$, | BB | | 14.00 | 13.50 | 13.00 |
| 3' | BB | | 17.50 | 17.00 | 16.50 |
| 3½' | BB | * | 22.50 | 22.00 | 21.50 |
| | | Larger sizes av | zailable | | |
| | | | | • | |
| cuspidata capitata (Seedling Type) Upright Yew | | | | | |
| A symmetrical broad pyramid. A formal looking | | | | | |
| tree. Ours are grown very compact 25' | | | | | |
| | | • | • | | |
| 2' | BB | | 10.00 | 9.50 | 9.00 |
| 2½' | BB | • | 14.00 | 13.50 | 13.00 |
| 3' | BB | • | 17.00 | 16.50 | |
| 3½' | BB | • • • • • • • • • • • • • • • • • | 21.00 | 20.50 | |
| 4' | BB | | 25.00 | 24.50 | |
| $4\frac{1}{2}$ | BB | | 30.00 | 29.50 | 29.00 |
| 5' | BB | * | 35.00 | 32.50 | 32.00 |
| 5½' | BB | | 40.00 | 37.50 | 35.00 |
| 6' | BB | | 45.00 | 42.50 | 40.00 |
| Larger sizes available. | | | | | |



A block of Taxus Capitata ranging from $4\frac{1}{2}$ to 6'. Notice their compactness.

capitata standards

 Globe heads on a single stem.

 24" heads BB
 25.00

 36" heads BB
 35.00

 42" heads BB
 50.00

cuspidata capitata columnaris Columnar Yew An upright narrow shaped Yew. - 20'

PRICES ON THE NEXT PAGE Selected material 25% extra,

| | | - 00 |
|-------------------------------------|----------|-----------|
| | Each | Each |
| Each | | per 100 |
| | | per roo |
| TAXUS cusp. cap. columnaris—Continu | | 44.00 |
| 3' BB | 11.50 | 11.00 |
| | 19.00 | 18.00 |
| 4½' BB | 24.00 | 22.50 |
| 5' BB 30.00 | 29.00 | 28.00 |
| 5½' BB 35.00 | 34.00 | 32.50 |
| 6' BB 40.00 | 39.00 | 37.50 |
| Larger sizes available. | | |
| cuspidata densiformis | Do | nse Yew |
| A dense-compact spreading type ye | | nse rew |
| grower than the Cuspidata 6' | ew. Die | ower |
| | 7 00 | 0.50 |
| | 7.00 | 6.50 |
| 2' BB | 8.00 | 7.50 |
| 2½' BB | 11.75 | 11.50 |
| 3' BB 17.50 | 17.25 | 17.00 |
| 3½' BB 22.50 | 22.00 | |
| 4' BB 27.50 | 27.00 | |
| Larger sizes available. | | |
| | | |
| cuspidata hunnewelliana | | • , |
| Similar in habit to Taxus Cuspidata | except | it grows |
| more compact with darker green fe | oliage | and ber- |
| ries heavier. | | |
| Available in 1958 | | |
| cuspidata henryi | Her | nry Yew |
| A rapid growing spreading yew v | zarız ci | milar to |
| the Densiformis but larger needles. | or SI | illiar to |
| Available in 1958 | - 0 | |
| | | |
| | | ate Yew |
| Semi-dwarf spreading Yew with | deep-gr | reen |
| foliage 12' | . 0 | |
| 18" BB 7.50 | 7.25 | 7.00 |
| 2' BB | 8.50 | 8.00 |
| 2½' BB | 11.50 | 11.00 |
| 0.00 | 16.50 | 16.00 |
| | | |
| 3½' BB | 21.00 | 20.00 |
| 4' BB | | |
| cuspidata intermedia erecta Upri | ght In | termedia |
| Broad, pyramid form, dark green | foliag | re. Verv |
| compact and extremely slow grower | | , |
| Heavy Specimens. | | |
| 8' BB | | |
| | | |
| | | |
| 10' BB175.00 | | |
| | | ap. Yew |
| Broad thick needles, very dark gree | en. Dwa | arf Yew |
| and irregular spreading habit 6' | | |
| 18" BB 8.75 | 8.25 | 8.00 |
| 2' BB | 9.50 | 9.00 |
| 01/1 DD | | 12.50 |
| | 13.00 | 12.50 |
| | 19.50 | |
| 3½' BB | | |
| 4' BB 30.00 | | |
| Larger sizes available. | | |
| cuspidata nigra | Nie | gra Yew |
| Shape and form is like the Cuspida | ata. ex | cept the |
| color is very dark green. A very sl | | |
| 409 DD | | |
| | 8.50 | 8.25 |
| | 11.50 | 10.00 |
| | 19.50 | 19.00 |
| 3½' BB 25.00 | 24.50 | 24.00 |
| Selected material 25% extra. | | |
| | | |

| 70 | CHARLES FIORE NU | JRSERIE | ES, INC | |
|--|--|------------|------------------|--|
| | | | Each per 100 | |
| TAXUS (| cuspidata thayeri | Thay | ers Yew | |
| | de spreading form, texture s | • | | |
| Brow | n's Yew. Fairly fast grower | r 8' | | |
| 18" B | $BB \dots 7.25$ | 7.00 | 6.50 | |
| 24" B | 8B 8.25 | 8.00 | 7.50 | |
| 2½' B 3' B | | | 11.00 | |
| 3' B 3½' B | | | 15.00 | |
| 4' B | | | 22.00 | |
| 4 D | Larger sizes available | | 22.00 | |
| | | | ha Var | |
| _ | ta globe | | obe Yew | |
| foliag | ry slow growing global yew. ge 5' | Short d | ense | |
| | B 20.00 | 19.75 | | |
| 3' B | | | | |
| 3½' B | B 35.00 | 34.50 | | |
| _ | | Fiore's Gl | | |
| A we | ell-sheared ball-shaped yew. | | liage 6' | |
| 18" B 24" B | B 8.50 | | 10.05 | |
| | BB | | $10.25 \\ 14.00$ | |
| | B | 17.00 | 14.00 | |
| о в | Larger sizes available | 2. | | |
| media | halloran | Hallo | ran Yew | |
| Dark | green foliage. A dense plant | | | |
| | own's yew. Good for hedges. | | | |
| | B 6.50 | | | |
| | $\frac{1}{2}$ $\frac{7.50}{2}$ | 7.25 | 0.00 | |
| | BB 9.50 BB 12.50 | 9.25 | 9.00 | |
| 90 D | B | | 12.00 | |
| | | | .1.1 37 | |
| | natfieldii | | eld Yew | |
| Dense | e foliage with erect stems. | ideal for | 6.00 | |
| 2' B | B 6.75 B 7.75 | 7 25 | 6.75 | |
| | B | 9.50 | 9.00 | |
| | B | 12.75 | 12.50 | |
| | В 15.00 | 14.50 | 14.00 | |
| | B 22.50 | 22.00 | 21.50 | |
| 4½' B | | 29.50 | | |
| 5' B | | | | |
| | Larger sizes available | | | |
| helleri | | | ers Yew | |
| | green foliage with red be | rries. Si | milar in | |
| | of growth as the Hicksii. ole in 1958 | | | |
| media hicksii columnaris Column Hicks Yew | | | | |
| A na | rrow compact Yew. Very s | slow gro | wer. | |
| Suitable for formal effects or narrow areas. | | | | |

| PRAIRIE VIEW, ILLINOIS | | 71 |
|------------------------------------|----------------|-----------------|
| | | Each per 100 |
| TAXUS media hicksii hedge form I | licks He | dge Vew |
| A dark green, erect branching ye | | |
| trained to grow into the form of | a hedge | med and |
| | | 6.00 |
| 2411 DD | $6.50 \\ 7.25$ | $6.00 \\ 6.75$ |
| 24° BB | 9.50 | 9.00 |
| 3' BB | 12.75 | 12.50 |
| 3½' BB | 14.50 | 14.00 |
| 4' BB | 22.00 | 21.00 |
| 4½' BB 30.00 | 29.50 | |
| 5' BB 37.50 | 37.00 | |
| | 42.50 | 40.00 |
| 6' BB 55.00 | 52.50 | 50.00 |
| Larger sizes available | | |
| | | |
| nanagrand | | and Yew |
| Semi-globe shaped yew. Compact | grower. | - 8' |
| 6' BB | | |
| | | |
| rependens English | Spreadi | ing Yew |
| Dark blue-green foliage Low spr | | |
| 2' BB 12.00 | | |
| 2 22 | | |
| stovekeni | Stove | kin Yew |
| Columnar shape with very dark t | | |
| Available in 1958 | ionage. | 20 |
| | | |
| wardi | Wards | Jap Yew |
| A semi-spreading yew. Noted for | | |
| 2½' BB | . 100 001 | 11001 |
| 3' BB | 14.50 | |
| 3½' BB | 17.00 | |
| 4' BB | 22.00 | |
| | | |
| THUJA occidentalis Ameri | | |
| A broad-based pyramidal shaped | plant. L | ight |
| green foliage 25' | | |
| occidentalis nigra Dark | Green A | merican |
| Deep green foliage much superior | | |
| Best all-around Thuja 20' | to the A | merican. |
| | | |
| Above listed Arbor Vitae priced a | as follow | s: |
| 4' BB 6.00 | 5.50 | 5.00 |
| 5' BB 7.50 | 7.00 | 6.50 |
| 6' BB | 9.50 | |
| 7' BB | 14.50 | |
| 8' BB | | |
| 9' BB | | |
| Larger sizes available | • | |
| ossidentalis sures | den Arb | Om 17:4- |
| | | |
| Similar to the Occidentalis except | t Ioliage | is gold |
| tipped 20' | | |
| 5' BB 8.50 | 8.25 | 8.00 |
| 6' BB | 11.50 | |
| 7' BB | 10.00 | |
| 8' BB 20.00 | 19.00 | |
| Selected material 25% extra. | | |
| 20 /0 02 UI W | | |

| 72 | | CHARLES F | TORE NU | JRSERIE | S, INC. |
|-------------------------|----------|---|-------------|---------------------|---------------------|
| | | | | | Each per 100 |
| THUL | A occ | identalis douglasi | Don | olas Arh | or Vitae |
| Da | irk g | reen heavy foliagandscape for wir | ge upright | tree. V | |
| 7' 8' | BB BB | • | 15.00 | 14.50 | |
| 6' | BB | ••••• | 12.00 | | |
| globe | osa | | Gle | obe Arb | or Vitae |
| | obe s | hape of light gre | en foliage | 5' | |
| 18" | BB | • • • • • • • • • • • • • • | | 3.00 | 4.00 |
| 24 " $2\frac{1}{2}$ " | BB BB | • | | | $\frac{4.00}{5.00}$ |
| | midal | | | idal Arb | |
| | | een foliage. Na | | | |
| 3' 4' | BB BB | • | | 4.00 | 3.75 |
| 5' | BB | • | = = - | $\frac{5.50}{7.00}$ | $5.00 \\ 6.50$ |
| 6' | BB | • | 9.50 | 9.00 | 8.50 |
| 7' | BB | | | 11.25 | 10.50 |
| 8' | BB | | | 14.50 | 14.00 |
| •1 | | Larger sizes | available | • | |
| | | (wareana) | 1 | | |
| | | green foliage. Br or landscape effec | | nid. Ver | y useful |
| 3' | BB | ~ | | K 75 | r or |
| 3½' | BB | | _ ~ ~ ~ | $\frac{5.75}{7.00}$ | 5.25 6.50 |
| 4' | BB | | | 8.75 | 0.00 |
| 5' | BB | • | 12.25 | 11.75 | |
| | | Larger sizes | available | • | |
| | | nadensis | | nadian 🛚 | |
| A | grace | eful tree with goo | d green fo | oliage. D | oes well |
| he | dges, | al shade. Prefers lawn specimen, | etc 60' | | |
| 2½' | | | | | 5.00 |
| 3' 3½' | BB BB | • • • • • • • • • • • • • • • • | | $7.50 \\ 8.00$ | 7.00 |
| 4' | BB | • | | 11.50 | 7.75 11.00 |
| 4½' | BB | | | 12.00 | 11.50 |
| 5' | BB | | | 15.50 | 15.00 |
| 5½' 6' | BB BB | • | | 19.50 | 19.00 |
| 6½' | BB | | | $29.50 \\ 39.50$ | 28.00 |
| 7,12 | BB | | | 47.50 | |
| | | Larger sizes | available. | | |
| sarge | enti p | endula | W | eeping] | Hemlock |
| Fla | at to | oped form with | spreading | branche | |
| dro | ooping | g branchlet. A di | stinct plan | it. | |
| 4-5' | BB | * * * * * * * * * * * * * * * | | | |
| 5-6' | BB | • • • • • • • • • • • • • • | 85.00 | | |
| siebo | | | | Siebold 1 | |
| | rami | dal, slow grower | with dark | foliage | |
| 4-5' | BB | | | | |
| 5-6' | BB | | 18.00 | 17.50 | |

Selected material 25% extra.


BROADLEAF EVERGREENS

Each per 10 per 100

BUXUS koreana fiorii Korean Boxwood

Hardiest of all Boxwood for this part of the country. We have been growing this variety for over twenty years. Foliage is almost olive-green while the plant grows more spreading than oval or upright. Very slow grower. Suitable for edging and hedges. Trims nicely for almost any form. - 4'

| 12-15" | BB | | 3.50 | 3.25 | 3.00 |
|--------|----|---------------------------|------|------|------|
| 15-18" | BB | | 4.00 | 3.75 | 3.50 |
| 18-24" | BB | * * * * * * * * * * * * * | 5.50 | 5.25 | 5.00 |
| 24-30" | BB | | 7.50 | 7.00 | 6.50 |





| 4.3 | | | | -> | | |
|-------|------------|----------------------------------|-------|----|----------|----------|
| | | Fiorii. A | block | of | 15-18" | plants. |
| | n concial | , | | | | |
| 18" | BB | | 10.0 | 00 | | |
| 24" | | | | | | |
| 30" | | | | | | |
| | | lorata ow foliage ti | | | | |
| | | r. A ground | | | rea. Flu | in color |
| Pots | | | | | .35 | .30 |
| 3 yr. | | | | | .45 | .40 |
| | | | | | 2.75 | 2.50 |
| | ata big le | | | | | |
| | | form of t er with larg | | | euony | mus. A |
| 2-3' | BB | | 5. | 75 | 5.50 | 5.25 |
| S | Selected n | naterial 250 | avtra | | | |

Selected material 25% extra.

| 1 4 | OHITHUDED FIOI | 1101 | COLLICION | , 1110. |
|------------------|--|----------------|---|----------|
| | | | Each | |
| EUONY | MUS dupont | Each 1 | per 10 p | er 100 |
| | ew introduction from a | selecti | on of the | small |
| leave | ed Euonymus. Dense gr low hedge. | rower. C | an be use | d as a |
| 15-18" | BB | 3.00 | 2.75 | |
| | BB | | | |
| fort. c | | | | |
| Low Some | shrub with ascending a ewhat shiny leaves. | and spre | eading bra | inches. |
| 18-24" | BB | 5.00 | 4.75 | |
| 24-30" 30-36" | BB | | 6.75 | |
| | | 9.00 | 8.90 | |
| fort. e | recta ge leaf, turns reddish ir | foll A | *************************************** | OM O TIT |
| er. A | A good bush type plan | t. | vigorous | grow- |
| 2-21/2' | BBBB | 7.00 | 6.75 | |
| 2½-3' | BB | 8.75 | 8.50 | 8.00 |
| | | 10.50 | | |
| radicar | | ~ 10 11 | Winterc | - |
| Smal | ll dark green leaves. | Self cli | | ie. |
| 24" E | BB | 5.75 | | |
| | | T T | dalet Theor | |
| | ns erecta e foliage as Radicans | _ | right Euo | - |
| | l for hedges. | A. truly | uprignt g | rower |
| 18-24" | BB | 5.50 | 5.00 | |
| 24-30" | BB | 7.50 | 7.25 | |
| 30-36 | BB | 9.00 | | |
| | ns vegetes | | f Winterc | _ |
| | of all Euonymus vines | | | |
| | nd cover and bush places. Thick, clear-green | | | |
| berri | | leaves | and or | inge |
| 18-24" | BB | 4.00 | 3.75 | 3.25 |
| 24-30" | BB | 4.75 | 4.50 | 4.00 |
| 30-36" | | 7.50 | 7.00 | |
| (1,000 | BB | \$2.75 e | ach.) | |
| natens | (sieboldianus) | Snrea | ding Euo | nvmiis |
| _ | rous grower forming bi | | | |
| Orna | mental fruits. Upright | t type | | |
| 18-24" | BB | 5.00 | 4.50 | |
| 30-36" | BB | $6.50 \\ 9.00$ | $\begin{array}{c} 6.00 \\ 8.75 \end{array}$ | |
| | | 0.00 | | |
| IEDERA | | | Englis | _ |
| · folia | clinging vine and grouge. | una cove | er. Bright | green |
| helix g | racilis | | Raltie | a Ivy |
| _ | e habit as the English | Ivv. b | | |
| mite | smaller and more cut. | A hardy | vine. | |
| | on the above two Ivie | es as fol | | 00 |
| z p | ots | | .25 | .20 |
| | Selected material 25 | % extr | a. | |

| | _ ,, | | | 10 |
|------------------|--|--|---------------------------------------|-----------------|
| | | Each | Each per 10 | Each per 100 |
| KALMI | A Latifolia | | M4 | . Laurel |
| A b | oushy shrub with pindes 6' | k flowe | | |
| | BB BB | 5.00 7.50 9.50 12.00 17.50 | 11.50 | |
| | IIA acquifolium page 41 for prices an | | egon Grap | e Holly |
| PACHIS | TIMA canbyi | | | |
| Dens | se, low growing shrub es. Does well in shade. | with ti Suitab | iny holly- le for hed | like lges, |
| 4-6" 1 | Potted Plants | 1.50 | 1.40 | 1.25 |
| Whiing a | SANDRA terminalis tish flowers in May. Tha dense mat. Suitable f shade. | nick glo | Japanese ssy foliag r full sun | e form- |
| Pots . | (\$120.00 per | .20 | .17 | .15 |
| | | _,, | | |
| Folia | japonica oping clusters of small age is almost olive gre soil 6' | l, white | anese And flowers it es the sha | n May. |
| 2-2½', 2½-3' | BB | $7.50 \\ 10.00 \\ 17.50 \\ 25.00 \\ 37.50$ | | |
| PYRACA | NTHA cocc. lalandi | T | alandi Fi | rethorn |
| An ı | upright plant, very sloge berries in the fall. | | | |
| 18-24" | BB | 7.50 | | |
| 24-30" | BB | 10.00 | | |
| 30-36" 36-42" | BB | 15.00 | | |
| 31/2-4' | | 30.00 | | |
| RHODOI | DENDRON | | | |
| Strik | ring shades of orchid c | olor flor | wers to ro | se-nink |
| June | es. Thick, narrow leav | ves. Flo | owering in | n May- |
| 2-2½' 2½-3' | Name Andre | 10.00 | | |
| 3-31/2' | BB Larger sizes a | 25.00 | • | |
| Hybrid | c | | | |
| - | rs, red, white and pin | - | | |
| 2-2½' | BB | | | |
| | BB | | | |

Selected material 25% extra.

VINES

| | Each | Each per 10 | Each per 100 |
|---|--|--|--|
| VINCA minor An excellent ground cover flowers in early spring. Go | with o | delicate l | riwinkle ilac-blue hade. |
| Field Plants | .25 | .20 | .17 |
| minor bowles An improved variety of the | | owles Pe | riwinkle |
| Field Plants | .35 .45 | .30 | .25 .35 |
| minor alba Same description as above | but flo | Wang and | white |
| Field Plants | .35 | .30 | |
| minor rubra | | | . 1 1 |
| Same description as above I | | | |
| Pots | .60 | .35 .50 | .40 |
| AMPELOPSIS Englemanni Hardy climbing vine. Brigh | | | |
| hetrophylia (vitis) A rapid growing vine with | | Summe | er Grape |
| - • • • • • | n brigh | Summe t blue fro Virginia r. Five lo | er Grape uit. Creeper |
| A rapid growing vine with quinquefolia Grows rapidly. Brilliant fa leaves. Suitable for covering | n brightall coloring fend | Summe t blue fro Virginia r. Five loces, etc. | er Grape uit. Creeper obed tersweet |
| A rapid growing vine with quinquefolia Grows rapidly. Brilliant fa leaves. Suitable for covering CELASTRUS scandens | n brigh all color ng fend Ame nge ber Sweet | Summer blue from Virginia r. Five loces, etc. rican Bit ries in the Autumn | er Grape uit. Creeper obed tersweet te fall. Clematis |
| A rapid growing vine with quinquefolia Grows rapidly. Brilliant fa leaves. Suitable for covering CELASTRUS scandens Decorative clusters of orange CLEMATIS paniculata White star-shaped blossoms | all coloring fend Ame age ber Sweets. Very | Summer blue from Virginia r. Five loces, etc. rican Bit ries in the Autumn of fragrant | er Grape uit. Creeper obed tersweet e fall. Clematis . Blooms |
| A rapid growing vine with quinquefolia Grows rapidly. Brilliant fa leaves. Suitable for covering CELASTRUS scandens Decorative clusters of orange CLEMATIS paniculata White star-shaped blossoms in September. CLEMATIS virginiana | Amenge ber Sweet s. Very | Summer blue from Virginia r. Five loces, etc. rican Bit ries in the Autumn fragrant July-Sep Jap. Hon | er Grape uit. Creeper obed tersweet ie fall. Clematis . Blooms ptember. eysuckle |
| quinquefolia Grows rapidly. Brilliant faleaves. Suitable for covering CELASTRUS scandens Decorative clusters of orange CLEMATIS paniculata White star-shaped blossoms in September. CLEMATIS virginiana Flowers white in leafy particulate LYCIUM chinensis Violet flowers in June followers | Amenge ber Sweet s. Very anicles. Hall flowers | Summer blue from Virginia r. Five loces, etc. rican Bitries in the Autumn of fragrant July-Sep Jap. Hones. Good for Matrimory reddish | er Grape uit. Creeper obed tersweet le fall. Clematis . Blooms ptember. eysuckle or banks. ony Vine |
| A rapid growing vine with quinquefolia Grows rapidly. Brilliant fa leaves. Suitable for covering CELASTRUS scandens Decorative clusters of orange CLEMATIS paniculata White star-shaped blossoms in September. CLEMATIS virginiana Flowers white in leafy pa LONICERA halliana Fragrant yellow and white LYCIUM chinensis | Amenge ber Sweet s. Very anicles. Hall flowers | Summer blue from Virginia r. Five loces, etc. rican Bit ries in the Autumn of fragrant July-Sep Jap. Hones. Good for Matrimory reddish follows: | er Grape uit. Creeper obed tersweet le fall. Clematis . Blooms ptember. eysuckle or banks. ony Vine berries. |

| PRAIRIE VIEW, ILLINOIS | | | 77 |
|---|------------|-----------------|-----------------|
| | Each | Each per 10 | Each per 100 |
| AMPELOPSIS Tricuspidata Ve | eitchi | Во | ston Ivy |
| Dense self-clinging vine. I for stone, brick or concrete | • | | ies. Best |
| 2 yr. plants | .50 | .45 | .40 |
| | | | |
| ARISTOLOCHIA durior | | | nanspipe |
| Large leaves and brown pi | | ped flower 4.00 | ers. |
| CLEMATIS jackmanni and nan | ned vai | rieties: | |
| Henryii—White Jackmanni—Violet purple Mme. Ed. Andre—Red Ramona—Lavender-blue | | | |
| 3" Pots Spring only | 1.00 | .90 | .75 |
| HYDRANGEA petiolaris Bright green foliage. Larg A climbing vine. 3" Pots | e flat | | |
| LONICERA Heckrotti Gol | den Fl | ame Hon | eysuckle |
| Fragrant, everblooming vir and yellow inside. | | wers red | outside |
| 1 yr. plants | .50 .75 | .45 .65 | .35 .50 |
| sempervirens | | Trum | pet Vine |
| Dark green foliage. Long, Upright grower. | tubula | r scarlet | flowers. |
| 2 yr. plants | .65 | .55 | .50 |
| Yellow Trumpet | | | |
| Large bright yellow trumpe | | ooms all | summer. |
| 2 yr. plants | .75 | .65 | |
| | | ine Flee | |
| Rapid grower with feathery white flowers. Blooms in A | y spray | s of ver | y showy |
| 2 yr. potted plants | - | .90 | .80 |
| reynowtria | | Flee | ceflower |
| Reddish-pink flowers in the foliage. | e fall | and brill | iant fall |
| 3 yr. plants | 1.00 | .75 | .65 |
| Selected material 25% ex | ktra. | | |

FRUIT TREES

| | Each | Each per 10 | |
|---|---|---|------------------------------|
| APPLES | | ~ | _ |
| Red and Yellow Delicious than - Rome Beauty - Transparent - Stayman. | - Tolm W. Gr | an Sweet eening - | t - Jona- Yellow |
| 11/16" 1¼" 1½" BB 1¾" BB 2" BB 2" BB Larger sizes avai | | 1.50 2.25 5.75 7.25 14.50 | 1.25 2.00 5.50 7.00 |
| ESPALIER APPLE TREES Jonathan and Red Delicio | us. | | |
| ESPALIER RED LEAF PEAG | CH TR | EES | |
| ESPALIER PEAR TREES Dwarf Seckle - Dwarf Ba Clapp's Favorite. | artlett | - Dwarf | Anjou - |
| One Tier Trees | $10.00 \\ 15.00$ | | |
| DWARF APPLE—Deacon | | | |
| 3-4' 4-5' 1 ¹ / ₄ " BB | $3.00 \\ 4.50 \\ 8.00$ | 2.50 4.00 7.50 | |
| 1¼" BB | 0.00 | 1.00 | |
| APRICOTS—Hardy Varieties: | | | Manchu |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke | Anda - | | Manchu |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 114" BB | Anda - | Hulin - | Manchu |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1¼" BB 1½" BB 2" BB | Anda - 5.00 7.50 10.00 | | Manchu |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1¼" BB 1½" BB 2" BB 5" BB | 5.00 7.50 10.00 65.00 | Hulin - | Manchu |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1¼" BB 1½" BB 2" BB 5" BB 5" BB | 5.00 7.50 10.00 65.00 85.00 | Hulin - | Manchu |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1¼" BB 1½" BB 2" BB 5" BB 5" BB 5½" BB Larger sizes avai | 5.00 7.50 10.00 65.00 85.00 lable | Hulin - 7.00 9.50 | |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1¼" BB 1½" BB 2" BB 5" BB 5" BB | 5.00 7.50 10.00 65.00 85.00 lable | Hulin - 7.00 9.50 | |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB 1½" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" | 5.00 7.50 10.00 65.00 85.00 lable (aven - | 7.00 9.50 Red Ha | |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB 1½" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" | 5.00 7.50 10.00 65.00 85.00 lable (aven - | 7.00 9.50 Red Ha | |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB 1½" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" | 5.00 7.50 10.00 65.00 85.00 lable (aven - | 7.00 9.50 Red Ha | |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB 1½" BB 2" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB | 5.00 7.50 10.00 65.00 85.00 lable (aven - 2.25 3.00 7.50 10.00 | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 | aven |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB ½" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB 2" BB 2" BB | 5.00 7.50 10.00 65.00 85.00 lable (aven - 2.25 3.00 7.50 10.00 eauty - | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 Kieffer | aven - Seckle |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB 1½" BB 2" BB 5" BB 5" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB 2" BB PEARS—Bartlett - Flemish B Clapp's Favorite - Gorman 11/16" | 5.00 7.50 10.00 65.00 85.00 lable (aven - 2.25 3.00 7.50 10.00 eauty - | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 Kieffer 1.75 | aven - Seckle |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB 1½" BB 2" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB 2" BB PEARS—Bartlett - Flemish B Clapp's Favorite - Gorman 11/16" 1" 1½" BB | 5.00 7.50 10.00 65.00 85.00 lable (aven - 2.25 3.00 7.50 10.00 eauty - 2.00 2.50 7.50 | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 Kieffer 1.75 2.25 7.00 | 1.50 2.00 6.50 |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB 1½" BB 2" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB 2" BB PEARS—Bartlett - Flemish B Clapp's Favorite - Gorman 11/16" 1" 1½" BB 2" BB | 5.00 7.50 10.00 65.00 85.00 lable [aven - 2.25 3.00 7.50 10.00 eauty - 2.00 2.50 7.50 15.00 | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 Kieffer 1.75 2.25 7.00 14.50 | - Seckle 1.50 2.00 |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB ½" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB 2" BB PEARS—Bartlett - Flemish B Clapp's Favorite - Gorman 11/16" 1" 1½" BB 2" BB 2" BB 2" BB | 5.00 7.50 10.00 65.00 85.00 lable [aven - 2.25 3.00 7.50 10.00 eauty - 2.00 2.50 7.50 15.00 20.00 25.00 | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 Kieffer 1.75 2.25 7.00 14.50 19.50 22.50 | 1.50 2.00 6.50 |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1½" BB 1½" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB 2" BB PEARS—Bartlett - Flemish B Clapp's Favorite - Gorman 11/16" 1" 1½" BB 2" BB 2" BB 2" BB 2" BB 3" BB 3½" BB | 5.00 7.50 10.00 65.00 85.00 lable [aven - 2.25 3.00 7.50 10.00 eauty - 2.00 2.50 7.50 15.00 20.00 25.00 30.00 | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 Kieffer 1.75 2.25 7.00 14.50 19.50 | 1.50 2.00 6.50 |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1¼" BB 1½" BB 2" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB 2" BB PEARS—Bartlett - Flemish B Clapp's Favorite - Gorman 11/16" 1" 1½" BB 2" BB 2" BB 3" BB 3½" BB 3" BB 3½" BB 4" BB 4" BB 4" BB | Anda - 5.00 7.50 10.00 65.00 85.00 lable laven - 2.25 3.00 7.50 10.00 eauty - 2.00 2.50 7.50 15.00 20.00 25.00 30.00 40.00 50.00 | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 Kieffer 1.75 2.25 7.00 14.50 19.50 22.50 | 1.50 2.00 6.50 |
| APRICOTS—Hardy Varieties: Moorepark - Peggy Clarke 1¼" BB 1½" BB 2" BB 5" BB 5" BB 5½" BB Larger sizes avai PEACHES—Elberta - Hale H Sullivan Early Elberta 11/16" 1" 1½" BB 2" BB PEARS—Bartlett - Flemish B Clapp's Favorite - Gorman 11/16" 1" 1½" BB 2" BB 2" BB 3" BB 3½" BB 3" BB 3½" BB | 5.00 7.50 10.00 65.00 85.00 lable laven 2.25 3.00 7.50 10.00 eauty 2.00 2.50 7.50 15.00 20.00 25.00 30.00 40.00 50.00 lable | 7.00 9.50 Red Ha 2.00 2.50 7.25 9.50 Kieffer 1.75 2.25 7.00 14.50 19.50 22.50 | 1.50 2.00 6.50 |

| PRAIRIE VIEW, ILLINOIS | | • | 79 |
|--|-----------------------|------------------|---------------------|
| | Each | Each per 10 | Each per 100 |
| DWARF PEAR—Bartlett - A | njou - | Seckle - | Duchess |
| 4-5' | 3.75 | 3.50 | 3.25 |
| 1" 1¼" BB | 5.50 | 5.00 | |
| 1¼" BB | $7.00 \\ 8.50$ | $6.50 \\ 8.00$ | |
| | | | |
| PLUMS—Feibing - Green Gag Underwood - Red Coat - Su | e - Ka | hinta - V | Vaneta - |
| 11/16" | 1.75 | 1.50 | 1.25 |
| 1" | 2.50 | 2.25 | 1.20 |
| 1½" BB | 10.00 | 9.50 | |
| 3" BB 3½" BB | | 22.00 | |
| | 30.00 | | |
| PLUM—Italian - German 3" BB | 25.00 | | |
| 04/11 777 | | | |
| 3½" BB Larger sizes as | | | |
| —————————————————————————————————————— | vanabit | · | |
| CHERRIES SWEET—Black Ta | artaria | n - Yello | w Glass |
| Northern Star - Brassington | | | |
| CHERRIES NON-SWEET—Ea | | | |
| Montmorency | illy iti | chillonu . | |
| Prices on above listed cherr | ries as | follows. | |
| 11/16" | 2.50 | 2.25 | |
| 1" 1½" BB | 3.00 | 2.75 | |
| O!! DD | 7.50 | 7.25 | 7.00 |
| 2½" BB | $\frac{11.00}{20.00}$ | $10.50 \\ 19.50$ | |
| 3" BB | 27.50 | 10.00 | |
| 3½" BB | 35.00 | | |
| CURRANTS—Red Lake - Diple | oma | | |
| 2 yr | .35 | .30 | .25 |
| 3 yr | .75 | .70 | .65 |
| 4 yr 5 yr | $\frac{2.00}{2.50}$ | $1.75 \\ 2.25$ | $\frac{1.50}{2.00}$ |
| GOOSEBERRIES—Pixwell - R | | 2.20 | 2.00 |
| 2 yr. | .60 | .55 | .50 |
| 3 yr | .75 | .70 | .65 |
| GRAPES—(Concord - Blue) (Go | | | |
| | nuen n | luscat) (| Amber |
| (Van Buren - Early Blue) 2 yr. No. 1 | .40 | .35 | .30 |
| | •40 | .00 | .00 |
| RASPBERRIES RED—Chief - Latham | Indian | Summer | - |
| RASPBERRIES BLACK—Cumb Sodus - Rubel - Jersey | berland | - New | Logan - |
| Prices on above Raspberries a | as follo | ws: | |
| ¼" Cal | .20 | .18 | .15 |
| CORP A WINDOWS | | | |
| STRAWBERRIES—June & Eve | erbeari | ng Varie | ties |
| Gem - Red Rich - Dunlap - (| | | |
| (\$50.00 per 1,000) | .11 | .10 | .09 |
| | | | |
| ASPARAGUS—Martha Washing | | 11 | 00 |
| (\$70.00 per 1,000) | .15 | .11 | .09 |
| Selected material 25% ex | tuc | | |
| Selected material 25% ex | tra. | | |

PERENNIALS

We shall discontinue the growing of Perennials in the near future. Therefore, all Perennials listed in last Spring's catalogue are offered at a flat 22c each for field clumps.

Prices for Balling and Burlapping

Prices listed as follows are for regular nursery practice and in accordance with the variety of material, root system, etc.

| | | | Each |
|-----------|----------|---|---------|
| 10 inch | diameter | | \$ 1.00 |
| 12 inch o | diameter | | 1.25 |
| 15 inch d | diameter | | 1.75 |
| 18 inch | diameter | *********************** | 3.00 |
| 20 inch d | diameter | | 3.75 |
| 22 inch d | liameter | ••••• | 5.00 |
| 24 inch d | liameter | •••••• | 6.50 |
| 28 inch d | liameter | • | 8.75 |
| 32 inch d | liameter | ************************* | 11.00 |
| 36 inch d | liameter | •••••• | 16.50 |
| 42 inch d | liameter | | 19.50 |
| 48 inch d | liameter | •••••• | 23.00 |
| 54 inch d | liameter | | 32.50 |
| 60 inch d | liameter | • | 37.50 |
| 66 inch d | liameter | • | 45.00 |
| 72 inch d | liameter | | 55.00 |
| | | | |

For client to determine his base cost per ball, use the following example:

```
1" caliper of tree = 12" diameter price.
1½" caliper of tree = 18" diameter price.
2" caliper of tree = 24" diameter price.
```

We reserve the right to keep the balled trees and shrubs at a minimum or maximum size without change in the ball cost.

Schedule of Approximate boxing charges

| Lgth | : 14x14" | 16x16" | 18x18" | 20x24" | 24x24" | 26x32" | 32x36" |
|------|----------|--------|--------|--------|--------|--------|--------|
| 4' | \$1.50 | \$1.75 | \$2.00 | \$2.40 | \$2.65 | \$3.10 | \$3.50 |
| 6' | 2.25 | 2.50 | 3.00 | 3.50 | 3.95 | 4.50 | 5.50 |
| 8' | 3.00 | 3.40 | 3.85 | 4.75 | 5.25 | 6.20 | 7.50 |
| 10' | 3.50 | 4.00 | 4.75 | 5.85 | 6.50 | 7.50 | 9.25 |
| 12' | 4.50 | 4.85 | 5.50 | 7.00 | 7.75 | 8.90 | 10.75 |
| 14' | 5.25 | 5.75 | 6.75 | 8.25 | 9.25 | 10.25 | 12.75 |

-BOXING CHARGES -

These are estimated sizes and charges based on actual cost. No charge will be made for loading of bulk trailers or car lots.

Why You Get the Best — When You Buy From Us!

Our trees, shrubs, evergreens, etc. are grown for high-class landscape work in order to give an immediate effect when set out.

Our plants are grown in fertile soil and well-spaced in rows. All our nursery stock is well fertilized periodically in order to get the best color in the plants and at the same time keep them in the healthiest condition.

Our plants are given individual attention in the proper shearing so as to put them in the best possible balanced symmetrical shape and to give them the most compact bodies possible.

Our nursery stock is many times transplanted giving it the chance to develop the fine, fibrous root system so necessarily needed to move these plants with ease and safety.

Weeds are constantly being eliminated and the ground kept moist by constant cultivation by horse, by machinery and by hand hoeing.

Spraying is done, when needed, to rid the plants of any insect pests.

Therefore, we take great pride in saying that we grow some of the best specimen stock to be found anywhere in this section of the country.

When you are in the vicinity drop in at our Nurseries and let us show you our nursery stock.

CHARLES FIORE NURSERIES, INC.